

ALMA
955ALMA3/MC

IP20

ALMA

Catalogue number	Product category	Description	Colour	Length (mm)	Width (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955ALMA3/MC	A	Pendant	Multicolour	1000	200	1320	1320	3xE27	1/1

Material: Metal, **Lamps Not Included, Max 40W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



ART
955ART1C



DUKE
955DUKE1/G



DUKE
955DUKE1/BK



DUKE
955DUKE1/AB



DUKE
955DUKE1/CH

IP20

DUKE / ART

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955DUKE1/BK	A	Pendant	Black	90	400	1 x GU10	1/10	A++→E
955DUKE1/AB	F	Pendant*	Antique brass	70	430	1 x GU10	1/10	A++→E
955DUKE1/CH	F	Pendant*	Chrome	55	430	1 x GU10	1/10	A++→E
955DUKE1/G	F	Pendant*	Gold	70	430	1 x GU10	1/10	A++→E
955ART1C	F	Pendant	Chrome	300	140	1 x E27	1/1	A++→E

Material: Metal, **Lamps Not Included**

*Until Supply Last

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY



SHADE
91SHADE3DR4



SHADE
91SHADE3DC1

IP20

UNTIL SUPPLY LAST

SHADE

Catalogue number	Product category	Description	Colour	Material	Width / Diameter (mm)	Length (mm)	Lampholder	Packing/Box (pcs)	Energy class
91SHADE3DR4	F	Chandelier	Colourful	Glass	150	1150	E27	1/12	A++→E
91SHADE3DC1	F	Chandelier	Colourful	Glass	120	1120	E27	1/20	A++→E

Lamps Not Included

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY



MORGAN
955MORGAN1W/BL



MORGAN
955MORGAN2/BL

IP20

MORGAN

Catalogue number	Product category	Description	Colour	Diameter (mm)	Width (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955MORGAN1W/BL	A	Wall lamp	Black	370	370	180	1xE14	1/1	A++→C
955MORGAN2/BL	A	Chandelier	Black	500	500	420	2xE14	1/1	A++→C

Material: Metal, **Lamps Not Included, Max. 40W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



MORGAN
955MORGAN3/BL



MORGAN
955MORGAN6/BL

IP20

MORGAN

Catalogue number	Product category	Description	Colour	Diameter (mm)	Width (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955MORGAN3/BL	A	Chandelier	Black	500	500	500	3xE14	1/1	A++→C
955MORGAN6/BL	A	Chandelier	Black	600	600	500	6xE14	1/1	A++→C

Material: Metal, **Lamps Not Included, Max. 40W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



ANDREA
955ANDREA1/BL

IP20

ANDREA

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955ANDREA1/BL	A	Pendant	Black & gold	400	1500	1xE27	1/1	A++→C

Material: Metal + Fabric, **Lamps Not Included , Max. 40W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



TIM
955TIM1A



TIM
955TIM1C



TIM
955TIM1B

IP20

TIM

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955TIM1A	A	Pendant	Black & Gold	190	400	1 x E27	1/1	A++→C
955TIM1B	A	Pendant	Black & Gold	350	150	1 x E27	1/1	A++→C
955TIM1C	A	Pendant	Black & Gold	250	300	1 x E27	1/1	A++→C

Material: Aluminum, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



JEMMA
955JEMMA3

IP20

JEMMA

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955JEMMA3	A	Chandelier	Black & gold	255	195	3xE27	1/1	A++→E

Material: Iron, **Lamps Not Included, Max 40W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY



FOREST
955FOREST1A

FOREST
955FOREST1B

FOREST
955FOREST1C

IP20

UNTIL SUPPLY LAST

FOREST

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955FOREST1A	F	Pendant	Pine-tree	300	140	1 x E27	1/1	A++→E
955FOREST1C	F	Pendant	Walnut	300	140	1 x E27	1/1	A++→E
955FOREST1B	F	Pendant	Cherry-tree	300	140	1 x E27	1/1	A++→E

Material: Metal, **Lamps Not Included**


RoHS COMPLIANT CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY



MARBLE
955MARBLE1A/WH



MARBLE
955MARBLE1C



MARBLE
955MARBLE1A/BR

IP20

UNTIL SUPPLY LAST

MARBLE

Catalogue number	Product category	Description	Colour	Diameter (mm)	Lampholder	Packing/Box (pcs)	Energy class
955MARBLE1A/WH	F	Pendant	Marble	200	1 x E27	1/1	A++→E
955MARBLE1A/BR	F	Pendant	Marble	200	1 x E27	1/1	A++→E
955MARBLE1C	F	Pendant	Marble	170	1 x E27	1/1	A++→E

Material: Metal and glass, **Lamps Not Included**

RoHS COMPLIANT CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY



FRANK
955FRANK3/GR

IP20

FRANK

Catalogue number	Product category	Description	Colour	Width / Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955FRANK3/GR	A	Chandelier	grey	400	900	600	3xE27	1/1	A++→E

Material: Metal, **Lamps Not Included, Max 40W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



YVONNE
955YVONNE1S/BL
955YVONNE1L/BL



YVONNE
955YVONNE1S/BR
955YVONNE1L/BR

IP20

YVONNE

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955YVONNE1S/BL	A	Pendant	Black	350	1500	3xE27	1/2	A++→E
955YVONNE1S/BR	A	Pendant	Brown	350	1500	3xE27	1/1	A++→E
955YVONNE1L/BL	A	Pendant	Black	500	1500	5xE27	1/2	A++→E
955YVONNE1L/BR	A	Pendant	Brown	500	1500	5xE27	1/1	A++→E

Material: Iron + Acrylic + Fabric, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



TWEED
955TWEED1



LUNA
955LUNA1

IP20

TWEED/LUNA

Catalogue number	Product category	Description	Colour	Diameter (mm)	Width (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955TWEED1	A	Pendant	White	300	230	1320	1xE27	1/1	A++→E
955LUNA1	A	Pendant	White	300	300	1400	1xE27	1/1	A++→E

Material: Plastic, , **Lamps Not Included, max 40W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



PHIL
955PHIL1WL/BL



PHIL
955PHIL5/BL



PHIL
955PHIL3/BL

IP20


PHIL

Catalogue number	Product category	Description	Colour	Width (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955PHIL1WL/BL	A	Wall lamp	Black and wood	200	160	130	1xE27	1/40	A++→E
955PHIL3/BL	A	Ceiling lamp	Black and wood	536	536	415	3xE27	1/10	A++→E
955PHIL5/BL	A	Ceiling lamp	Black and wood	731	731	515	5xE27	1/6	A++→E

Material: Metal and Wood, **Lamps Not Included, max 25W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



FIONA
955FIONA3



RONNY
955RONNY1



RONNY
955RONNY3

IP20

RONNY / FIONA

Catalogue number	Product category	Description	Colour	Width (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955RONNY1	A	Pendant	Black and wood	150	90	1120	1xE27	1/40	A++→E
955RONNY3	A	Pendant	Black and wood	480	145	940	3xE27	1/10	A++→E
955FIONA3	A	Pendant	Wood		300	230	3xE27	1/1	A++→E

Material: Metal and Wood, **Lamps Not Included, max 25W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



WOODY
955WOODY/D



WOODY
955WOODY/R

IP20

WOODY

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955WOODY/D	A	Pendant	black painting+rattan	340	1200	E27	1	A++→E
955WOODY/R	A	Pendant	wood painting+wood ring	380	1200	E27	1	A++→E

Material 955WOODY/D: Metal+ Rattan | **Material 955WOODY/R:** Metal+ Wood | **Lamps Not Included** | max 40W

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



WOODY
955WOODY/1



WOODY
955WOODY/2



WOODY
955WOODY/H

IP20

WOODY

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955WOODY/1	A	Pendant	wood painting+rattan	540	1200	E27	1/1	A++→E
955WOODY/2	A	Pendant	wood painting+rattan	350	1200	E27	1/1	A++→E
955WOODY/H	A	Pendant	black painting+rattan	300/300	1200	E27	1/1	A++→E

Material: Metal+ Rattan | **Lamps Not Included** | max 40W

3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



WOODY
955WOODY/4



WOODY
955WOODY/3

IP20

WOODY

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955WOODY/3	A	Pendant	chrome/wood	400	1500	1xE27	1/1	A++→E
955WOODY/4	A	Ceiling lamp	black/wood	300		1xE27	1/1	A++→E

Material: Metal+ Wood | **Lamps Not Included** | Max 40W

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



ALEGRA
955ALEGRA1W



ALEGRA
955ALEGRA1T

IP20

ALEGRA

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955ALEGRA1W	A	Wall lamp	wood and black	245	290	1xE14	1/1	A++→E
955ALEGRA1T	A	Table lamp	wood and black	280	475	1xE14	1/1	A++→E

Material: Metal and wood, **Lamps Not Included, Max 40W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



BAMBOO
955BAMBOO1



SIMONA
955SIMONA1

IP20

BAMBOO/SIMONA

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955BAMBOO1	A	Pendant	Wood	330	200	1xE27	1/1	A++→E
955SIMONA1	A	Pendant	Wood	450	300	1xE27	1/1	A++→E


Material: Wood, **Lamps Not Included, Max 25W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



CIMENT
955CIMENT1A



CIMENT
955CIMENT1C



CIMENT
955CIMENT1D

IP20

UNTIL SUPPLY LAST

CIMENT

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955CIMENT1A	F	Pendant	Concrete	180	250	1 x E27	1/1	A++→E
955CIMENT1C	F	Pendant	Concrete	250	250	1 x E27	1/1	A++→E
955CIMENT1D	F	Pendant	Concrete	150	220	1 x E27	1/1	A++→E

Material: Cement and metal, **Lamps Not Included**

RoHS COMPLIANT CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY



STONE
955STONE1B



STONE
955STONE1C

IP20

UNTIL SUPPLY LAST

STONE

Catalogue number	Product category	Description	Colour	Diameter (mm)	Lampholder	Packing/Box (pcs)	Energy class
955STONE1B	F	Pendant	Stone	280	1 x E27	1/1	A++→E
955STONE1C	F	Pendant	Stone	300	1 x E27	1/1	A++→E

Material: Metal, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY



UNION
955UNION1

IP20

UNION

Catalogue number	Product category	Description	Diameter (mm)	Lampholder	Packing/ Box (pcs)	Energy class
955UNION1	A	Pendant	300	1 x E27	1/1	A++→E

Material: Metal, Black, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY



HELIX
955HELIX3/WH



HELIX
955HELIX3/BK

IP20

HELIX

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955HELIX3/BK	A	Chandelier	Matt black	425	1240	3 x E27	1/1	A++→E
955HELIX3/WH	A	Chandelier	White	400	1240	3 x E27	1/1	A++→E

Material: Metal, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



GALAXY
955GALAXY1/BL



CHESTER
955CHESTER1/WH



CHESTER
955CHESTER1/BL

IP20

GALAXY / CHESTER

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955GALAXY1/BL	A	Pendant	Black & gold	400	1500	1xE27	1/1	A++→E
955CHESTER1/WH	A	Pendant	White	350	1500	1xE27	1/1	A++→E
955CHESTER1/BL	A	Pendant	Black	350	1500	1xE27	1/1	A++→E

Material: Iron, **Lamps Not Included, Max 40W, 955CHESTER1/BL Lampshade Colour:** Outside Black, Inside White

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



JASON
955JASON1/GR



JASON
955JASON1/WH



JASON
955JASON1/BK

IP20

JASON

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955JASON1/BK	A	Pendant	Sand black with copper	300	1410	1 x E27	1/1	A++→E
955JASON1/GR	A	Pendant	Sand grey with copper	300	1410	1 x E27	1/1	A++→E
955JASON1/WH	A	Pendant	Sand white with satin nickel	300	1410	1 x E27	1/1	A++→E

Material: Metal, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



TEDD
955TEDD1P/BK



TEDD
955TEDD1P/WH

IP20

UNTIL SUPPLY LAST

TEDD

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955TEDD1P/BK	F	Pendant	Sand black with copper	260	1400	1 x E27	1/1	A++→E
955TEDD1P/WH	F	Pendant	Sand white with satin nickel	260	1400	1 x E27	1/1	A++→E

Material: Metal, **Lamps Not Included**

RoHS COMPLIANT CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY



MATT
955MATT1/WH



MATT
955MATT1/BK

IP20

MATT

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955MATT1/BK	A	Pendant	Matt black and gold	360	1290	1 x E27	1/1	A++→E
955MATT1/WH	A	Pendant	Matt white and gold	360	1290	1 x E27	1/1	A++→E

Material: Metal, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.


VINTAGE



JACKSON
955JACKSON18

IP20

JACKSON

Catalogue number	Product category	Description	Colour	Diameter (mm)	Lampholder	Packing/Box (pcs)	Energy class
955JACKSON18	A	Chandelier	black	730	18 x E27	1/1	A++→E

Material: Metal, **Lamps Not Included**

BEST EFFECT WITH VINTAGE LAMPS · RoHS COMPLIANT · CE · 3+2 standard +extended · 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



DAMON
955DAMON1W



DAMON
955DAMON1P



DAMON
955DAMON3P

IP20

DAMON

Catalogue number	Product category	Description	Colour	Diameter (mm)	Lampholder	Packing/Box (pcs)	Energy class
955DAMON1P	A	Pendant	black	230	1 x E27	1/10	A++→E
955DAMON3P	A	Pendant	black	360	3 x E27	1/1	A++→E
955DAMON1W	A	Wall lamp	black	230	1 x E27	1/6	A++→E

Material: Metal, **Lamps Not Included**

BEST EFFECT WITH VINTAGE LAMPS · RoHS COMPLIANT · CE · 3+2 standard +extended · 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



DAMON
955DAMON1P/BL



DAMON
955DAMON1P/AB

IP20

DAMON

Catalogue number	Product category	Description	Colour	Diameter (mm)	Lampholder	Packing/Box (pcs)	Energy class
955DAMON1P/BL	A	Pendant	Black	220	1 x E27	1/50	A++→E
955DAMON1P/AB	A	Pendant	Antique brass	220	1 x E27	1/50	A++→E

Material: Metal, **Lamps Not Included**

BEST EFFECT WITH VINTAGE LAMPS · RoHS COMPLIANT · CE · 3+2 standard +extended · 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.





JACOB

955JACOB1P

IP20

UNTIL SUPPLY LAST

JACOB

Catalogue number	Product category	Description	Diameter (mm)	Height (mm)	Lampholder	Packing/ Box (pcs)	Energy class
955JACOB1P	F	Pendant	320	550	1 x E27	1/1	A++→E

Material: Metal with transparent glass, Lamps Not Included

BEST EFFECT WITH VINTAGE LAMPS · RoHS COMPLIANT · CE · 3+2 standard +extended 5 YEAR TOTAL WARRANTY



LUTON
955LUTON1



LUTON
955LUTON6

IP20

LUTON

Catalogue number	Product category	Description	Colour	Length (mm)	Width (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955LUTON1	A	Pendant	Black	205	205	1500	1xE14	1/1	A++→E
955LUTON6	A	Pendant	Black	990	205	1500	6xE14	1/1	A++→E

Material: Metal + Acrylic, **Lamps Not Included, , Max. 40W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



PAIL
955PAIL1



APIS
955APIS1

IP20

PAIL / APIS

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Material	Packing/Box (pcs)	Energy class
955APIS1	A	Pendant	Black with sliver	300	240	1 x E27	Metal	1/1	A++→E
955PAIL1	A	Pendant	Black with wood	215	130	1 x E27	Metal with wood	1/1	A++→E

Lamps Not Included

BEST EFFECT WITH VINTAGE LAMPS · RoHS COMPLIANT · CE · 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



ROPE
955ROPE1W



ROPE
955ROPE2W

IP20

ROPE

Catalogue number	Product category	Description	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955ROPE1W	A	Wall lamp	200	190	1 x E27	1/1	A++→E
955ROPE2W	A	Wall lamp	400	400	2 x E27	1/1	A++→E

Material: Metal, Black and rust, **Lamps Not Included**

BEST EFFECT WITH VINTAGE LAMPS · RoHS COMPLIANT · CE · 3+2 standard +extended · 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



ROPE
955ROPE1P



SAILOR
955SAILOR17



GRID
955GRID1P

IP20

ROPE / GRID / SAILOR

Catalogue number	Product category	Description	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955ROPE1P	A	Pendant	160	180	1 x E27	1/10	A++→E
955GRID1P	A	Pendant	160	180	1 x E27	1/1	A++→E
955SAILOR17	A	Pendant	40	1000	1xE27	1/100	A++→E

Material: Metal, Black and rust, **Lamps Not Included**

BEST EFFECT WITH VINTAGE LAMPS · RoHS COMPLIANT · CE · 3+2 standard +extended · 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



ROPE
955ROPE6



ROPE
955ROPE5L

IP20

UNTIL SUPPLY LAST

ROPE

Catalogue number	Product category	Description	Colour	Width / Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955ROPE6	F	Chandelier	brown and rust	400	670	900	6 x E27	1/1	A++→E
955ROPE5L	F	Chandelier	brown and rust	-	1030	500	5 x E27	1/1	A++→E

Material: Metal with hemp rope, Lamps Not Included

BEST EFFECT WITH VINTAGE LAMPS · RoHS COMPLIANT · CE · 3+2 standard +extended 5 YEAR TOTAL WARRANTY



ROPE
955ROPE5R



OLIVER
955OLIVER8

IP20

UNTIL SUPPLY LAST

ROPE / OLIVER

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955ROPE5R	F	Chandelier	brown and rust	600	700	5 x E27	1/1	A++→E
955OLIVER8	F	Chandelier	brown	600	300	8 x E27	1/50	A++→E

Material: Metal with hemp rope, Lamps Not Included

BEST EFFECT WITH VINTAGE LAMPS · RoHS COMPLIANT · CE · 3+2 standard +extended 5 YEAR TOTAL WARRANTY

ELMARK
www.elmarkholding.eu



CARTER

955CARTER6L

IP20

UNTIL SUPPLY LAST

CARTER

Catalogue number	Product category	Description	Colour	Width / Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955CARTER6L	F	Chandelier	black	300	480	250	6 x E27	1/1	A++→E

Material: Metal, Lamps Not Included

BEST EFFECT WITH VINTAGE LAMPS

RoHS COMPLIANT

CE

3+2 standard +extended 5 YEAR TOTAL WARRANTY



CARTER
955CARTER6R



CARTER
955CARTER1W



CARTER
955CARTER4R

IP20

UNTIL SUPPLY **LAST**

CARTER

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955CARTER4R	F	Chandelier	black	370	250	4 x E27	1/1	A++→E
955CARTER6R	F	Chandelier	black	580	250	6 x E27	1/1	A++→E
955CARTER1W	F	Wall lamp	black	142	410	1 x E27	1/1	A++→E

Material: Metal, Lamps Not Included

BEST EFFECT WITH VINTAGE LAMPS · RoHS COMPLIANT · CE · 3+2 standard +extended 5 YEAR TOTAL WARRANTY

ELMARK

www.elmarkholding.eu



BLAKE

955BLAKE8



GRACE
955GRACE6L



BLAKE
955BLAKE6

IP20

UNTIL SUPPLY LAST

BLAKE / GRACE

Catalogue number	Product category	Description	Colour	Width / Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955BLAKE6	F	Chandelier	Black	580	650	6 x E27	1/1	A++→E
955BLAKE8	F	Chandelier	Black	800	680	8 x E27	1/1	A++→E
955GRACE6L	F	Chandelier	Dark wood with stone	400/700	700	6 x E27	1/1	A++→E

Material: Metal, **Lamps Not Included**

RoHS COMPLIANT CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY



TYLER
955TYLER1B/AB



TYLER
955TYLER1A/CU

IP20

UNTIL SUPPLY LAST

TYLER

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955TYLER1B/AB	F	Pendant	Antique brass	195	155	1 x E27	1/1	A++→E
955TYLER1A/CU	F	Pendant	Copper	155	195	1 x E27	1/1	A++→E

Material: Metal, **Lamps Not Included**

BEST EFFECT WITH VINTAGE LAMPS · RoHS · CE · 3+2 standard +extended · 5 YEAR TOTAL WARRANTY



CLARK
955CLARK1A



CLARK
955CLARK1B

IP20


UNTIL SUPPLY LAST

CLARK

Catalogue number	Product category	Description	Colour	Diameter (mm)	Lampholder	Packing/Box (pcs)	Energy class
955CLARK1A	F	Pendant	Copper	260	1 x E27	1/1	A++→E
955CLARK1B	F	Pendant	Copper	220	1 x E27	1/1	A++→E

Material: Glass with metal, **Lamps Not Included**


BEST EFFECT WITH VINTAGE LAMPS · RoHS · CE · 3+0 standard +extended · 3 YEAR TOTAL WARRANTY



DECO
955DECO1A



DECO
955DECO1B



DECO
955DECO1C

IP20

DECO

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955DECO1A	A	Pendant	Copper	350	350	1 x E27	1/1	A++→E
955DECO1B	A	Pendant	Copper	300	270	1 x E27	1/1	A++→E
955DECO1C	F	Pendant*	Copper	300	180	1 x E27	1/1	A++→E

Material: Metal, Lamps Not Included

*Until Supply Last

BEST EFFECT WITH VINTAGE LAMPS RoHS CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



HAMMER
955HAMMER1C/CU



HAMMER
955HAMMER1A/G



HAMMER
955HAMMER1B/CH



HAMMER
955HAMMER1D/CH

IP20

UNTIL SUPPLY LAST

HAMMER

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955HAMMER1C/CU	F	Pendant	Copper	300		1 x E27	1/1	A++→E
955HAMMER1A/G	F	Pendant	Gold	290	220	1 x E27	1/1	A++→E
955HAMMER1B/CH	F	Pendant	Chrome	180		1 x E27	1/1	A++→E
955HAMMER1D/CH	F	Pendant	Chrome	190	250	1 x E27	1/1	A++→E

Material: Metal, **Lamps Not Included**

BEST EFFECT WITH VINTAGE LAMPS · RoHS COMPLIANT · CE · 3+0 standard +extended · 3 YEAR TOTAL WARRANTY



ELMARK

www.elmarkholding.eu



BRYAN

955BRYAN1W

IP20

BRYAN

Catalogue number	Product category	Description	Diameter (mm)	Height (mm)	Lampholder	Packing/ Box (pcs)	Energy class
955BRYAN1W	A	Wall lamp	260	260	1 x E27	1/6	A++→E

Material: Metal antique brass and glass, **Lamps Not Included**

BEST EFFECT WITH VINTAGE LAMPS

RoHS COMPLIANT

CE

3+2 standard +extended 5 YEAR TOTAL WARRANTY



BERLIN
955BERLIN1A/CH



BERLIN
955BERLIN1B/BK



SKY
93SKY2211PWW/BL
93SKY2211PW/BL
93SKY2211PCW/BL

IP20

BERLIN / SKY

Catalogue number	Product category	Description	Colour temp. (K)	Lamp	Watt	Whole fixture lumens (lm)	Colour	Diameter (mm)	Lampholder	Packing/Box (pcs)	Energy class
955BERLIN1B/BK	F	Pendant*	-	Not Included	-	-	Black	360	1 x E27	1/1	A++→E
955BERLIN1A/CH	F	Pendant*	-	Not Included	-	-	Chrome	360	1 x E27	1/1	A++→E
93SKY2211PWW/BL	A	Pendant	2700	Included PAR30	15	1275	Black	100	1 x E27	1/1	A+ A++→E
93SKY2211PW/BL	A	Pendant	4000	Included PAR30	15	1275	Black	100	1 x E27	1/1	A+ A++→E
93SKY2211PCW/BL	A	Pendant	6400	Included PAR30	15	1275	Black	100	1 x E27	1/1	A+ A++→E

Material: Metal

* Until Supply Last



SKY Lamp included



BEST EFFECT WITH VINTAGE LAMPS


RoHS CE

3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



SAILOR
955SAILOR1RAB



SAILOR
955SAILOR1P



SAILOR
9527100



SAILOR
955SAILOR1W

IP20

SAILOR

Catalogue number	Product category	Description	Colour	Diameter (mm)	Length (mm)	Lampholder	Material	Packing/Box (pcs)	Energy class
955SAILOR1RAB	F	Pendant*	red antique brass	100	2050	E27	iron	1/20	A++→E
955SAILOR1P	F	Pendant*	pink	90	1500	E27	silicone	1/80	A++→E
9527100	A	Pendant	chrome	100	1085	E27	silicone	1/50	A++→E
955SAILOR1W	A	Wall fixture	antique brass	100	200	E27	iron	1/20	A++→E

Lamps Not Included
* Until Supply Last

BEST EFFECT WITH VINTAGE LAMPS RoHS CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



SAILOR
955SAILOR1BK



SAILOR
955SAILOR1AB



SAILOR
955SAILOR1CU



SAILOR
955SAILOR1C



SAILOR
955SAILOR1BR

IP20

SAILOR

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Material	Packing/Box (pcs)	Energy class
955SAILOR1BK	F	Pendant*	Black	50	1240	1 x E27	Metal	1/1	A++→E
955SAILOR1AB	A	Pendant	Antique brass and black	50	1070	1 x E27	Metal	1/10	A++→E
955SAILOR1CU	A	Pendant	Copper and black	50	1080	1 x E27	Metal	1/10	A++→E
955SAILOR1C	F	Pendant*	Cement and black	60	1090	1 x E27	Cement and metal	1/10	A++→E
955SAILOR1BR	A	Pendant	Brown	50	1080	1 x E27	Silicone	1/50	A++→E

Lamps Not Included
* Until Supply Last

BEST EFFECT WITH VINTAGE LAMPS · RoHS COMPLIANT · CE · 3+2 standard +extended · 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



SAILOR
955SAILOR11/G



SAILOR
955SAILOR12/G



SAILOR
955SAILOR13/S



SAILOR
955SAILOR14/AB



SAILOR
955SAILOR15/RAB

IP20

SAILOR

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Material	Packing/Box (pcs)	Energy class
955SAILOR11/G	A	Pendant	Gold	50	1000	1 x E27	Metal	1/100	A++→E
955SAILOR12/G	A	Pendant	Gold	45	1000	1 x E27	Metal	1/100	A++→E
955SAILOR13/S	A	Pendant	Silver	45	1000	1 x E27	Metal	1/100	A++→E
955SAILOR14/AB	A	Pendant	Antique brass	55	1000	1 x E27	Metal	1/100	A++→E
955SAILOR15/RAB	A	Pendant with switch	Red antique brass	35	1000	1 x E27	Metal	1/100	A++→E

Lamps Not Included

BEST EFFECT WITH VINTAGE LAMPS · RoHS COMPLIANT · CE · 3+2 standard +extended · 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



955SAILOR16/R



955SAILOR16/BL



955SAILOR16/BR



955SAILOR16/WH



955SAILOR16/Y

IP20

SAILOR

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Material	Packing/Box (pcs)	Energy class
955SAILOR16/BL	A	Pendant	Black	40	1000	1 x E27	Silicon	1/100	A++→E
955SAILOR16/WH	A	Pendant	White	40	1000	1 x E27	Silicon	1/100	A++→E
955SAILOR16/R	A	Pendant	Red	40	1000	1 x E27	Silicon	1/100	A++→E
955SAILOR16/BR	A	Pendant	Brown	40	1000	1 x E27	Silicon	1/100	A++→E
955SAILOR16/Y	A	Pendant	Yellow	40	1000	1 x E27	Silicon	1/100	A++→E

Lamps Not Included

BEST EFFECT WITH VINTAGE LAMPS · RoHS COMPLIANT · CE · 3+2 standard +extended · 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



CLASSIC



MARIEL
955MARIEL5/WH-G



MARIEL
955MARIEL5/GR-G

IP20

UNTIL SUPPLY LAST

MARIEL

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955MARIEL5/WH-G	F	Chandelier	white and gold	600	460	5xE14	1/1	A++→E
955MARIEL5/GR-G	F	Chandelier	gray and gold	600	460	5xE14	1/1	A++→E

Material: Metal, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY



AMANDA
955AMANDA5/BK



AMANDA
955AMANDA1W/WH



AMANDA
955AMANDA5/WH

IP20

UNTIL SUPPLY LAST

AMANDA

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955AMANDA1W/WH	F	Wall lamp	White	230	250	1 x E14	1/10	A++→E
955AMANDA5/WH	F	Chandelier	White	580	550	5 x E14	1/1	A++→E
955AMANDA5/BK	F	Chandelier	Black	580	550	5 x E14	1/10	A++→E

Material: Metal, **Lamps Not Included**

RoHS COMPLIANT CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY



ANGELA
955ANGELA1W



ANGELA
955ANGELA5



ANGELA
955ANGELA8



ANGELA
955ANGELA3

IP20

ANGELA

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955ANGELA1W	A	Wall lamp	Black	270	370	1 x E14	1/10	A++→E
955ANGELA3	A	Chandelier	Black	510	530	3 x E14	1/1	A++→E
955ANGELA5	A	Chandelier	Black	510	570	5 x E14	1/1	A++→E
955ANGELA8	A	Chandelier	Black	680	690	8 x E14	1/1	A++→E

Material: Metal, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



MADISON
955MADISON3



MADISON
955MADISON5



MADISON
955MADISON8

IP20

UNTIL SUPPLY LAST

MADISON

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955MADISON3	F	Chandelier	Black	460	440	3 x E14	1/1	A++→E
955MADISON5	F	Chandelier	Black	500	520	5 x E14	1/1	A++→E
955MADISON8	F	Chandelier	Black	680	640	8 x E14	1/1	A++→E

Material: Metal, **Lamps Not Included**

RoHS COMPLIANT CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY



ASHLEY
955ASHLEY1W



ASHLEY
955ASHLEY5

IP20

UNTIL SUPPLY LAST

ASHLEY

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955ASHLEY1W	F	Wall lamp	White	250	360	1 x E14	1/10	A++→E
955ASHLEY5	F	Chandelier	White	550	680	5 x E14	1/1	A++→E

Material: Metal with glass, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY



LAURA
955LAURA1W



RUBY
955RUBY6



LAURA
955LAURA5



RUBY
955RUBY1W

IP20

RUBY / LAURA

Catalogue number	Product category	Description	Colour	Width (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955RUBY6	A	Chandelier	Beige swept gold	570	490	6 x E14	1/1	A++→E
955LAURA5	A	Chandelier	White swept gold	650	680	5 x E14	1/1	A++→E
955RUBY1W	A	Wall lamp	Beige swept gold	270	205	1 x E14	1/10	A++→E
955LAURA1W	A	Wall lamp	White swept gold	100	425	1 x E14	1/10	A++→E

Material: Metal with crystal, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



KAYLA
955KAYLA6



KAYLA
955KAYLA5

IP20

UNTIL SUPPLY LAST

KAYLA

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955KAYLA5	F	Chandelier	black	640	200	5 x E14	1/1	A++→E
955KAYLA6	F	Chandelier	black	930	200	6 x E14	1/1	A++→E

Material: Metal with glass, **Lamps Not Included**

RoHS COMPLIANT CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY



CALLA
955CALLA3



CALLA
955CALLA5

IP20

UNTIL SUPPLY LAST

CALLA

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955CALLA3	F	Chandelier	Chrome	500	200	3xE14	1/1	A++→E
955CALLA5	F	Chandelier	Chrome	500	200	5xE14	1/1	A++→E

Material: Metal + glass, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY



CLOVER
955CLOVER3



CLOVER
955CLOVER5

IP20

UNTIL SUPPLY LAST

CLOVER

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955CLOVER3	F	Chandelier	Chrome	520	200	3xE27	1/1	A++→E
955CLOVER5	F	Chandelier	Chrome	520	200	5xE27	1/1	A++→E

Material: Metal + glass, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY



SIA
955SIA3



SIA
955SIA5

IP20

UNTIL SUPPLY LAST

SIA

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955SIA3	F	Chandelier	Gold	500	300	3xE14	1/1	A++→E
955SIA5	F	Chandelier	Gold	500	300	5xE14	1/1	A++→E

Material: Metal + glass, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY



TAURY
955TAURY3



TAURY
955TAURY5

IP20

UNTIL SUPPLY LAST

TAURY

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955TAURY3	F	Chandelier	antique brass	500	300	3xE14	1/1	A++→E
955TAURY5	F	Chandelier	antique brass	500	300	5xE14	1/1	A++→E

Material: Metal + glass + crystals, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY



TULIP
955TULIP3



TULIP
955TULIP5

IP20

UNTIL SUPPLY LAST

TULIP

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955TULIP3	F	Chandelier	White+gold	550	220	3xE14	1/1	A++→E
955TULIP5	F	Chandelier	White+gold	550	220	5xE14	1/1	A++→E

Material: Metal + glass + crystals, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY



RENY
955RENY3



RENY
955RENY4

IP20

UNTIL SUPPLY LAST

RENY

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955RENY3	F	Chandelier	Wenge/chrome	460		220	3xE27	1/1	A++→E
955RENY4	F	Chandelier	Wenge/chrome	520		220	4xE27	1/1	A++→E

Material: Metal + glass, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY



ZORY
955ZORY3



ZORY
955ZORY6

IP20

UNTIL SUPPLY LAST

ZORY

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955ZORY3	F	Chandelier	Wenge/chrome	540		230	3xE27	1/1	A++→E
955ZORY6	F	Chandelier	Wenge/chrome	690		230	6xE27	1/1	A++→E

Material: Metal + glass, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY



CIARA
955CIARA1W



CIARA
955CIARA3



CIARA
955CIARA5

IP20

UNTIL SUPPLY LAST

CIARA

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955CIARA1W	F	Wall fixture with switch	Wenge/chrome	130	200	160	1xE27	1/10	A++→E
955CIARA3	F	Chandelier	Wenge/chrome	420		220	3xE27	1/1	A++→E
955CIARA5	F	Chandelier	Wenge/chrome	530		220	5xE27	1/1	A++→E

Material: Metal + glass, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY



STACY
955STACY4



STACY
955STACY3



STACY
955STACY2



STACY
955STACY1W

IP20

STACY

Catalogue number	Product category	Description	Colour	Width (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955STACY4	A	Chandelier	Satin nickel	180	750	350	4 x E27	1/1	A++→E
955STACY1W	A	Wall lamp	Satin nickel	220	250	130	1 x E27	1/10	A++→E
955STACY3	A	Chandelier	Satin nickel	160	600	350	3 x E27	1/1	A++→E
955STACY2	A	Chandelier	Satin nickel	180	390	350	2 x E27	1/1	A++→E

Material: Metal with glass, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



SARA
955SARA6



SARA
955SARA4



SARA
955SARA3

IP20

UNTIL SUPPLY LAST

SARA

Catalogue number	Product category	Description	Colour	Width (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955SARA6	F	Chandelier	Satin nickel	330	660	330	6 x E27	1/1	A++→E
955SARA4	F	Chandelier	Satin nickel	240	680	330	4 x E27	1/1	A++→E
955SARA3	F	Chandelier	Satin nickel	180	560	330	3 x E27	1/1	A++→E

Material: Metal with glass, **Lamps Not Included**

RoHS COMPLIANT CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY



LEXI
955LEXI6/SN



LEXI
955LEXI4/SN

IP20

UNTIL SUPPLY LAST

LEXI

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955LEXI6/SN	F	Chandelier	Satin nickel	650	350	6 x E27	1/1	A++→E
955LEXI4/SN	F	Chandelier	Satin nickel	520	350	4 x E27	1/1	A++→E

Material: Metal with glass, **Lamps Not Included**

RoHS COMPLIANT CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY



LEXI
955LEXI1P/AB



LEXI
955LEXI6/AB



LEXI
955LEXI4/AB

IP20

UNTIL SUPPLY LAST

LEXI

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955LEXI6/AB	F	Chandelier	Antique brass	650	350	6 x E27	1/1	A++→E
955LEXI4/AB	F	Chandelier	Antique brass	520	350	4 x E27	1/1	A++→E
955LEXI1P/AB	F	Pendant	Antique brass	150	100	1 x E27	1/10	A++→E

Material: Metal with glass, **Lamps Not Included**

RoHS COMPLIANT CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY



ADEL
955ADEL6/SN



ADEL
955ADEL4/SN



ADEL
955ADEL3/SN



ADEL
955ADEL1W/SN

IP20

ADEL

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955ADEL1W/SN	A	Wall lamp	Satin nickel	160	260	140	1 x E27	1/10	A++→E
955ADEL3/SN	A	Chandelier	Satin nickel	480	-	370	3 x E27	1/1	A++→E
955ADEL4/SN	A	Chandelier	Satin nickel	330	520	370	4 x E27	1/1	A++→E
955ADEL6/SN	A	Chandelier	Satin nickel	600	-	370	6 x E27	1/1	A++→E

Material: Metal with glass, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



ADEL
955ADEL6/AB



ADEL
955ADEL4/AB



ADEL
955ADEL3/AB



ADEL
955ADEL1W/AB

IP20

ADEL

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955ADEL1W/AB	A	Wall lamp	Antique brass	160	260	140	1 x E27	1/10	A++→E
955ADEL3/AB	A	Chandelier	Antique brass	480	-	370	3 x E27	1/1	A++→E
955ADEL4/AB	A	Chandelier	Antique brass	330	520	370	4 x E27	1/1	A++→E
955ADEL6/AB	A	Chandelier	Antique brass	600	-	370	6 x E27	1/1	A++→E

Material: Metal with glass, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



ALICE
955ALICE5



ALICE
955ALICE4



ALICE
955ALICE1W



ALICE
955ALICE3

IP20

UNTIL SUPPLY LAST

ALICE

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955ALICE4	F	Chandelier	Satin nickel	500	-	350	4 x E27	1/1	A++→E
955ALICE3	F	Chandelier	Satin nickel	460	-	350	3 x E27	1/1	A++→E
955ALICE1W	F	Wall lamp	Satin nickel	110	210	150	1 x E27	1/10	A++→E
955ALICE5	F	Chandelier	Satin nickel	600	-	350	5 x E27	1/1	A++→E

Material: Metal with glass, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY



CECIL
955CECIL6



CECIL
955CECIL4



CECIL
955CECIL1W

IP20


UNTIL SUPPLY LAST

CECIL

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955CECIL6	F	Chandelier	Wenge and chrome	550	-	350	6 x E27	1/1	A++→E
955CECIL4	F	Chandelier	Wenge and chrome	400	-	350	4 x E27	1/1	A++→E
955CECIL1W	F	Wall lamp	Wenge and chrome	160	260	140	1 x E27	1/10	A++→E

Material: Metal with white glass, **Lamps Not Included**

RoHS COMPLIANT CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY



JUDY
955JUDY3/WH



JUDY
955JUDY5/WH

IP20

JUDY

Catalogue number	Product category	Description	Colour	Width (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955JUDY3/WH	A	Ceiling lamp	White	460	460	340	3xE27	1/12	A++→E
955JUDY5/WH	A	Ceiling lamp	White	540	540	340	5xE27	1/12	A++→E

Material: Metal and PP, **Lamps Not Included, Max 25W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



JUDY
955JUDY3/BL



JUDY
955JUDY5/BL

IP20

JUDY

Catalogue number	Product category	Description	Colour	Width (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955JUDY3/BL	A	Ceiling lamp	Black	460	460	340	3xE27	1/12	A++→E
955JUDY5/BL	A	Ceiling lamp	Black	540	540	340	5xE27	1/12	A++→E

Material: Metal and PP, **Lamps Not Included, Max 25W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



KRISTA
955KRISTA5



KRISTA
955KRISTA1W



KRISTA
955KRISTA1T



KRISTA
955KRISTA3

IP20

KRISTA

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955KRISTA1T	A	Table lamp	Golden copper brass with beige	180	-	330	1 x E27	1/6	A++→E
955KRISTA1W	A	Wall lamp	Golden copper brass with beige	180	275	235	1 x E27	1/12	A++→E
955KRISTA3	A	Chandelier	Golden copper brass with beige	525	-	450	3 x E27	1/1	A++→E
955KRISTA5	A	Chandelier	Golden copper brass with beige	525	-	450	5 x E27	1/1	A++→E

Material: Metal with glass, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



KAREN
955KAREN1P



KAREN
955KAREN3L



KAREN
955KAREN3R

IP20

KAREN

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955KAREN3R	A	Chandelier	Satin nickel	130	500	800	3 x E27	1/1	A++→E
955KAREN1P	A	Pendant	Satin nickel	120	-	800	1 x E27	1/1	A++→E
955KAREN3L	A	Chandelier	Satin nickel	130	500	800	3 x E27	1/1	A++→E

Material: Metal with glass, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



MOLLY
955MOLLY2/SN



MOLLY
955MOLLY1P/SN

IP20

UNTIL SUPPLY LAST

MOLLY

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955MOLLY1P/SN	F	Pendant	Satin nickel and white	295	-	1245	1 x E27	1/1	A++→E
955MOLLY2/SN	F	Chandelier	Satin nickel and white	295	1100	800	2 x E27	1/1	A++→E

Material: Metal with glass, **Lamps Not Included**

RoHS COMPLIANT CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY



MOLLY
955MOLLY1P/AB



MOLLY
955MOLLY1T/AB



MOLLY
955MOLLY2/AB

IP20

UNTIL SUPPLY LAST

MOLLY

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955MOLLY1P/AB	F	Pendant	Antique brass and white	295	-	1245	1 x E27	1/1	A++→E
955MOLLY2/AB	F	Chandelier	Antique brass and white	295	1100	800	2 x E27	1/1	A++→E
955MOLLY1T/AB	F	Table lamp	Antique brass and white	230	300	480	1 x E27	1/1	A++→E

Material: Metal with glass, **Lamps Not Included**

RoHS COMPLIANT CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY



ERIN
955ERIN1P



ERIN
955ERIN3R



ERIN
955ERIN3L

IP20

ERIN

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955ERIN3R	A	Chandelier	Satin nickel	300	-	800	3 x E27	1/1	A++→E
955ERIN1P	A	Pendant	Satin nickel	120	-	800	1 x E27	1/10	A++→E
955ERIN3L	A	Chandelier	Satin nickel	90	500	800	3 x E27	1/1	A++→E

Material: Metal with glass, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



JANIS
955JANIS1A



JANIS
955JANIS1B



JANIS
955JANIS1C

IP20

JANIS

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955JANIS1A	A	Pendant	Black	130	-	250	1 x E27	1/1	A++→E
955JANIS1B	A	Pendant	White	130	130	190	1 x E27	1/1	A++→E
955JANIS1C	A	Pendant	Black	130	-	250	1 x E27	1/1	A++→E

Material: Metal, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



HANNA
955HANNA3



DONNA
955DONNA3

IP20

HANNA / DONNA

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955HANNA3	F	Ceiling lamp*	Lite wood	450	160	3 x E27	1/1	A++→E
955DONNA3	A	Ceiling lamp	Black wood	400	100	3 x E27	1/1	A++→E

Material: Metal with glass and wood, **Lamps Not Included**

* Until Supply last

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



TIMOK
9520045



MARICA
9520019



VELEKA
9520067

IP20

UNTIL SUPPLY LAST

MARICA / VELEKA / TIMOK


Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
9520019	F	Chandelier	Antique brass	600	600	5 x E14	1/1	A++→E
9520045	F	Wall lamp	satin nickel/opal glass			1 x E14	1/1	A++→E
9520067	F	Table lamp	chrome/frosted glass			1 x E14	1/1	A++→E

Material: Metal with glass, Lamps Not Included

RoHS COMPLIANT CE 2+0 standard +extended 2 YEAR TOTAL WARRANTY



EROS
958930BL



EROS
958940BL



EROS
958960BL



EROS
958970BL

IP20

UNTIL SUPPLY LAST

EROS


Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Lampholder	Packing/Box (pcs)	Energy class
958930BL	F	Ceiling lamp	Black	300	-	1 x E27	1/1	A++→E
958940BL	F	Ceiling lamp	Black	400	-	2 x E27	1/1	A++→E
958960BL	F	Wall lamp	Black	300	300	2 x E27	1/1	A++→E
958970BL	F	Wall lamp	Black	230	350	2 x E27	1/1	A++→E

Material: Metal with glass, Lamps Not Included

RoHS COMPLIANT CE 2+1 standard +extended 3 YEAR TOTAL WARRANTY



EROS
958970



EROS
958960

IP20

UNTIL SUPPLY LAST

EROS

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Lampholder	Packing/Box (pcs)	Energy class
958960	F	Wall lamp	White	300	300	2 x E27	1/1	A++→E
958970	F	Wall lamp	White	230	350	2 x E27	1/1	A++→E

Material: Metal with glass, Lamps Not Included

RoHS COMPLIANT CE 2+1 standard +extended 3 YEAR TOTAL WARRANTY



VIVIAN
9500640024
9500650025



STYLE
9500250008



BRANDY
9501450065



CORAL
9500840034
9500850035

IP20

UNTIL SUPPLY LAST

VIVIAN / BRANDY / CORAL / STYLE

Catalogue number	Product category	Description	Colour	Diameter (mm)	Lampholder	Packing/Box (pcs)	Energy class
9500640024	F	Ceiling lamp	Blue	400	2 x E27	1/5	A++→E
9500650025	F	Ceiling lamp	Blue	500	3 x E27	1/5	A++→E
9501450065	F	Ceiling lamp	Brown	500	3 x E27	1/5	A++→E
9500840034	F	Ceiling lamp	Brown	400	2 x E27	1/5	A++→E
9500850035	F	Ceiling lamp	Brown	500	3 x E27	1/5	A++→E
9500250008	F	Ceiling lamp	Brown	500	3xE27	1/5	A++→E

Material: Metal with glass, Lamps Not Included

RoHS COMPLIANT CE 2+0 standard +extended 2 YEAR TOTAL WARRANTY



LIDIA
9501732075



CANDY
950273631113



LIDIA
9501850081



LIDIA
9501650073



LIDIA
9501740076
9501750077

IP20

UNTIL SUPPLY LAST

LIDIA / CANDY

Catalogue number	Product category	Description	Colour	Diameter (mm)	Lampholder	Packing/Box (pcs)	Energy class
9501650073	F	Ceiling lamp	Brown	500	3 x E27	1/5	A++→E
9501732075	F	Wall lamp	Pink	300/2	1 x E27	1/20	A++→E
9501740076	F	Ceiling lamp	Pink	400	2 x E27	1/5	A++→E
9501750077	F	Ceiling lamp	Pink	500	3 x E27	1/5	A++→E
9501850081	F	Ceiling lamp	Purple	500	3 x E27	1/5	A++→E
950273631113	F	Wall lamp	Dots	360/310	2 x E27	1/10	A++→E

Material: Metal with glass, Lamps Not Included

RoHS COMPLIANT CE 2+0 standard +extended 2 YEAR TOTAL WARRANTY



SENSOR
958300MCH



SENSOR
958300WH



SENSOR
958120MCH



SENSOR
958120WH

IP20

SENSOR

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Lampholder	Packing/Box (pcs)	Energy class
958300WH	A	Ceiling lamp	White	300	-	2 x E27	1/8	A++→E
958300MCH	A	Ceiling lamp	Satin nickel	300	-	2 x E27	1/8	A++→E
958120WH	A	Ceiling lamp	White	300	300	2 x E27	1/8	A++→E
958120MCH	A	Ceiling lamp	Satin nickel	300	300	2 x E27	1/8	A++→E

Material: Metal with glass, Lamps Not Included

Ceiling fixture with movement sensor | Detection range: 360 degrees | Detection distance: max.6m | Time-Delay: 10sec ± 3sec to 7 min ± 2 min (adjustable) | Ambient light: <3 - 2000lux (adjustable) | Detection motion speed: 0.6 - 1.5 m/s | Installation height: 2.2 - 4m

RoHS COMPLIANT CE 2+1 standard +extended 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.



TUBES
9510010



RULET
95109R



RULET
95109WH

IP20

UNTIL SUPPLY LAST

RULET / TUBES

Catalogue number	Product category	Description	Colour	Diameter (mm)	Lampholder	Packing/Box (pcs)	Energy class
95109R	F	Pendant	red	190	1 x E27	1/1	A++→E
95109WH	F	Pendant	white	190	1 x E27	1/1	A++→E
9510010	F	Chandelier	chrome	-	5 x E27	1/1	A++→E

Material: Metal with glass, Lamps Not Included

RoHS COMPLIANT CE 2+0 standard +extended 2 YEAR TOTAL WARRANTY



TABLE & FLOOR LAMPS



MAX
955MAX1T



MAX
955MAX1F

IP20

MAX

Catalogue number	Product category	Description	Colour	Width (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955MAX1T	A	Table lamp	Sand black	200	310	520	1 x E27	1/12	A++→E
955MAX1F	A	Floor lamp	Sand black	545	640	1450	1 x E27	1/1	A++→E

Material: Metal, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



CLARA
955CLARA1T/NI



CAROL
955CAROL1F/BL

IP20

CAROL / CLARA

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955CAROL1F/BL	A	Floor lamp	Black & brass	600	1850	1xE27	1/1	A++→E
955CLARA1T/NI	A	Table lamp	Nickel	460	670	1xE27	1/1	A++→E

Material: CAROL: Wood, fabric & metal, CLARA: Metal & fabric | **Lamps Not Included**, Max 40W

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



TOM
955TOM1F



ROB
955ROB1F

IP20

UNTIL SUPPLY LAST

TOM / ROB

Catalogue number	Product category	Description	Colour	Width (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955TOM1F	F	Floor lamp	Sand black with antique brass	245	430	1550	2 x E27	1/1	A++→E
955ROB1F	F	Floor lamp	Chrome	230	400	1540	2 x E27	1/1	A++→E

Material: Metal with wood, Metal, **Lamps Not Included**

RoHS COMPLIANT CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY



JOHN
955JOHN1F/BK



JOHN
955JOHN1T/BK



JOHN
955JOHN1T/WH

IP20

JOHN

Catalogue number	Product category	Description	Colour	Width (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955JOHN1T/WH	A	Table lamp	Sand white with satin nickel	190	495	600	1 x E27	1/1	A++→E
955JOHN1T/BK	A	Table lamp	Sand black with copper	190	495	600	1 x E27	1/1	A++→E
955JOHN1F/BK	A	Floor lamp	Sand black with copper	280	830	1500	1 x E27	1/1	A++→E

Material: Metal, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



DANN
955DANN3F



NOAH
955NOAH1F

IP20

ROY / DANN / NOAH

Catalogue number	Product category	Description	Colour	Width (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955ROY1F	A	Floor lamp	Satin nickel	445	2110	2120	1 x E27	1/1	A++→E
955DANN3F	F	Floor lamp*	Satin nickel	830	820	2000	3 x E14	1/1	A++→E
955NOAH1F	F	Floor lamp*	Satin nickel	205	330	1320	1 x E27	1/4	A++→E

Material: Metal, Lamps Not Included
* Until supply Last - 3 year standard+0 year extended warranty

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

ELMARK

www.elmarkholding.eu





ROY

955ROY1F



KILIE
955KILIE1



LEDA
955LEDA3F

IP20

KILIE / LEDA

Catalogue number	Product category	Description	Colour	Widthr (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955KILIE1	A	Floor lamp	White	1390	1750	E27	1/1	A++→E
955LEDA3F	A	Floor lamp	Satin nickel	1670	2170	3xE27	1/1	A++→E

Material: KILIE: Marble + Fabric; LEDA: Metal, **Lamps Not Included, Max. 40W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



TOMY
955TOMY1F



TOMY
955TOMY1T

IP20

TOMY

Catalogue number	Product category	Description	Colour	Widthr (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955TOMY1T	A	Table lamp	dark gray	240	490	E27	1/1	A++→E
955TOMY1F	A	Floor lamp	dark gray	400	1550	E27	1/1	A++→E

Material: Metal+ Fabric, **Lamps Not Included, Max. 40W**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



CARMEN
955CARMEN1T



CARMEN
955CARMEN1F

IP20

CARMEN

Catalogue number	Product category	Description	Colour	Diameter/Width (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955CARMEN1F	A	Floor lamp	White & chrome	300	230	1xE27	1/1	A++→E
955CARMEN1T	A	Table lamp	White & chrome	300	230	1xE27	1/1	A++→E

Material: Metal, **Lamps Not Included**, Max 40W

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



MERY
955MERY1F/AB



MERY
955MERY1T/AB



MERY
955MERY1F/CH



MERY
955MERY1T/CH

IP20

MERY

Catalogue number	Product category	Description	Colour	Width / Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955MERY1F/AB	A	Floor lamp	Antique brass	400	1565	1 x E27	1/1	A++→E
955MERY1T/AB	A	Table lamp	Antique brass	320	570	1 x E27	1/1	A++→E
955MERY1F/CH	A	Floor lamp	Chrome	400	1565	1 x E27	1/1	A++→E
955MERY1T/CH	A	Table lamp	Chrome	320	570	1 x E27	1/1	A++→E

Material: Metal with crystal and fabirc shade, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



MAYA
955MAYA1F



MAYA
955MAYA1T



LILLY
955LILLY1F



LILLY
955LILLY1T

IP20

MAYA / LILLY

Catalogue number	Product category	Description	Colour	Width / Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955MAYA1F	A	Floor lamp	Chrome	400	1630	1 x E27	1/1	A++→E
955MAYA1T	A	Table lamp	Chrome	300	650	1 x E27	1/1	A++→E
955LILLY1F	A	Floor lamp	Chrome	400	1585	1 x E27	1/1	A++→E
955LILLY1T	A	Table lamp	Chrome	150	410	1 x E27	1/4	A++→E


Material: Metal with crystal and fabirc shade, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



SENSO
955SENSO1T



SENSO
955SENSO3F

LED WARM WHITE 2700K **IP40**

SENSO

Catalogue number	Product category	Description	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour	Length/ Diameter (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955SENSO1T	A	Table lamp	8.5	588	2800-3200	Matte black	458	180	459	1/1	A++→A
955SENSO3F	A	Floor lamp	25	1764	2800-3200	Matte black	443		1475	1/1	A++→A


Material: Aluminium + Iron + Acrylic, **LED:** Included, **Light source:** Epistar 2835

~230V | 50/60 Hz | > 15000 | SMD 2835 | Ra≥80 | Hg | IP 40 | RoHS COMPLIANT | EMC | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



DUNCAN
955DUNCAN1T



DUNCAN
955DUNCAN3F

LED WARM WHITE 2700K **IP40**

DUNCAN

Catalogue number	Product category	Description	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour	Length/ Diameter (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955DUNCAN1T	A	Table lamp	5	350	2800-3200	Matte black & wood	272	180	272	1/2	A++→A
955DUNCAN3F	A	Floor lamp	15	1050	2800-3200	Matte black & wood	230	250	1440	1/1	A++→A

Material: Aluminium + Iron + PC, **LED:** Included, **Light source:** Epistar 2835

~230V | 50/60 Hz | > 15000 | SMD 2835 | Ra≥80 | Hg | IP 40 | RoHS COMPLIANT | EMC | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



HENDRIX
955HENDRIX1T

LED WARM WHITE 2700K **IP40**

HENDRIX

Catalogue number	Product category	Description	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955HENDRIX1T	A	Table lamp	11	770	2800-3200	White & black	250	480	1/1	A++→A

Material: Aluminium + Iron + PC, **LED:** Included, **Light source:** Epistar 2835

~230V | 50/60 Hz | > 15000 | SMD 2835 | Ra≥80 | IP 40 | RoHS COMPLIANT | EMC | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



DIMMABLE LED TABLE LAMPS
955LED101T/WH



DIMMABLE LED TABLE LAMPS
955LED101T/BL

LED NEUTRAL WHITE 4000K IP40 DIMMABLE

DIMMABLE LED TABLE LAMPS

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955LED101T/WH	A	9	500	4000K	white	150	600	1/30	A++→A
955LED101T/BL	A	9	500	4000K	black	150	600	1/30	A++→A

Material: ABS+PP | Third gear dimmable | **Lamps Not Included** | **Light source:** 30pcs 5730SMD | **Voltage:** 100-240V AC | **Adapter:** 4.6V/1.5A

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



ELINOR
955ELINOR1T/DGR



ELINOR
955ELINOR1T/TR

IP20

ELINOR

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955ELINOR1T/DGR	A	Table lamp	Dark grey	245	512	1xE27	1/1	A++→E
955ELINOR1T/TR	A	Table lamp	Transparent	245	512	1xE27	1/1	A++→E

Material: Acrylic , Lamps Not Included

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



ALEGRA
955ALEGRA1T



LUKE
955LUKE1T/BK



LUKE
955LUKE1T/WH

IP20

LUKE

Catalogue number	Product category	Description	Colour	Width (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955LUKE1T/BK	A	Table lamp	Sand black with copper	165	530	700	1 x E27	1/12	A++→E
955LUKE1T/WH	A	Table lamp	Sand white with satin nickel	165	530	700	1 x E27	1/12	A++→E
955ALEGRA1T	A	Table lamp	wood and black	280		475	1xE14	1/1	

Material: Metal, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



LIZA
955LIZA1T/AB



LIZA
955LIZA1T/CH



KRISTA
955KRISTA1T

IP20

LIZA / KRISTA

Catalogue number	Product category	Description	Material	Colour	Width / Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955LIZA1T/AB	A	Table lamp	Metal and crystal	Antique brass	210	330	1 x E14	1/4	A++→E
955LIZA1T/CH	A	Table lamp	Metal and crystal	Chrome	210	330	1 x E14	1/4	A++→E
955KRISTA1T	A	Table lamp	Metal with glass	Golden copper brass with beige	180	330	1 x E27	1/6	A++→E

Material: Metal with crystal / glass, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY



SPIDER
955SPIDER1T/WH



MOLLY
955MOLLY1T/AB

IP20

UNTIL SUPPLY LAST

SPIDER / MOLLY

Catalogue number	Product category	Description	Colour	Width / Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
955SPIDER1T/WH	F	Table lamp	Copper and white	130	600	1 x E27	1/8	A++→E
955MOLLY1T/AB	F	Table lamp	Antique brass and white	300	480	1 x E27	1/1	A++→E

Material: Metal, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY



SPOTLIGHTS



MICKEY BLUE
955MICKEY1W/B



MICKEY BLUE
955MICKEY3/B



MICKEY BLUE
955MICKEY1T/B

IP20

MICKEY BLUE

Catalogue number	Product category	Description	Colour	Lamp holder	Width / Diameter (mm)	Length (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955MICKEY1T/B	A	Table lamp	blue	1xE27	120		300	1/1	A++→E
955MICKEY1W/B	A	Wall lamp	blue	1xE27	120	250	140	1/1	A++→E
955MICKEY3/B	A	Chandelier	blue	3xE27	300		1100	1/1	A++→E

Material: Metal, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



MICKEY PINK
955MICKEY1W/P



MICKEY PINK
955MICKEY3/P



MICKEY PINK
955MICKEY1T/P

IP20

MICKEY PINK

Catalogue number	Product category	Description	Colour	Lamp holder	Width / Diameter (mm)	Length (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955MICKEY1T/P	A	Table lamp	pink	1xE27	120		300	1/1	A++→E
955MICKEY1W/P	A	Wall lamp	pink	1xE27	120	250	140	1/1	A++→E
955MICKEY3/P	A	Chandelier	pink	3xE27	300		1100	1/1	A++→E

Material: Metal, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



MICKEY WHITE
955MICKEY1W/WH



MICKEY WHITE
955MICKEY3/WH



MICKEY WHITE
955MICKEY1T/WH

IP20

MICKEY WHITE

Catalogue number	Product category	Description	Colour	Lamp holder	Width / Diameter (mm)	Length (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955MICKEY1T/WH	A	Table lamp	white	1xE27	120		300	1/1	A++→E
955MICKEY1W/WH	A	Wall lamp	white	1xE27	120	250	140	1/1	A++→E
955MICKEY3/WH	A	Chandelier	white	3xE27	300		1100	1/1	A++→E

Material: Metal, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



TINY
955TINY1/P



TINY
955TINY1/B

IP20


TINY

Catalogue number	Product category	Description	Colour	Width / Diameter (mm)	Height (mm)	Lamp holder	Packing/Box (pcs)	Energy class
955TINY1/P	A	Wall lamp	pink	120		1xGU10	1/1	A++→E
955TINY1/B	A	Wall lamp	blue	120		1xGU10	1/1	A++→E

Material: Metal, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



TINY
955TINY7/MC



PEARL
955PEARL3/BL

IP20

TINY / PEARL

Catalogue number	Product category	Description	Colour	Width / Diameter (mm)	Height (mm)	Lamp holder	Packing/Box (pcs)	Energy class
955TINY7/MC	A	Chandelier	multicolour	350	1500	7xGU10	1/1	A++→E
955PEARL3/BL	A	Chandelier	black and gold	150	1500	3xE27	1/1	A++→E

Material: Metal, **Lamps Not Included**

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



IZZY
955IZZY1/BL



IZZY
955IZZY1/WH



IZZY
955IZZY2/BL



IZZY
955IZZY2/WH



IZZY
955IZZY1W/BL



IZZY
955IZZY1W/WH

IP20

IZZY

Catalogue number	Product category	Description	Colour	Lamp holder	Base Diameter (mm)	Length (mm)	Width (mm)	Packing/Box (mm)	Energy class
955IZZY1W/WH	A	Spot with metal swtich	white	1xGU10	80		180	1/20	A++→E
955IZZY1W/BL	A	Spot with metal swtich	black	1xGU10	80		180	1/20	A++→E
955IZZY1/WH	A	Spot	white	1xGU10	80		180	1/20	A++→E
955IZZY1/BL	A	Spot	black	1xGU10	80		180	1/20	A++→E
955IZZY2/WH	A	Spot	white	2xGU10	80	250	180	1/12	A++→E
955IZZY2/BL	A	Spot	black	2xGU10	80	250	180	1/12	A++→E

Material: Metal, **Lamps Not Included** | max 50W on lampholder

3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



IZZY
955IZZY4/WH



IZZY
955IZZY3/BL



IZZY
955IZZY3/WH



IZZY
955IZZY4/BL

IP20

IZZY

Catalogue number	Product category	Description	Colour	Lamp holder	Diameter (mm)	Length (mm)	Width (mm)	Packing/Box (mm)	Energy class
955IZZY3/WH	A	Spot	white	3xGU10	80/250		180	1/6	A++→E
955IZZY3/BL	A	Spot	black	3xGU10	80/250		180	1/6	A++→E
955IZZY4/WH	A	Spot	white	4xGU10	80	600	180	1/6	A++→E
955IZZY4/BL	A	Spot	black	4xGU10	80	600	180	1/6	A++→E

Material: Metal, **Lamps Not Included** | max 50W on lampholder

3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



DOTS
955DOTS1S



DOTS
955DOTS2S



DOTS
955DOTS3S

IP20

UNTIL SUPPLY **LAST**

DOTS

Catalogue number	Product category	Description	Colour	Lampholder	Width/Diameter (mm)	Length (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955DOTS1S	F	Spot	White with colored dots	1 x E27	110	205	180	1/20	A++→E
955DOTS2S	F	Spot	White with colored dots	2 x E27	185	400	180	1/6	A++→E
955DOTS3S	F	Spot	White with colored dots	3 x E27	185	580	180	1/6	A++→E

Material: Metal

RoHS COMPLIANT CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY



DOTS
955DOTS1P



DOTS
955DOTS3P

IP20

UNTIL SUPPLY LAST

DOTS

Catalogue number	Product category	Description	Colour	Lampholder	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955DOTS1P	F	Pendant	White with colored dots	1 x E27	130	1225	1/12	A++→E
955DOTS3P	F	Chandelier	White with colored dots	3 x E27	260	1225	1/6	A++→E

Material: Metal

RoHS COMPLIANT CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY



STRIPS
955STRIPS1S



STRIPS
955STRIPS3S



STRIPS
955STRIPS2S

IP20

UNTIL SUPPLY LAST

STRIPS

Catalogue number	Product category	Description	Colour	Lampholder	Width/Diameter (mm)	Length (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955STRIPS1S	F	Spot	White with creme and coffee	1 x E27	110	205	180	1/20	A++→E
955STRIPS2S	F	Spot	White with creme and coffee	2 x E27	185	400	180	1/6	A++→E
955STRIPS3S	F	Spot	White with creme and coffee	3 x E27	185	580	180	1/6	A++→E

Material: Metal

RoHS COMPLIANT CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY



STRIPS
955STRIPS1P



STRIPS
955STRIPS3P

IP20

UNTIL SUPPLY LAST

STRIPS

Catalogue number	Product category	Description	Colour	Lampholder	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955STRIPS1P	F	Pendant	White with creme and coffee	1 x E27	130	1225	1/12	A++→E
955STRIPS3P	F	Chandelier	White with creme and coffee	3 x E27	260	1225	1/6	A++→E

Material: Metal

RoHS COMPLIANT CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY



BRAD
955BRAD3/WH



BRAD
955BRAD3/BK

IP20

UNTIL SUPPLY LAST

BRAD

Catalogue number	Product category	Description	Colour	Lampholder	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955BRAD3/WH	F	Chandelier	White	3 x E14	170	495	1/1	A++→E
955BRAD3/BK	F	Chandelier	Black	3 x E14	170	495	1/1	A++→E

Material: Metal

RoHS COMPLIANT CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY



NOAH
955NOAH2L



NOAH
955NOAH3L



NOAH
955NOAH1



NOAH
955NOAH3R



NOAH
955NOAH2R

IP20

UNTIL SUPPLY LAST

NOAH

Catalogue number	Product category	Description	Colour	Lampholder	Width/Diameter (mm)	Length (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955NOAH1	F	Spot	Satin nickel	1 x E27	120	225	170	1/20	A++→E
955NOAH2L	F	Spot	Satin nickel	2 x E27	195	415	170	1/6	A++→E
955NOAH3L	F	Spot	Satin nickel	3 x E27	195	550	170	1/1	A++→E
955NOAH2R	F	Spot	Satin nickel	2 x E27	220	310	220	1/6	A++→E
955NOAH3R	F	Spot	Satin nickel	3 x E27	400	410	220	1/6	A++→E

Material: Metal

RoHS COMPLIANT CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY



JIM
955JIM1/AB



JIM
955JIM2/AB



JIM
955JIM3/AB



JIM
955JIM1/SN



JIM
955JIM2/SN



JIM
955JIM3/SN

IP20

UNTIL SUPPLY LAST

JIM

Catalogue number	Product category	Description	Colour	Lampholder	Width/Diameter (mm)	Length (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955JIM1/SN	F	Spot	Satin nickel	1 x E27	95	145	140	1/30	A++→E
955JIM2/SN	F	Spot	Satin nickel	2 x E27	145	360	155	1/12	A++→E
955JIM3/SN	F	Spot	Satin nickel	3 x E27	120	560	155	1/12	A++→E
955JIM1/AB	F	Spot	Antique brass	1 x E27	95	145	140	1/30	A++→E
955JIM2/AB	F	Spot	Antique brass	2 x E27	145	360	155	1/12	A++→E
955JIM3/AB	F	Spot	Antique brass	3 x E27	120	560	155	1/12	A++→E

Material: Metal

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY



JACK
955JACK1/SN



JACK
955JACK3R/SN



JACK
955JACK2/SN



JACK
955JACK3/SN

IP20

UNTIL SUPPLY LAST

JACK

Catalogue number	Product category	Description	Colour	Lampholder	Width/Diameter (mm)	Length (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955JACK1/SN	F	Spot	Satin nickel	1 x E14	75	105	140	1/30	A++→E
955JACK2/SN	F	Spot	Satin nickel	2 x E14	105	360	145	1/12	A++→E
955JACK3/SN	F	Spot	Satin nickel	3 x E14	105	560	145	1/12	A++→E
955JACK3R/SN	F	Spot	Satin nickel	3 x E14	180	-	145	1/12	A++→E

Material: Metal

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY



JACK
955JACK1/AB



JACK
955JACK3R/AB



JACK
955JACK2/AB



JACK
955JACK3/AB

IP20


UNTIL SUPPLY LAST

JACK

Catalogue number	Product category	Description	Colour	Lampholder	Width/Diameter (mm)	Length (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955JACK1/AB	F	Spot	Antique brass	1 x E14	75	105	140	1/30	A++→E
955JACK2/AB	F	Spot	Antique brass	2 x E14	105	360	145	1/12	A++→E
955JACK3/AB	F	Spot	Antique brass	3 x E14	105	560	145	1/12	A++→E
955JACK3R/AB	F	Spot	Antique brass	3 x E14	180	-	145	1/12	A++→E

Material: Metal

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY



ARDA
9520001



ARDA
9520002



ARDA
9520003

IP20

UNTIL SUPPLY LAST

ARDA

Catalogue number	Product category	Description	Model	Colour	Lampholder	Packing/Box (pcs)	Energy class
9520001	F	Spot	3901	Satin nickel	1 x GU10	1/1	A++→C
9520002	F	Spot	3902	Satin nickel	2 x GU10	1/1	A++→C
9520003	F	Spot	3903	Satin nickel	3 x GU10	1/1	A++→C

Material: Metal



Recommended bulb:
LEDSMD 3030 GU10 5.5W


~230V RoHS CE 2+0 standard +extended 2 YEAR TOTAL WARRANTY



VRANA
9520022



VRANA
9520023



VRANA
9520021



VRANA
9520024

IP20

UNTIL SUPPLY LAST

VRANA

Catalogue number	Product category	Description	Model	Colour	Lampholder	Packing/Box (pcs)	Energy class
9520021	F	Spot	3602	Silver + black	2 x GU10	1/1	A++→C
9520022	F	Spot	3603	Silver + black	3 x GU10	1/1	A++→C
9520023	F	Spot	3604	Silver + black	4 x GU10	1/1	A++→C
9520024	F	Spot	3606	Silver + black	6 x GU10	1/1	A++→C

Material: Metal



Recommended bulb:
LEDSMD 3030 GU10 5.5W

~230V RoHS CE 2+0 standard +extended 2 YEAR TOTAL WARRANTY



ARCHAR
9520027



AHELOY
9520033



AHELOY
9520032

IP20

UNTIL SUPPLY LAST

AHELOY / ARCHAR

Catalogue number	Product category	Description	Model	Colour	Lampholder	Packing/Box (pcs)	Energy class
9520032	F	Spot	3803	Chrome	3 x GU10	1/1	A++→C
9520033	F	Spot	3804	Chrome	4 x GU10	1/1	A++→C
9520027	F	Spot	3703	Satin nickel and Chrome	3 x GU10	1/1	A++→C

Material: Metal



Recommended bulb:
LEDSMD 3030 GU10 5.5W

~230V RoHS CE 2+0 standard +extended 2 YEAR TOTAL WARRANTY



ELMARK

www.elmarkholding.eu



SAM

955SAM1W/WH



SAM

955SAM1W/SN

IP20

SAM

Catalogue number	Product category	Description	Lampholder	Width (mm)	Length (mm)	Height (mm)	Packing/ Box (pcs)	Energy class
955SAM1W/SN	A	Spot	1 x E27	105	340	175	1/20	A++→E
955SAM1W/WH	A	Spot	1 x E27	105	340	175	1/20	A++→E

Material: Metal , Satin nickel, White, With key


RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY



PICASSO
955PICASSO12/AB



PICASSO
955PICASSO8/AB



PICASSO
955PICASSO12/SN



PICASSO
955PICASSO8/SN

LED NEUTRAL WHITE 4000K **IP44**

PICASSO

Catalogue number	Product category	Description	Colour	Watt (W)	Colour temp. (K)	Whole fixture lumens (lm)	Width (mm)	Length (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955PICASSO12/AB	A	LED Picture Light	Antique brass	12	4000	960	70	675	190	1/20	A++→A
955PICASSO12/SN	A	LED Picture Light	Satin nickel	12	4000	960	70	675	190	1/20	A++→A
955PICASSO8/AB	A	LED Picture Light	Antique brass	8	4000	640	70	495	180	1/20	A++→A
955PICASSO8/SN	A	LED Picture Light	Satin nickel	8	4000	640	70	495	180	1/20	A++→A

Material: Metal | **Beam angle:** 30° | **Operating temperature:** 50-60° | **LED chip type:** SMD2835

~230V 50/60 Hz Ra>80 30000h >50000 INSTANT 100% Hg IP 44 RoHS F CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



INDOOR



99XPANEL016

99XPANEL014W
99XPANEL020W
99XPANEL020CW



99XPANEL015W
99XPANEL021W

LED NEUTRAL WHITE 4000K COOL WHITE 6400K **IP40**

UNTIL SUPPLY **LAST**

LED PANELS STELLAR

Catalogue number	Catalogue number with Emergency kit	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
99XPANEL014W		F	40	3600	4000	white	595	595	30	1/5	A++→A
99XPANEL015W		F	40	3600	4000	white	295	1195	30	1/5	A++→A
99XPANEL016	-	F	36	2400	4000	white	595	595	19	1/2	A++→A


LED NEUTRAL WHITE 4000K COOL WHITE 6400K **IP40**

LED PANELS STELLAR


Catalogue number	Catalogue number with Emergency kit	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
99XPANEL020W	**99XPANEL020WE**	C	48	4320	4000	white	595	595	30	1/6	A++→A
99XPANEL020CW	**99XPANEL020CWE**	C	48	4320	6400	white	595	595	30	1/6	A++→A
99XPANEL021W	**99XPANEL021WE**	C	48	4320	4000	white	295	1195	30	1/6	A++→A



Emergency kit with a possibility for work in an emergency regime more than two hours.



Panel frame for 595/595 mm ceiling mounting white
Catalogue number: **92FRAME020W**



Panel frame for 295/1195 mm ceiling mounting white
Catalogue number: **92FRAME021W**

*Suitable for surface and ceiling mounting. | **Body:** Iron+PS | 1YEAR WARRANTY
Suitable for mountig in suspended celling Armstrong type (in grid cellings)
Body: aluminium | **Light source:** SMD 4014 | **Starting time:** < 0.5s | **Power factor:** 0.9 | Recessed mounted luminaire | **Until Supply Last

~230V 50/60 Hz SMD 120° Ra≥80 >10000 INSTANT 100% 15000h IP 40 RoHS COMPLIANT EMC F CE 2+0 standard +extended 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



LED PANEL IP44
WHITE FRAME COLOUR

LED | NEUTRAL WHITE 4000K | COOL WHITE 6400K | IP44 | DIMMABLE

LED PANEL IP44

Catalogue number	Catalogue number with Emergency kit	Product category	Dimmable	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/ Box (pcs)	Energy class
92PANEL012WIP44	**92PANEL012WIP44E**	C	-	24	2400	4000	white	295	295	11	1/12	A++→A
92PANEL013WIP44	**92PANEL013WIP44E**	C	-	36	3600	4000	white	595	295	11	1/6	A++→A
92PANEL020WIP44	**92PANEL020WIP44E**	C	-	48	4800	4000	white	595	595	30	1/6	A++→A
92PANEL020CWIP44	**92PANEL020CWIP44E**	C	-	48	4800	6400	white	595	595	30	1/6	A++→A
92PANEL018WIP44	**92PANEL018WIP44E**	C	Yes	45	4500	4000	white	595	595	9	1/5	A++→A
92PANEL021WIP44	**92PANEL021WIP44E**	C	-	48	4800	4000	white	1195	295	30	1/6	A++→A





INSTALLATION ACCESSORIES FOR LED PANELS
Suspension wire for suspended mounting
Catalogue number: **99ACC18**
Clips for mounting on plasterboard
Catalogue number: **99ACC21**
Fasteners for surface mounting
Catalogue number: **99ACC22**



Emergency kit with a possibility for work in an emergency regime more than two hours.

Suitable for mounting in suspended ceiling Armstrong type (in grid ceilings). 99ACC21 and 99ACC22 are suitable only for LED panels with height 9-11mm
Body: aluminium | **Light source:** Epistar SMD4014 | **Starting time:** <0.5s | **Power factor:** λ>0.9
LED panels can be dimmed using a suitable dimmable driver and remote control.

~230V | 50/60 Hz | SMD | 120° | Ra≥80 | >15000 | 100% | 30000h | IP 44 | RoHS | EMC | F | CE | 4+1 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



LED PANEL
WHITE FRAME COLOUR



LED THIN PANEL WITH CLIPS FOR
MOUNTING IN DRYWALL

LED | NEUTRAL WHITE 4000K | COOL WHITE 6400K | IP40 | DIMMABLE


LED PANEL

Catalogue number	Catalogue number with Emergency kit	Product category	Additional function	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/ Box (pcs)	Energy class
92PANEL012W	**92PANEL012WE**	C	-	24	2400	4000	white	295	295	11	1/12	A++→A
92PANEL013W	**92PANEL013WE**	C	-	36	3600	4000	white	595	295	11	1/6	A++→A
92PANEL018W	**92PANEL018WE**	C	Dimmable	45	4500	4000	white	595	595	9	1/5	A++→A
92PANEL018	-	F	Dimmable	45*	4500	4000	aluminium	595	595	9	1/5	A++→A
92PANEL020W	**92PANEL020WE**	C	-	48	4800	4000	white	595	595	30	1/6	A++→A
92PANEL020CW	**92PANEL020CWE**	C	-	48	4800	6400	white	595	595	30	1/6	A++→A
92PANEL021W	**92PANEL021WE**	C	-	48	4800	4000	white	1195	295	30	1/6	A++→A
92PANEL030W	**92PANEL030WE**	C	With clips	48	4800	4000	white	595	595	9	1/6	A++→A
92PANEL030CW	**92PANEL030CWE**	C	With clips	48	4800	6400	white	595	595	9	1/6	A++→A





INSTALLATION ACCESSORIES FOR LED PANELS
Suspension wire for suspended mounting
Catalogue number: **99ACC18**
Clips for mounting on plasterboard
Catalogue number: **99ACC21**
Fasteners for surface mounting
Catalogue number: **99ACC22**



Panel frame for 595/595 mm ceiling mounting white
Catalogue number: **92FRAME020W**

Panel frame for 295/1195 mm ceiling mounting white
Catalogue number: **92FRAME021W**

Suitable for mounting in suspended ceiling Armstrong type (in grid ceilings). 99ACC21 and 99ACC22 are suitable only for LED panels with height 9-11mm
Body: aluminium | **Light source:** Epistar SMD4014 | **Starting time:** <0.5s | **Power factor:** λ>0.9 | *Until Supply Last | LED panels can be dimmed using a suitable dimmable driver and remote control.

~230V | 50/60 Hz | SMD | 120° | Ra≥80 | >15000 | INSTANT 100% | 30000h | IP 40 | RoHS COMPLIANT | EMC | F | CE | 4+1 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



LED PANEL ROUND
99XLED621
99XLED620
99XLED620CW



LED PANEL ROUND
99XLED615
99XLED614
99XLED614CW



LED PANEL ROUND
99XLED612
99XLED611
99XLED611CW



LED PANEL ROUND
99XLED610
99XLED609
99XLED609CW

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | IP40

LED PANELS ROUND STELLAR

Catalogue number	Catalogue number with Emergency kit	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Diameter1 (mm)	Packing/ Box (pcs)	Energy class
99XLED610	**99XLED610E**	C	6	330	2700	white	118	18	100	1/30	A++→A
99XLED609	**99XLED609E**	C	6	330	4000	white	118	18	100	1/30	A++→A
99XLED609CW	**99XLED609CWE**	C	6	330	6500	white	118	18	100	1/30	A++→A
99XLED612	**99XLED612E**	C	12	840	2700	white	167	18	150	1/24	A++→A
99XLED611	**99XLED611E**	C	12	840	4000	white	167	18	150	1/24	A++→A
99XLED611CW	**99XLED611CWE**	C	12	840	6500	white	167	18	150	1/24	A++→A
99XLED615	**99XLED615E**	C	18	1350	2700	white	225	18	205	1/20	A++→A
99XLED614	**99XLED614E**	C	18	1350	4000	white	225	18	205	1/20	A++→A
99XLED614CW	**99XLED614CWE**	C	18	1350	6500	white	225	18	205	1/20	A++→A
99XLED621	**99XLED621E**	C	24	1800	2700	white	295	18	268	1/24	A++→A
99XLED620	**99XLED620E**	C	24	1800	4000	white	295	18	268	1/24	A++→A
99XLED620CW	**99XLED620CWE**	C	24	1800	6500	white	295	18	268	1/20	A++→A



Emergency kit with a possibility for work in an emergency regime more than two hours.

Voltage: 185-240V | **Body:** aluminium | **Light source:** SMD 2835 | **Starting time:** < 0.5s | **Power factor:** 0.55 | Recessed mounted luminaire

~230V | 50/60 Hz | SMD | 120° | Ra≥80 | >10000 | INSTANT 100% | 15000h | Hg | RoHS COMPLIANT | EMC | F | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



LED PANEL ROUND



LED PANEL ROUND
DIMMABLE

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | IP40 | DIMMABLE

LED PANEL ROUND

Catalogue number	Catalogue number with Emergency kit	Product category	Dimmable	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Diameter1 (mm)	Packing/ Box (pcs)	Energy class
99LED971	**99LED971E**	C		6	350	4000	white	118	17	103	1/50	A++→A
99LED971WW	**99LED971WWE**	C		6	350	2700	white	118	17	103	1/50	A++→A
99LED971CW	**99LED971CWE**	C		6	350	6400	white	118	17	103	1/50	A++→A
99LED972	**99LED972E**	C		12	890	4000	white	166	18	151	1/30	A++→A
99LED972WW	**99LED972WWE**	C		12	890	2700	white	166	18	151	1/30	A++→A
99LED972CW	**99LED972CWE**	C		12	890	6400	white	166	18	151	1/30	A++→A
99LED973	**99LED973E**	C		18	1420	4000	white	225	18	205	1/20	A++→A
99LED973WW	**99LED973WWE**	C		18	1420	2700	white	225	18	205	1/20	A++→A
99LED973CW	**99LED973CWE**	C		18	1420	6400	white	225	18	205	1/20	A++→A
99LED617D	**99LED617DE**	C	Yes	21	1680	4000	white	225	21	205	1/20	A++→A
99LED974	**99LED974E**	C		24	1900	4000	white	296	13	275	1/20	A++→A
99LED974WW	**99LED974WWE**	C		24	1900	2700	white	296	13	275	1/20	A++→A
99LED974CW	**99LED974CWE**	C		24	1900	6400	white	296	13	275	1/20	A++→A



Emergency kit with a possibility for work in an emergency regime more than two hours.

Voltage: 185-240V | **Body:** aluminium | **Reflector:** policarbonate (pc) | **Light source:** Epistar SMD2835 | **Starting time:** <0.5s | **Power factor:** λ>0.8

Easy installation due to handy clips | Recessed mounted luminaire.

~230V | 50/60 Hz | SMD | 120° | Ra≥80 | >20000 | 100% | 30000h | Hg | IP 40 | RoHS | EMC | F | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



LED PANEL ROUND

99LED621T
99LED620TCW
99LED618T



LED PANEL ROUND

99LED612T

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | IP40

UNTIL SUPPLY LAST

LED PANEL ROUND

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Diameter1 (mm)	Packing/Box (pcs)	Energy class
99LED612T	F	9	720	2700-3000	white	142	24	132	1/50	A++→A
99LED618T	F	18	1440	2700-3000	white	225	24	207	1/20	A++→A
99LED621T	F	24	1920	2700-3000	white	297	24	277	1/20	A++→A
99LED620TCW	F	24	1920	6000-6400	white	297	24	277	1/20	A++→A

Body: aluminium | **Reflector:** policarbonate (pc) | **Light source:** Epistar SMD2835 | **Starting time:** <0.5s | **Power factor:** λ>0.8

Easy installation due to handy clips | Recessed mounted luminaire.

~230V | 50/60 Hz | SMD | 120° | Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | IP 40 | RoHS COMPLIANT | EMC | F | CE | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY



LED PANEL ECO

99LED962CW
99LED962
99LED962WW
99LED963CW
99LED963
99LED963WW
99LED964CW
99LED964
99LED964WW



LED PANEL ECO

99LED960CW
99LED960
99LED960WW
99LED961CW
99LED961
99LED961WW

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | **IP40**

LED PANEL ROUND ECO SERIES

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Diameter1 (mm)	Packing/Box (pcs)	Energy class
99LED960CW	C	6	510	6000-6400	white	100	25	77	1/100	A++→A
99LED960	C	6	510	4000-4300	white	100	25	77	1/100	A++→A
99LED960WW	C	6	510	2700-3000	white	100	25	77	1/100	A++→A
99LED961CW	C	12	1020	6000-6400	white	141	25	117	1/60	A++→A
99LED961	C	12	1020	4000-4300	white	141	25	117	1/60	A++→A
99LED961WW	C	12	1020	2700-3000	white	141	25	117	1/60	A++→A
99LED962CW	C	18	1530	6000-6400	white	168	25	143	1/60	A++→A
99LED962	C	18	1530	4000-4300	white	168	25	143	1/60	A++→A
99LED962WW	C	18	1530	2700-3000	white	168	25	143	1/60	A++→A
99LED963CW	C	24	2040	6000-6400	white	200	25	168	1/30	A++→A
99LED963	C	24	2040	4000-4300	white	200	25	168	1/30	A++→A
99LED963WW	C	24	2040	2700-3000	white	200	25	168	1/30	A++→A
99LED964CW	F	28*	2500	6000-6400	white	220	25	190	1/20	A++→A
99LED964	F	28*	2500	4000-4300	white	220	25	190	1/20	A++→A
99LED964WW	F	28*	2500	2700-3000	white	220	25	190	1/20	A++→A

Body: PC | **Reflector:** policarbonate (pc) | **Light source:** Epistar SMD2835 | **Starting time:** <0.5s | **Power factor:** λ>0.8
Easy installation due to handy clips | Recessed mounted luminaire.

*Until Supply Last

~230V | 50/60 Hz | SMD | 160° | Ra≥80 | >25000 | INSTANT 100% | 30000h | Hg | IP 40 | RoHS COMPLIANT | EMC | F | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



LED PANEL ROUND IP44
99LED609IP44
99LED609IP44CW



LED PANEL ROUND IP44
99LED611IP44
99LED611IP44CW



LED PANEL ROUND IP44
99LED617IP44
99LED617IP44CW

LED | NEUTRAL WHITE 4000K | COOL WHITE 6400K | **IP44**

LED PANEL ROUND IP44

Catalogue number	Catalogue number with Emergency kit	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
99LED609IP44	**99LED609IP44E**	C	5	400	4000	white	90	21	40	A++→A
99LED609IP44CW	**99LED609IP44CWE**	C	5	400	6500	white	90	21	40	A++→A
99LED611IP44	**99LED611IP44E**	C	12	960	4000	white	175	21	20	A++→A
99LED611IP44CW	**99LED611IP44CWE**	C	12	960	6500	white	175	21	20	A++→A
99LED617IP44	**99LED617IP44E**	C	18	1440	4000	white	225	21	20	A++→A
99LED617IP44CW	**99LED617IP44CWE**	C	18	1440	6500	white	225	21	20	A++→A



Emergency kit with a possibility for work in an emergency regime more than two hours.

Body: aluminium | **Light source:** SMD 2835 | **Recessed mounted luminaire** | **Beam angle:** 120°| **Driver:** Isolated

Easy installation due to handy clips | Recessed mounted luminaire.

~230V | 50/60 Hz | SMD | 120° | Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | RoHS COMPLIANT | EMC | F | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



WATERPROOF LED PANEL ROUND
99LED609IP65
99LED609IP65CW



WATERPROOF LED PANEL ROUND
99LED611IP65
99LED611IP65CW



WATERPROOF LED PANEL ROUND
99LED617IP65
99LED617IP65CW

LED | NEUTRAL WHITE 4000K | COOL WHITE 6400K | **IP65**

WATERPROOF LED PANEL ROUND

Catalogue number	Catalogue number with Emergency kit	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
99LED609IP65	**99LED609IP65E**	C	5	400	4000	white	88	30	1/40	A++→A
99LED609IP65CW	**99LED609IP65CWE**	C	5	400	6500	white	88	30	1/40	A++→A
99LED611IP65	**99LED611IP65E**	C	10	800	4000	white	150	27	1/40	A++→A
99LED611IP65CW	**99LED611IP65CWE**	C	10	800	6500	white	150	27	1/40	A++→A
99LED617IP65	**99LED617IP65E**	C	18	1440	4000	white	225	27	1/20	A++→A
99LED617IP65CW	**99LED617IP65CWE**	C	18	1440	6500	white	225	27	1/20	A++→A



Emergency kit with a possibility for work in an emergency regime more than two hours.

Body: policarbonate (pc) | **Reflector:** policarbonate (pc) | **Light source:** Epistar | **Starting time:** <0.5s | **Power factor:** λ>0.8

Easy installation due to handy clips | Recessed mounted luminaire.

~230V | 50/60 Hz | SMD | 120° | Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | IP 65 | RoHS COMPLIANT | EMC | F | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



SUPER SLIM LED PANELS
WITH SLIDABLE FIXING CLIPS




SUPER SLIM LED PANELS
WITH SLIDABLE FIXING CLIPS

LED | NEUTRAL WHITE 4000K | **IP40**

SUPER SLIM LED PANELS WITH SLIDABLE FIXING CLIPS

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter/ Length (mm)	Width (mm)	Height (mm)	Diameter1 (mm)	Packing/Box (pcs)	Energy class
99LED934/W	C	15	1000	4000	white	173		11	50-160	1/40	A++→A
99LED935/W	C	15	1000	4000	white	175	175	20	50-160	1/40	A++→A

Body: aluminium | **Light source:** San'an 2835SMD | 175-264V AC | Can by mounted in cut sizes from 50 to 160mm



~230V | 50/60 Hz | SMD 4014 | G13 | Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | RoHS COMPLIANT | EMC | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LED PANEL ROUND OM
99xLED628
99xLED627
99xLED627CW

LED PANEL ROUND OM
99XLED623
99XLED622
99XLED622CW

LED PANEL ROUND OM
99XLED626
99XLED625
99XLED625CW

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | **IP40**

LED PANELS ROUND OM STELLAR

Catalogue number	Catalogue number with Emergency kit	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
99XLED626	-	C	12	840	2700	white	165	32	1/30	A++→A
99XLED625	-	C	12	840	4000	white	165	32	1/30	A++→A
99XLED625CW	-	C	12	840	6500	white	165	32	1/30	A++→A
99XLED623	**99XLED623E**	C	18	1350	2700	white	219	32	1/20	A++→A
99XLED622	**99XLED622E**	C	18	1350	4000	white	219	32	1/20	A++→A
99XLED622CW	**99XLED622CWE**	C	18	1350	6500	white	219	32	1/20	A++→A
99XLED628	**99XLED628E**	C	24	1800	2700	white	295	32	1/20	A++→A
99XLED627	**99XLED627E**	C	24	1800	4000	white	295	32	1/20	A++→A
99XLED627CW	**99XLED627CWE**	C	24	1800	6500	white	295	32	1/20	A++→A



Emergency kit with a possibility for work in an emergency regime more than two hours.

Voltage: 185-240V | **Body:** aluminium | **Starting time:** <0.5s | **Power factor:** λ>0.8

OM - surface mounted luminaire

~230V | 50/60 Hz | SMD | 120° | Ra≥80 | >10000 | 100% | 15000h | Hg | IP 40 | RoHS COMPLIANT | EMC | F | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

LED PANEL ROUND OM
99LED623T

LED PANEL ROUND OM
99LED625T



LED PANEL ROUND OM
99LED627



LED PANEL ROUND OM
99LED625

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | IP40

UNTIL SUPPLY LAST

LED PANEL ROUND OM

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
99LED625T	F	12	960	2700-3000	white	170	38	1/24	A++→A
99LED623T	F	18	1440	2700-3000	white	225	38	1/24	A++→A
99LED625	F	13	1040	2700-3000	satin nickel	170	38	1/40	A++→A
99LED627	F	21	1680	2700-3000	satin nickel	220	38	1/20	A++→A

Body: aluminium | **Light source:** Epistar SMD 2835 | **Starting time:** <0.5s | **Power factor:** λ>0.8 | **OM** - surface mounted luminaire

~230V | 50/60 Hz | SMD | 120° | Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | IP 40 | RoHS COMPLIANT | EMC | F | CE | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY

LED PANEL ROUND OM
99LED966CW
99LED966
99LED966WW

LED PANEL ROUND OM
99LED965CW
99LED965
99LED965WW

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | IP40

LED PANEL ROUND OM

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
99LED965CW	C	18	1530	6300-6500	white	175	33	1/60	A++→A
99LED965	C	18	1530	4000-4300	white	175	33	1/60	A++→A
99LED965WW	C	18	1530	2700-3000	white	175	33	1/60	A++→A
99LED966CW	C	28	2500	6300-6500	white	225	33	1/20	A++→A
99LED966	C	28	2500	4000-4300	white	225	33	1/20	A++→A
99LED966WW	C	28	2500	2700-3000	white	225	33	1/20	A++→A

Voltage: 185-240V | **Body:** Policarbonate (PC) | **Starting time:** <0.5s | **Power factor:** λ>0.8

OM - surface mounted luminaire

~230V | 50/60 Hz | SMD | 120° | Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | IP 40 | RoHS COMPLIANT | EMC | F | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



LED FIXTURES WITH
ADJUSTABLE COLOUR TEMPERATURE
99DS406



LED FIXTURES WITH
ADJUSTABLE COLOUR TEMPERATURE AND SENSOR
99DS407

LED 3000 K 4000 K 6000 K **IP40**

UNTIL SUPPLY **LAST**

LED FIXTURES WITH ADJUSTABLE COLOUR TEMPERATURE / SENSOR

Catalogue number	Product category	Sensor	Watt (W)	Whole fixture lumens (lm)	Colour body	Colour temp. (K)	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
99DS406	F	No	18	1440	white	3000 / 4000 / 6000	220	18.8	1/40	A++→A
99DS407	F	Yes	18	1440	white	3000 / 4000 / 6000	220	18.8	1/40	A++→A

Input Voltage: 110-240 VAC | **Body:** Alluminium | **Light source:** Sanan SMD2835 | **Starting Time:** <0.5s | **Power factor:** λ>0.9





3 options of colour temperature:
1. Cool White 6000K
2. Neutral White 4000K
3. Warm White 3000K

50/60 Hz | SMD 2835 | 110° | Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | IP 40 | RoHS | EMC | F | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY



92DL840/WH



92DL1240/WH

LED NEUTRAL WHITE 4000K **IP40**

INDIRECT LED DOWNLIGHTS

Catalogue number	Catalogue number with Emergency kit	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Diameter1 (mm)	Packing/Box (pcs)	Energy class
92DL840/WH	**92DL840/WHE**	C	8	320	4000K	white	111	35	92	1/1	A++→A
92DL1240/WH	**92DL1240/WHE**	C	12	480	4000K	white	149	45	130	1/1	A++→A

Body: aluminium



FRONT



BACK



Emergency kit with a possibility for work in an emergency regime more than two hours.

~230V | 50/60 Hz | SMD | 60° | Ra≥80 | >20000 | 100% | 30000h | Hg | RoHS COMPLIANT | EMC | F | CE | 4+1 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



LED PANEL STELLAR SQUARE
99XLED637
99XLED636
99XLED636CW



LED PANEL STELLAR SQUARE
99XLED635
99XLED634
99XLED634CW



LED PANEL STELLAR SQUARE
99XLED633
99XLED632
99XLED632CW



LED PANEL STELLAR SQUARE OM
99XLED969
99XLED970

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | **IP40**

LED PANELS STELLAR SQUARE

Catalogue number	Catalogue number with Emergency kit	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Length1 (mm)	Width1 (mm)	Packing/Box (pcs)	Energy class
99XLED633	**99XLED633E**	C	12	840	2700	white	167	167	18	150	150	1/24	A++→A
99XLED632	**99XLED632E**	C	12	840	4000	white	167	167	18	150	150	1/24	A++→A
99XLED632CW	**99XLED632CWE**	C	12	840	6500	white	167	167	18	150	150	1/24	A++→A
99XLED635	**99XLED635E**	C	18	1350	2700	white	221	221	18	200	200	1/20	A++→A
99XLED634	**99XLED634E**	C	18	1350	4000	white	221	221	18	200	200	1/20	A++→A
99XLED634CW	**99XLED634CWE**	C	18	1350	6500	white	221	221	18	200	200	1/20	A++→A
99XLED637	**99XLED637E**	C	24	1800	2700	white	296	296	18	275	275	1/20	A++→A
99XLED636	**99XLED636E**	C	24	1800	4000	white	296	296	18	275	275	1/20	A++→A
99XLED636CW	**99XLED636CWE**	C	24	1800	6500	white	296	296	18	275	275	1/20	A++→A
99XLED969	**99XLED969E**	C	18	1350	4000	white	220	220	32	-	-	1/20	A++→A
99XLED970	**99XLED970E**	C	24	1800	4000	white	300	300	32	-	-	1/20	A++→A



Emergency kit with a possibility for work in an emergency regime more than two hours.

Body: aluminium | **Light source:** SMD 2835 | **Starting time:** <0.5s | **Power factor:** 0.55 | Recessed mounted luminaire

~230V | 50/60 Hz | SMD | 120° | Ra≥80 | >10000 | INSTANT 100% | 15000h | Hg | IP 40 | RoHS COMPLIANT | EMC | F | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



LED PANEL SQUARE

99LED968CW
99LED968
99LED968WW



LED PANEL SQUARE

99LED967CW
99LED967
99LED967WW



LED PANEL SQUARE OM

99LED969CW
99LED969
99LED969WW

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | **IP40**

LED PANEL SQUARE

Catalogue number	Catalogue number with Emergency kit	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Length1 (mm)	Width1 (mm)	Packing/Box (pcs)	Energy class
99LED967CW	**99LED967CWE**	C	12	890	6400	white	175	175	13	155	155	1/20	A++→A
99LED967	**99LED967E**	C	12	890	4000	white	175	175	13	155	155	1/20	A++→A
99LED967WW	**99LED967WWE**	C	12	890	2700	white	175	175	13	155	155	1/20	A++→A
99LED968CW	**99LED968CWE**	C	18	1420	6400	white	225	225	13	205	205	1/20	A++→A
99LED968	**99LED968E**	C	18	1420	4000	white	225	225	13	205	205	1/20	A++→A
99LED968WW	**99LED968WWE**	C	18	1420	2700	white	225	225	13	205	205	1/20	A++→A
99LED969CW	**99LED969CWE**	C	18	1420	6400	white	220	220	32			1/20	A++→A
99LED969	**99LED969E**	C	18	1420	4000	white	220	220	32			1/20	A++→A
99LED969WW	**99LED969WWE**	C	18	1420	2700	white	220	220	32			1/20	A++→A



Emergency kit with a possibility for work in an emergency regime more than two hours.

Body: aluminium | **Light source:** Epistar SMD | **Starting time:** <0.5s | **Power factor:** λ>0.8

OM - surface mounted luminaire

~230V | 50/60 Hz | SMD | 120° | Ra≥80 | >20000 | 100% | 30000h | Hg | IP 40 | RoHS COMPLIANT | EMC | F | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



LED PANEL SQUARE
99LED635T



LED PANEL SQUARE
99LED633T
99LED633



LED PANEL SQUARE OM
99LED637T

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | **IP40**

UNTIL SUPPLY LAST

LED PANEL SQUARE

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Length1 (mm)	Width1 (mm)	Packing/Box (pcs)	Energy class
99LED633T	F	9	720	2700-3000	white	148	148	21	130	130	1/40	A++→A
99LED633	F	12	960	2700-3000	white	145	145	21	130	130	1/40	A++→A
99LED635T	F	18	1440	2700-3000	white	218	218	21	200	200	1/20	A++→A
99LED637T	F	18	1440	2700-3000	white	225	-	21	-	-	1/24	A++→A

Body: aluminium | **Light source:** Epistar SMD | **Starting time:** <0.5s | **Power factor:** λ>0.8

OM - surface mounted luminaire

~230V | 50/60 Hz | SMD | 120° | Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | IP 40 | RoHS COMPLIANT | EMC | F | CE | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY



LED GLASS PANEL ROUND
99LED640
99LED641



LED GLASS PANEL ROUND
99LED638
99LED639



LED GLASS PANEL SQUARE
99LED644
99LED645



LED GLASS PANEL SQUARE
99LED642
99LED643

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | **IP40**

LED GLASS PANELS ROUND / SQUARE

Catalogue number	Catalogue number with Emergency kit	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter/ Length (mm)	Height (mm)	Diameter1/ Length1 (mm)	Packing/Box (pcs)	Energy class
99LED638	**99LED638E**	C	6	480	4000	white	100	35	60	1/100	A++→A
99LED639	**99LED639E**	C	6	480	2700	white	100	35	60	1/100	A++→A
99LED640	**99LED640E**	C	18	1440	4000	white	200	35	148	1/20	A++→A
99LED641	**99LED641E**	C	18	1440	2700	white	200	35	148	1/20	A++→A
99LED642	**99LED642E**	C	6	480	4000	white	97	40	77	1/100	A++→A
99LED643	**99LED643E**	C	6	480	2700	white	97	40	77	1/100	A++→A
99LED644	**99LED644E**	C	18	1440	4000	white	200	40	180	1/20	A++→A
99LED645	**99LED645E**	C	18	1440	2700	white	200	40	180	1/20	A++→A



Emergency kit with a possibility for work in an emergency regime more than two hours.

Body: aluminium | **Light source:** Epistar SMD2835 | **Starting time:** <0.5s | **Power factor:** λ>0.8

Easy installation due to handy clips | Recessed mounted luminaire.

~230V | 50/60 Hz | SMD | 120° | Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | IP 40 | RoHS COMPLIANT | EMC | F | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



RECESSED LED FIXTURE GLOSS
95GLOSS24



RECESSED LED FIXTURE BRILLIANCE
95BRILLIANCE24

LED | COOL WHITE 6400K | **IP20**

UNTIL SUPPLY LAST

RECESSED LED FIXTURE GLOSS / BRILLIANCE

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Diameter 1 (mm)	Packing/Box (pcs)	Energy class
95GLOSS24	F	24	1800	6500	White	220	20	205	1/20	A++→A
95BRILLIANCE24	F	24	1800	6500	White	220	20	205	1/20	A++→A


Gloss


Brilliance


Clips

Body: Alluminium| **Reflector:** policarbonate (pc) | **Light source:** Sanan SMD2835 | **Starting time:** <0.5s

Easy installation due to handy clips | Recessed mounted luminaire.

~230V | 50/60 Hz | SMD 2835 | 110° | Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | IP 20 | RoHS COMPLIANT | F | CE | 3+2 standard +extended 5 YEAR TOTAL WARRANTY



IVOR
95IVOR22LED



ASIA
95ASIA24LED

LED NEUTRAL WHITE 4000K **IP40**

CEILING LAMPS IVOR/ ASIA

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
95IVOR22LED	C	22	1800	4000	Black+gold	400	100	1/1	A++→A
95ASIA24LED	C	24	2200	4000	Chrome	350	55	1/1	A++→A

Body: Metal | **Surface mounted luminaire**

~230V · 50/60 Hz · SMD · 160° · Ra>80 · 30000h · Hg · RoHS COMPLIANT · EMC · CE · 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



NEOS
95NEOS18LED



REGO
95REGO18LED

LED | NEUTRAL WHITE 4000K | IP40 | DIMMABLE

CEILING LAMPS REGO / NEOS WITH REMOTE CONTROL

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
95REGO18LED	C	18	1260	CCT - adjustable	White	410	90	1/5	A++>A
95NEOS18LED	C	18	2160	CCT - adjustable	White &Chrome	380	50	1/5	A++>A

Body: Metal and plastic | **Surface mounted luminaire** | **Beam angle:** Rego- 130°; Neos- 120° | **LED chip:** Rego- SANAN 5730; Neos- SANAN 2835 with LENS



~230V | 50/60 Hz | SMD | Ra>80 | 30000h | Hg | RoHS COMPLIANT | EMC | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



LUCE
95LUCE24LED
95LUCE36LED



SELENA
95SELENA18LED

LED | NEUTRAL WHITE 4000K | IP40 | DIMMABLE

CEILING LAMPS SELENA / LUCE WITH REMOTE CONTROL

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
95SELENA18LED	C	18	1170	CCT - adjustable	Chrome	400	60	1/5	A++→A
95LUCE24LED	C	24	1480	CCT - adjustable	Chrome	410	70	1/5	A++→A
95LUCE36LED	C	36	2150	CCT - adjustable	Chrome	510	80	1/5	A++→A

Body: Metal | **Surface mounted luminaire** | **Beam angle:** Luce- 130°; Selena- 120° | **LED chip:** Luce- SANAN 2835 with LENS; Selena- SANAN 5730



~230V | 50/60 Hz | SMD | Ra>80 | 30000h | Hg | RoHS | EMC | CE | 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



SHELLY
95SHELLY18LED/WH



SHELLY
95SHELLY18LED/GR

LED | NEUTRAL WHITE 4000K | IP40 | DIMMABLE

CEILING LAMPS SHELLY WITH REMOTE CONTROL

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
95SHELLY18LED/WH	C	18	2160	CCT - adjustable	White	400	60	1/5	A++→A
95SHELLY18LED/GR	C	18	2160	CCT - adjustable	Black	400	60	1/5	A++→A

Body: Metal | **Surface mounted luminaire** | **Beam angle:** 120° | **LED chip:** SANAN 2835 with LENS



~230V | 50/60 Hz | SMD | Ra>80 | 30000h | Hg | RoHS | EMC | CE | 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



ASTRA
95ASTRA24LED

LED NEUTRAL WHITE 4000K **IP40**

CEILING LAMPS ASTRA

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
95ASTRA24LED	C	24	1440	4000	Chrome	410	90	1/1	A++→A

Body: Metal | Surface mounted luminaire

~230V | 50/60 Hz | SMD | 160° | Ra>80 | 30000h | Hg | RoHS COMPLIANT | EMC | CE | 3+2 standard +extended 5 YEAR TOTAL WARRANTY


In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



NEIL
95NEIL14LED/WH



MALIA
95MALIA12LED/WH



MALIA
95MALIA24LED/BL

LED NEUTRAL WHITE 4000K **IP20**

LED FIXTURES NEIL/ MALIA

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length/ Diameter (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
95NEIL14LED/WH	C	14	770	4200	white	240		60	1/30	A++→A
95MALIA12LED/WH	C	12	660	4200	white	120	130		1/30	A++→A
95MALIA12LED/BL	C	12	660	4200	black	120	130		1/30	A++→A
95MALIA24LED/WH	C	24	1320	4200	white	265	130	100	1/20	A++→A
95MALIA24LED/BL	C	24	1320	4200	black	265	130	100	1/20	A++→A

Body: Aluminium & acrylic | **Light source:** SANAN SMD2835 | **Flicker free** | **Driver:** isolated IC





~230V | 50/60 Hz | SMD | Ra>80 | 30000h | Hg | RoHS COMPLIANT | EMC | CE | 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



DONUT
95DONUT20LED



DONUT
95DONUT32LED

LED NEUTRAL WHITE 4000K **IP20**

ROUND CEILING LAMP DONUT

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
95DONUT20LED	C	20	1300	4000	white	285	80	1	A++→A
95DONUT32LED	C	32	2000	4000	white	385	95	1	A++→A

Body: Metal+ MS | **Light source:** Nationstar SMD 2835 | **Surface mounted luminaire** | **Beam angle:** 120°

~230V 50/60 Hz SMD Ra>80 30000h Hg RoHS EMC F CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



TRACY SUPER SLIM
95TRACYLEDS20
95TRACYLEDS32



TRACY SUPER SLIM
95TRACYLED20
95TRACYLED32
95TRACYLED42

LED NEUTRAL WHITE 4000K **IP20**

TRACY SUPER SLIM

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	IP code	Length/Diameter (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
95TRACYLED20	C	20	1400	4000	white	20	290	-	65	1/10	A++→A
95TRACYLED32	C	32	2400	4000	white	20	390	-	65	1/10	A++→A
95TRACYLED42	C	42	2950	4000	white	20	480	-	65	1/10	A++→A
95TRACYLEDS20	C	20	1400	4000	white	20	280	280	60	1/10	A++→A
95TRACYLEDS32	C	32	2400	4000	white	20	330	330	65	1/10	A++→A

Material: Metal bottom and MS cover | **LED driver:** mounted in the body | **Light source:** 2835 SMD

~230V 50/60 Hz SMD Ra>80 30000h Hg RoHS EMC F CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



LITE
95LITE12LED
95LITE24LED



SENSOR LIGHT
99DS401



SHINE
95SHINE16LED



SHINE
95SHINE36LED

LED NEUTRAL WHITE 4000K **IP40**

LITE / SHINE

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	IP code	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
95LITE12LED	C	12	960	4000	white	40	250	250	100	1/20	A++→A
95LITE24LED	C	24	1920	4000	white	40	350	350	100	1/10	A++→A
99DS401	C	12	800	4000	white	40	290	290	80	1/10	A++→A
95SHINE16LED	C	16	1040	4000	white	40	330	330	107	1/10	A++→A
95SHINE36LED	C	36	2340	4000	white	40	480	480	115	1/5	A++→A


detail SHINE 16W / 36W

Body: polycarbonate | **LED driver:** mounted in the body | **Light source:** EPISTAR
95DS401 - Detection Distance: max. 6m (<24°), Time Delay: 10 sec ± 3 sec to 3 min ± 30 sec (adjustable), Ambient Light: < 3-2000LUX

~230V 50/60 Hz SMD Ra>80 30000h Hg RoHS EMC F CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



LED WALL LIGHT
95LIGHTS6



LED WALL LIGHT
95LIGHTB6
95LIGHTB12

LED NEUTRAL WHITE 4000K **IP20**

LED WALL LIGHT


Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
95LIGHTS6	C	6W	480	4000	white	140	70	1/20	A++→A
95LIGHTB6	F*	6W	480	4000	white	135	45	1/36	A++→A
95LIGHTB12	F*	12W	960	4000	white	180	45	1/24	A++→A


95LIGHTS6


95LIGHTS6


95LIGHTB6 / 95LIGHTB12


95LIGHTB6 / 95LIGHTB12


95LIGHTB6 / 95LIGHTB12

Body material: Aluminium | **Light source:** 95LIGHTS6 - Epistar COB, 95LIGHTB6 & 95LIGHTB12 - Epistar SMD2835

* Until Supply Last

~230V 50/60 Hz Ra>80 30000h Hg RoHS EMC F CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



LED WALL LIGHT
ROUND IP54
White / Black / Grey



LED WALL LIGHT
SQUARE IP54
White / Black / Grey



LED WALL LIGHT
ROUNDED IP65
White / Black / Grey

LED NEUTRAL WHITE 4000K **IP54** **IP65**

LED WALL LIGHT

Catalogue number	Product category	Watt (W)	Type	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
969LED100R/WH	C	2X5W	Round	900	4000	white	130	110	100	1/12	A++→A
969LED100R/BL	C	2X5W	Round	900	4000	black	130	110	100	1/12	A++→A
969LED100R/GR	C	2X5W	Round	900	4000	grey	130	110	100	1/12	A++→A
969LED100S/WH	C	2X5W	Square	900	4000	white	100	100	100	1/10	A++→A
969LED100S/BL	C	2X5W	Square	900	4000	black	100	100	100	1/10	A++→A
969LED100S/GR	C	2X5W	Square	900	4000	grey	100	100	100	1/10	A++→A
969LEDW12/WH	C	**2X6W**	Rounded	1080	4000	white	175	28	90	1/40	A++→A
969LEDW12/BL	C	**2X6W**	Rounded	1080	4000	black	175	28	90	1/40	A++→A
969LEDW12/GR	C	**2X6W**	Rounded	1080	4000	grey	175	28	90	1/40	A++→A





Body material: Aluminium | **Diffuser:** Glass | **Light source 969led100:** Epistar LED COB **Light source 969LEDW12:** Epistar SMD2835

~230V | 50/60 Hz | Ra>80 | 30000h | Hg | RoHS COMPLIANT | EMC | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



CABINET LAMP WITH SENSOR
99DS408



LED NIGHT LAMP WITH USB
99USB2



CABINET HINGE LED LIGHT
9HINGE2

LED NEUTRAL WHITE 4000K **IP20**

CABINET LAMP WITH SENSOR / LED NIGHT LAMP WITH USB

Catalogue number	Product category	Watt (W)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
99DS408	C	1.5	4000	white	88	26	1/50	A++→A
99USB2	C	0.5	4000	white	90	61	1/64	A++→A
9HINGE2	C	2	-	grey	20	48	1/300	A++→A









High-quality ABS material, environmental-friendly, sturdy and durable to use. Easy to install and convenient to use| Operated by 12V 23A battery (Not included) | When opening the cabinet,lamp will turns on automatically. When closing the cabinet, the light turns off

CABINET LAMP WITH SENSOR - **Mode:** ON/OF & auto | **Battery:** 3 X AAA | **Sensor distance:** max. 4m | **Duration:** 30s | **Sensors:** PIR sensor- workt when light intensity is less than 10lx

LED NIGHT LAMP with USB - **Mode:** ON/OF & auto | **Sensors:** PIR sensor- workt when light intensity is less than 10lx

RoHS COMPLIANT CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.


DOWNLIGHT



ELR627
92627/W



ELR627
92627/SN



ELR627
92627/CH



ELR627
92627/AB

IP44

ELR627 - BATHROOM, IP44

Catalogue number	Product category	Model	Diameter (mm)	Height (mm)	Diameter1 (mm)	Colour body	Packing/Box (pcs)	Energy class
92627/W	C	ELR627	90	33	60	white	1/100	A++→E
92627/SN	C	ELR627	90	33	60	satin nickel	1/100	A++→E
92627/CH	C	ELR627	90	33	60	chrome	1/100	A++→E
92627/AB	C	ELR627	90	33	60	antique brass	1/100	A++→E

Body: steel | **Diffuser:** glass

~230V | 12V | 50/60 Hz | max. 50W | IP 44 | RoHS | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



SA-144
92144/CH



SA-044
92044/G



SA-144
92144/RAB

IP44

UNTIL SUPPLY LAST

SA

Catalogue number	Product category	Model	Diameter (mm)	Length (mm)	Height (mm)	Diameter1 (mm)	Colour body	Packing/Box (pcs)	Energy class
92044/G	F	SA-044	80	-	37	71	gold	1/50	A++→E
92144/CH	F	SA-144	-	85	48	72	chrome	1/50	A++→E
92144/RAB	F	SA-144	-	85	48	72	red antique brass	1/50	A++→E

Body: steel | **Diffuser:** glass | **Ring:** aluminium alloy
With the purchase of additional lampholder GU10, spotlights can be used with 230V GU10 lamps.

12V | 50/60 Hz | MR-16 | GU5.3 | max. 50W | IP 20 IP 44 | RoHS COMPLIANT | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY



CR-776
925776R/GD



CR-776
925776S/GD

IP20

UNTIL SUPPLY LAST

CR-776

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Cutting hole (mm)	Packing/Box (pcs)	Energy class
925776R/GD	F	Spotlight	Chrome and gold	90	-	25	60	1/50	A++→E
925776S/GD	F	Spotlight	Chrome and gold	90	90	25	60	1/50	A++→E

Material: Aluminium with glass and crystal, **Lamps Not Included**
*Untyl Supply Last

12V | MR-16 | GU5.3 | max. 50W | RoHS COMPLIANT | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY


ELMARK

www.elmarkholding.eu



CR-773

925773R/CL



CR-773

925773S/CL

IP20

CR-773

Catalogue number	Product category	Width/ Diameter (mm)	Length (mm)	Height (mm)	Cutting hole (mm)	Packing/ Box (pcs)	Energy class
925773R/CL	C	100	-	50	60	1/50	A++→E
925773S/CL	C	105	105	50	60	1/50	A++→E

Material: Stainless steel with crystal, **Lamps Not Included**

12V | MR-16 | GU5.3 | max. 50W | RoHS COMPLIANT | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY











ELMARK

www.elmarkholding.eu



CR-771

925P771R/CL



CR-772

925772S/CL



CR-772

925772S/CF

IP20

CR-771 / CR-772

Catalogue number	Product category	Watt (W)	Diameter (mm)	Height (mm)	Cutting hole (mm)	Colour temp. (K)	Packing/ Box (pcs)	Energy class
925P771R/CL	C	3	95	22	60	4000K	1/50	A++>A
925772S/CL	C	3	100	22	60	4000K	1/50	A++>A
925772S/CF	C	3	100	22	60	4000K	1/50	A++>A

Material: Aluminium & polyester with decorative LED lighting 150lm, **Lamps Not Included,** 3W Driver for LED ring included

12V MR-16 LED GU53 RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

ELMARK

www.elmarkholding.eu



CR-774

925774S/CL



CR-775

925775S/CL

IP20


CR-774 / CR-775

Catalogue number	Product category	Watt (W)	Diameter (mm)	Height (mm)	Cutting hole (mm)	Colour temp. (K)	Packing/ Box (pcs)	Energy class
925774S/CL	C	3	100	22	60	4000	1/50	A++→A
925775S/CL	C	3	100	22	60	4000	1/50	A++→A

Material: Aluminium & polyester with decorative LED lighting 150lm, **Lamps Not Included,** 3W Driver for LED ring included

12V MR-16 LED GU5.3 RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY








CR-777
925777R/BK



CR-777
925777S/BK



CR-778
925778R/CL



CR-778
925778S/CL

IP20

CR-777 / CR-778

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Cutting hole (mm)	Packing/Box (pcs)	Energy class
925777R/BK	C	Spotlight	Chrome and black	90	-	22	60	1/50	A++→E
925777S/BK	C	Spotlight	Chrome and black	90	90	22	60	1/50	A++→E
925778R/CL	C	Spotlight	Chrome and clear	90	-	32	60	1/50	A++→E
925778S/CL	C	Spotlight	Chrome and clear	90	90	32	60	1/50	A++→E

Material: Aluminium with glass, **Lamps Not Included**

12V MR-16 GU5.3 max. 50W RoHS CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



SA-045
92045R1/WHFR



SA-045
92045S1/WHFR



SA-045
92045R1/BLFR



SA-045
92045S1/BLFR

IP20

SA-045

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Cutting hole (mm)	Packing/Box (pcs)	Energy class
92045R1/WHFR	C	Downlight	white	98		45	70	1/50	A++→E
92045R1/BLFR	C	Downlight	black	98		45	70	1/50	A++→E
92045S1/WHFR	C	Downlight	white	92	92	45	70	1/50	A++→E
92045S1/BLFR	C	Downlight	black	92	92	45	70	1/50	A++→E

Material: Aluminium with acrylic, **Lamps Not Included. LED bulb only**

12V MR-16 GU5.3 RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



SA-045
92045S2/WHFR



SA-045
92045S3/WHFR



SA-045
92045S4/WHFR

IP20

SA-045

Catalogue number	Product category	Description	Colour	Width (mm)	Length (mm)	Height (mm)	Cutting hole (mm)	Packing/Box (pcs)	Energy class
92045S2/WHFR	C	Downlight	white	92	182	45	165x70	1/50	A++→E
92045S3/WHFR	C	Downlight	white	95	275	45	240x70	1/20	A++→E
92045S4/WHFR	C	Downlight	white	180	180	45	150x150	1/20	A++→E

Material: Aluminium with acrylic, **Lamps Not Included. LED bulb only**

12V MR-16 GU5.3 RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



SA-045
92045S2/BLFR



SA-045
92045S3/BLFR



SA-045
92045S4/BLFR

IP20

SA-045

Catalogue number	Product category	Description	Colour	Width (mm)	Length (mm)	Height (mm)	Cutting hole (mm)	Packing/Box (pcs)	Energy class
92045S2/BLFR	C	Downlight	black	92	182	45	165x70	1/50	A++→E
92045S3/BLFR	C	Downlight	black	95	275	45	240x70	1/20	A++→E
92045S4/BLFR	C	Downlight	black	180	180	45	150x150	1/20	A++→E

Material: Aluminium with acrylic, Lamps Not Included. LED bulb only

12V MR-16 GU5.3 RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



92GDL05R
92GDL09R



92GDL11R



92GDL06S
92GDL10S



92GDL06SGL



92GDL13S




92GDL14LEDS

IP20

GYPSUM DOWNLIGHTS

Catalogue number	Product category	Model	Lamp holder	Diameter/ Length (mm)	Diameter 1 (mm)	Width (mm)	Height (mm)	Colour body	Packing/Box (pcs)	Energy class
92GDL05R	C	round	GU10	100	90	-	40	white	1/20	A++→E
92GDL09R	C	round	GU10	128	108	-	43	white	1/20	A++→E
92GDL11R	C	round	GU10	131	116	-	72	white	1/20	A++→E
92GDL06S	C	square	GU10	122	107/107	122	57	white	1/20	A++→E
92GDL10S	C	square	GU10	122	107/107	122	60	white	1/20	A++→E
92GDL06SGL	C	square with diffuser	GU10	120	100/100	120	56	white	1/20	A++→E
92GDL13S	C	square	GU10	120	100/100	120	58	white	1/20	A++→E
92GDL14LEDS	C	square	LED CREE 1W	142	-	170	50	white	1/20	A++→E



92GDL06S

92GDL14LEDS: 70 lm/4000K/Beam angle 30°

Material: Plaster | Lamp not included
With the purchase of additional lampholder GU10/G9, spotlights can be used with 230V GU10/G9 lamps.

~230V | 50/60 Hz | max. 20W | IP 20 | RoHS COMPLIANT | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.

92GDL08W



92GDL07W



92GDL12W



92GDL15W

IP20

GYPSUM WALL FUXTURES

Catalogue number	Product category	Model	Lamp holder	Diameter/ Length (mm)	Width (mm)	Height (mm)	Colour body	Packing/Box (pcs)	Energy class
92GDL07W	C	square	G9	75	100	100	white	1/20	A++→E
92GDL08W	C	round	G9	70	100	100	white	1/20	A++→E
92GDL12W	C	round	G9	100	180	90	white	1/20	A++→E
92GDL15W	C	round	E27	300	165	120	white	1/12	A++→E



92GDL07W



92GDL08W




92GDL12W

Material: Plaster | Lamp not included
With the purchase of additional lampholder GU10/G9, spotlights can be used with 230V GU10/G9 lamps.

~230V | 50/60 Hz | max. 20W | IP 20 | RoHS COMPLIANT | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY


In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



BOUTIQUES MINI LED DOWNLIGHTS
99JR1201WW/SN
99JR1201CW/SN



BOUTIQUES MINI LED DOWNLIGHTS
99JR1202WW/GL
99JR1202CW/GL



BOUTIQUES MINI LED DOWNLIGHTS
99JR1203WW/WH
99JR1203CW/WH

LED | WARM WHITE 2700K | COOL WHITE 6400K | IP20 | 12V DC

BOUTIQUES MINI LED DOWNLIGHTS

Catalogue number	Product category	Wattage (W)	Whole fixture lumens (lm)	Colour temp. (K)	Beam angle	Colour body	Body material	Diameter (mm)	Height (mm)	Diameter1 (mm)	Packing/Box (pcs)	Energy class
99JR1201WW/SN	C	3	150	2700-3000	30°	satin nickel	aluminium	48	22	32	1/100	A+
99JR1201CW/SN	C	3	150	6000-6400	30°	satin nickel	aluminium	48	22	32	1/100	A+
99JR1202WW/GL	C	3	150	2700-3000	30°	transparent	PMMA+ aluminium	45	41	32	1/100	A+
99JR1202CW/GL	C	3	150	6000-6400	30°	transparent	PMMA+ aluminium	45	41	32	1/100	A+
99JR1203WW/WH	C	3	150	2700-3000	30°	white	aluminium	50	43	32	1/100	A+
99JR1203CW/WH	C	3	150	6000-6400	30°	white	aluminium	50	43	32	1/100	A+



Residences, Jewelry, Showrooms, Hotels & Boutiques etc.
Light source: LED COB
Easy installation due to handy clips.

12V DC | 50/60 Hz | COB | Ra>80 | >15000 | INSTANT 100% | 30000h | Hg | RoHS COMPLIANT | EMC | F | CE | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



SA-71
9271/SN-CH



SA-71
9271/PCH-CH



SA-71
9271/GR-CH



SA-91
9291/SN-CH



SA-91
9291/GR-CH



SA-91
9291/PCH-CH

IP20

SA

Catalogue number	Product category	Model	Fitting	Diameter (mm)	Height (mm)	Diameter1 (mm)	Colour body	Packing/Box (pcs)	Energy class
9271/SN-CH	C	SA-71	Fixed	78	25	58	satin nickel/chrome	1/100	A++→E
9271/PCH-CH	C	SA-71	Fixed	78	25	58	pearl chrome/chrome	1/100	A++→E
9271/GR-CH	C	SA-71	Fixed	78	25	58	graphite/chrome	1/100	A++→E
9291/SN-CH	C	SA-91	Movable	80	25	72	satin nickel/chrome	1/100	A++→E
9291/PCH-CH	C	SA-91	Movable	80	25	72	pearl chrome/chrome	1/100	A++→E
9291/GR-CH	C	SA-91	Movable	80	25	72	graphite/chrome	1/100	A++→E

Body: aluminium alloy
With the purchase of additional lampholder GU10, spotlights can be used with 230V GU10 lamps.

12V | 50/60 Hz | MR-16 | GU5.3 | max. 50W | IP 20 | RoHS COMPLIANT | 2+0 standard +extended 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



SA-70
9270/W



SA-70
9270/CH



SA-70
9270/SN



SA-70
9270/AB



SA-90
9290/W



SA-90
9290/CH



SA-90
9290/SN



SA-90
9290/AB



IP20

SA

Catalogue number	Product category	Model	Fitting	Diameter (mm)	Height (mm)	Diameter1 (mm)	Colour body	Packing/Box (pcs)	Energy class
9270/W	C	SA-70	Fixed	78	25	58	white	1/100	A++→E
9270/CH	C	SA-70	Fixed	78	25	58	chrome	1/100	A++→E
9270/SN	C	SA-70	Fixed	78	25	58	satin nickel	1/100	A++→E
9270/AB	C	SA-70	Fixed	78	25	58	antique brass	1/100	A++→E
9290/W	C	SA-90	Movable	85	25	70	white	1/100	A++→E
9290/CH	C	SA-90	Movable	85	25	70	chrome	1/100	A++→E
9290/SN	C	SA-90	Movable	85	25	70	satin nickel	1/100	A++→E
9290/AB	C	SA-90	Movable	85	25	70	antique brass	1/100	A++→E

Body: aluminium alloy
With the purchase of additional lampholder GU10, spotlights can be used with 230V GU10 lamps.

12V | 50/60 Hz | MR-16 | GU5.3 | max. 50W | IP 20 | RoHS COMPLIANT | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



SA-702
92702/CH



SA-702H
92702H/G



SA-702H
92702H/SN

IP20

UNTIL SUPPLY LAST

SA

Catalogue number	Product category	Model	Fitting	Diameter (mm)	Height (mm)	Diameter1 (mm)	Colour body	Packing/Box (pcs)	Energy class
92702/CH	F	SA-702	Fixed	78	40	58	chrome	1/50	A++→E
92702H/SN	F	SA-702H	Movable	78	40	58	satin nickel	1/50	A++→E
92702H/G	F	SA-702H	Movable	78	40	58	gold	1/50	A++→E

Body: aluminium alloy
With the purchase of additional lampholder GU10, spotlights can be used with 230V GU10 lamps.


12V | 50/60 Hz | MR-16 | GU5.3 | max. 50W | IP 20 | RoHS COMPLIANT | F | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY




SA-712
92712/CH



SA-712H
92712/SN



SA-712
92712/G



SA-712H
92712H/CH



SA-712H
92712H/SN



SA-712H
92712H/G

IP20

UNTIL SUPPLY LAST

SA

Catalogue number	Product category	Model	Fitting	Diameter (mm)	Height (mm)	Diameter1 (mm)	Colour body	Packing/Box (pcs)	Energy class
92712/CH	F	SA-712	Fixed	78	40	56	chrome	1/50	A++→E
92712/SN	F	SA-712	Fixed	78	40	56	satin nickel	1/50	A++→E
92712/G	F	SA-712	Fixed	78	40	56	gold	1/50	A++→E
92712H/CH	F	SA-712H	Movable	78	40	56	chrome	1/50	A++→E
92712H/SN	F	SA-712H	Movable	78	40	56	satin nickel	1/50	A++→E
92712H/G	F	SA-712H	Movable	78	40	56	gold	1/50	A++→E

Body: aluminium alloy
With the purchase of additional lampholder GU10, spotlights can be used with 230V GU10 lamps.

12V 50/60 Hz MR-16 GU5.3 max. 50W IP 20 RoHS F CE 2+0 standard +extended 2 YEAR TOTAL WARRANTY



SA-710
9271/G



SA-910
9291/G



SIM-5
9205/G



SIM-55
9255/G

IP20

UNTIL SUPPLY LAST

SIM / SA

Catalogue number	Product category	Model	Diameter (mm)	Height (mm)	Diameter1 (mm)	Colour body	Packing/Box (pcs)	Energy class
9205/G	F	SIM-5	70	20	56	gold	1/100	A++→E
9255/G	F	SIM-55	70	23	-	gold	1/100	A++→E
9271/G	F	SA-710	78	30	60	gold	1/100	A++→E
9291/G	F	SA-910	84	23	66	gold	1/100	A++→E

Body: aluminium alloy

12V 50/60 Hz JC G4 max. 20W IP 20 RoHS F CE 2+0 standard +extended 2 YEAR TOTAL WARRANTY



89144



89147



89151



89152

IP20

UNTIL SUPPLY LAST

PLASTIC DOWNLIGHTS

Catalogue number	Product category	Model	Diameter -Length (mm)	Height (mm)	Diameter1 (mm)	Colour body	Packing/Box (pcs)	Energy class
89151	F	PLM- 92W	90	32	70	white	1/1	A++→E
89152	F	PLS- 92W	90	30	70	white	1/1	A++→E
89147	F	PSQ- 92W	92/92	25	74	white	1/1	A++→E
89144	F	PLW- 92W	92/172	27	2X73	white	1/1	A++→E

Body: Plastic | **Lamp not included**

~230V | 12V | 50/60 Hz | max. 20W | IP 20 | RoHS COMPLIANT | F | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY


89153


89145


89154


89156


89155

IP20

UNTIL SUPPLY LAST

DOWNLIGHTS

Catalogue number	Product category	Material	Model	Diameter -Length (mm)	Height (mm)	Diameter1 (mm)	Colour body	Packing/Box (pcs)	Energy class
89145	F	Plastic	PLQQ- 92W	93/93	30	70	white	1/1	A++→E
89153	F	Metal	MS- 92CH	85/85	26	70	chrome	1/1	
89155	F	Metal	MR- 92CH	79	33	69	chrome	1/1	
89154	F	Metal	MS- 92SN	85/85	27	70	satin nickel	1/1	
89156	F	Metal	MR- 92SN	80	30	70	satin nickel	1/1	

Lamp not included

~230V 12V 50/60 Hz max. 20W IP 20 RoHS F CE 2+0 standard +extended 2 YEAR TOTAL WARRANTY



SAS-11
9211/G



SAS-12
9212/G



SAS-12
9212/AB

IP20

UNTIL SUPPLY LAST

SAS

Catalogue number	Product category	Model	Diameter (mm)	Height (mm)	Diameter1 (mm)	Colour body	Packing/Box (pcs)	Energy class
9211/G	F	SAS-11	32	33	25	gold	1/1	A++→E
9212/G	F	SAS-12	27	27	24	gold	1/1	A++→E
9212/AB	F	SAS-12	27	27	24	antique brass	1/1	A++→E

Body: aluminium alloy

12V 50/60 Hz JC G4 max. 20W IP 20 RoHS III F CE 2+0 standard +extended 2 YEAR TOTAL WARRANTY




SA-914
92914WW/SN



SA-914
92914WH/G
92914WW/G



SA-914
92914WH/GR
92914WW/GR



SA-913
92913WH/G
92913WW/G



SAS-14
9214WH/G
9214WW/G

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | **IP40**

UNTIL SUPPLY LAST

SAS

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Diameter1 (mm)	Packing/Box (pcs)	Energy class
9214WH/G	F	1	80	4000-4300	gold	60	21	50	1/100	A++→A
9214WW/G	F	1	80	2700-3000	gold	60	21	50	1/100	A++→A
92913WH/G	F	3	240	4000-4300	gold	88	40	65	1/100	A++→A
92913WW/G	F	3	240	2700-3000	gold	88	40	65	1/100	A++→A
92914WW/SN	F	3	240	2700-3000	satin nickel	90	41	70	1/100	A++→A
92914WH/G	F	3	240	4000-4300	gold	90	41	70	1/100	A++→A
92914WW/G	F	3	240	2700-3000	gold	90	41	70	1/100	A++→A
92914WH/GR	F	3	240	4000-4300	graphite	90	41	70	1/100	A++→A
92914WW/GR	F	3	240	2700-3000	graphite	90	41	70	1/100	A++→A

Body: aluminium alloy | **Light source:** Epistar
LED recessed round spotlight. Easy installation due to handy clips.

~230V | 50/60 Hz | High power | 60° | Ra>80 | >15000 | INSTANT 100% | 30000h | Hg | IP 20 | RoHS COMPLIANT | EMC | F | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY



92DL840/WH



92DL1240/WH

LED NEUTRAL WHITE 4000K **IP40**

INDIRECT LED DOWNLIGHTS

Catalogue number	Catalogue number with Emergency kit	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Diameter1 (mm)	Packing/Box (pcs)	Energy class
92DL840/WH	**92DL840/WHE**	C	8	320	4000K	white	111	35	92	1/1	A++→A
92DL1240/WH	**92DL1240/WHE**	C	12	480	4000K	white	149	45	130	1/1	A++→A

Body: aluminium



FRONT



BACK



Emergency kit with a possibility for work in an emergency regime more than two hours.

~230V | 50/60 Hz | SMD | 60° | Ra≥80 | >20000 | 100% | 30000h | Hg | RoHS COMPLIANT | EMC | F | CE | 4+1 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



92FLD1530/WH
92FLD1540/WH
92FLD1565/WH



92FLD2530/WH
92FLD2540/WH
92FLD2565/WH



92FLD3530/WH
92FLD3540/WH
92FLD3565/WH

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | **IP44**

DEEP RECESSED LED DOWNLIGHT, IP44

Catalogue number	Catalogue number with Emergency kit	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Diameter1 (mm)	Packing/ Box (pcs)	Energy class
92FLD1530/WH	**92FLD1530/WHE**	C	15	1350	3000	white	128	70	108	1/40	A++→A
92FLD1540/WH	**92FLD1540/WHE**	C	15	1350	4000	white	128	70	108	1/40	A++→A
92FLD1565/WH	**92FLD1565/WHE**	C	15	1350	6500	white	128	70	108	1/40	A++→A
92FLD2530/WH	**92FLD2530/WHE**	C	25	2250	3000	white	183	97	165	1/20	A++→A
92FLD2540/WH	**92FLD2540/WHE**	C	25	2250	4000	white	183	97	165	1/20	A++→A
92FLD2565/WH	**92FLD2565/WHE**	C	25	2250	6500	white	183	97	165	1/20	A++→A
92FLD3530/WH	**92FLD3530/WHE**	C	35	3150	3000	white	220	100	195	1/20	A++→A
92FLD3540/WH	**92FLD3540/WHE**	C	35	3150	4000	white	220	100	195	1/20	A++→A
92FLD3565/WH	**92FLD3565/WHE**	C	35	3150	6500	white	220	100	195	1/20	A++→A

Body: aluminium | **Reflector:** plastic



FRONT



BACK



Emergency kit with a possibility for work in an emergency regime more than two hours.

~230V | 50/60 Hz | SMD | 100° | Ra≥80 | >20000 | 100% | 30000h | Hg | IP 44 | RoHS COMPLIANT | EMC | F | CE | 4+1 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



SIM-1552



SIM-155



SIM-1553



SIM-255

IP20

UNTIL SUPPLY LAST

SIM

Catalogue number	Product category	Model	Length (mm)	Width (mm)	Height (mm)	Colour body	Packing/Box (pcs)	Energy class
92255/CH	F	SIM-255	130	130	40	chrome	1/50	A++→E
92255/AB	F	SIM-255	130	130	40	antique brass	1/50	A++→E
92255/G	F	SIM-255	130	130	40	gold	1/50	A++→E
92255K/G	F	SIM-255 with key	130	130	40	gold	1/50	A++→E
92155/CH	F	SIM-155	82	132	85	chrome	1/50	A++→E
92155/SN	F	SIM-155	82	132	85	satin nickel	1/50	A++→E
92155/AB	F	SIM-155	82	132	85	antique brass	1/50	A++→E
92155/G	F	SIM-155	82	132	85	gold	1/50	A++→E
92155K/SN	F	SIM-155 with key	82	132	85	satin nickel	1/50	A++→E
921552K/SN	F	SIM-1552 with key	450	130	80	satin nickel	1/50	A++→E
921553K/SN	F	SIM-1553 with key	600	130	80	satin nickel	1/50	A++→E



SIM-255 with key



SIM-155 with key

Body: stainless steel | **Model SIM-255K** - with switch

12V | 50/60 Hz | JC | G4 | max. 20W | IP 20 | RoHS | F | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY



GL 222



GL 221



GL FILM



RDL60COB

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | **IP40**

UNTIL SUPPLY LAST

GL

Catalogue number	Product category	Model	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Diameter1 (mm)	Packing/ Box (pcs)	Energy class
92LED221WW	F	GL 221	12X1W	960	2700-3000	aluminium	135	66	120	1/20	A++→A
92LED222WH	F	GL 222	18X1W	1260	4000-4300	aluminium	160	95	145	1/12	A++→A
92LED222WW	F	GL 222	18X1W	1260	2700-3000	aluminium	160	95	145	1/12	A++→A
92LED215WH	F	GL FILM	5	375	4000-5000	white	125	70	110	1/20	A++→A
92LED215WW	F	GL FILM	5	375	2700-3000	white	125	70	110	1/20	A++→A
92LED216WH	F	GL FILM	10	750	4000-5000	white	165	70	140	1/20	A++→A
92DL62040	F	RDL 60 COB	20	1800	4000-4300	white	140	97	120	1/12	A++→A

Body: aluminium | **Diffuser:** glass | **Light source:** Epistar
Power factor: λ>0.9 | **Starting time:** <0.5s | LED recessed round downlight COB. Easy installation due to handy clips.

~230V | 50/60 Hz | COB | 90° | Ra>80 | 30000h | >20000 | INSTANT 100% | Hg | IP 40 | RoHS COMPLIANT | EMC | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY



GL 201E
satin nickel / white



GL 202E
satin nickel / white



GL 203E
satin nickel / white



GL205E
satin nickel / white



GL 204E
satin nickel / white



GL103E
satin nickel / white

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | IP44

UNTIL SUPPLY LAST

DOWNLIGHT SET WITH LED STICK LAMPS

Catalogue number 4000K	Catalogue number 2700K	Product category	Type	Watt (W)	LED lamp lumens (lm)	Socket type	Colour body	Diameter (mm)	Height (mm)	Diameter1 (mm)	Packing/ Box (pcs)	Energy class
92201LEDW/SN	**92201LEDWW/SN**	F	GL201E	2X9	2x750	E27	satin nickel	226	110	210	1/12	A+ A++>A
92201LEDW/W	**92201LEDWW/W**	F	GL201E	2X9	2x750	E27	white	226	110	210	1/12	A+ A++>A
92202LEDW/SN	**92202LEDWW/SN**	F	GL202E	2X9	2x750	E27	satin nickel	226	110	210	1/12	A+ A++>A
92202LEDW/W	**92202LEDWW/W**	F	GL202E	2X9	2x750	E27	white	226	110	210	1/12	A+ A++>A
92203LEDW/SN	**92203LEDWW/SN**	F	GL203E	2X9	2x750	E27	satin nickel	235	110	210	1/12	A+ A++>A
92203LEDW/W	**92203LEDWW/W**	F	GL203E	2X9	2x750	E27	white	235	110	210	1/12	A+ A++>A
92204LEDW/SN	**92204LEDWW/SN**	F	GL204E	2X9	2x750	E27	satin nickel	230	110	210	1/12	A+ A++>A
92204LEDW/W	**92204LEDWW/W**	F	GL204E	2X9	2x750	E27	white	230	110	210	1/12	A+ A++>A
92205LEDW/SN	**92205LEDWW/SN**	F	GL205E	2X9	2x750	E27	satin nickel	225	110	210	1/12	A+ A++>A
92205LEDW/W	**92205LEDWW/W**	F	GL205E	2X9	2x750	E27	white	225	110	210	1/12	A+ A++>A
92103LEDW/TCH	**92103LEDWW/TCH**	F	GL103E	2X9	2x750	E27	satin nickel	190	100	170	1/12	A+ A++>A
92103LEDW/W	**92103LEDWW/W**	F	GL103E	2X9	2x750	E27	white	190	100	170	1/12	A+ A++>A



Downlight



LED STICKS LAMP



LED STICKS LAMP



White

Satin nickel

~230V | 50/60 Hz | Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | IP 44 | RoHS COMPLIANT | EMC | F | CE | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY



GL 206E
satin nickel / white



GL 210E
satin nickel / white



GL 213E
satin nickel / white



GL 214E
satin nickel / white



GL 211E
satin nickel / white



GL 120E
satin nickel / white

LED WARM WHITE 2700K NEUTRAL WHITE 4000K **IP44**

UNTIL SUPPLY LAST

DOWNLIGHT SET WITH LED STICK LAMPS

Catalogue number 4000K	Catalogue number 2700K	Product category	Type	Watt (W)	LED lamp lumens (lm)	Socket type	Colour body	Diameter (mm)	Height (mm)	Diameter1 (mm)	Packing/ Box (pcs)	Energy class
92206LEDW/GH	**92206LEDWW/GH**	F	GL206E	2X9	2x750	E27	graphite/chrome	225	110	210	1/12	A+ A++>A
92206LEDW/SH	**92206LEDWW/SH**	F	GL206E	2X9	2x750	E27	satin nickel/chrome	225	110	210	1/12	A+ A++>A
92210LEDW/SN	**92210LEDWW/SN**	F	GL210E	2X9	2x750	E27	satin nickel	228	110	210	1/12	A+ A++>A
92210LEDW/W	**92210LEDWW/W**	F	GL210E	2X9	2x750	E27	white	228	110	210	1/12	A+ A++>A
92211LEDW/SN	**92211LEDWW/SN**	F	GL211E	2X9	2x750	E27	white	230	110	210	1/12	A+ A++>A
92211LEDW/W	**92211LEDWW/W**	F	GL211E	2X9	2x750	E27	satin nickel	230	110	210	1/12	A+ A++>A
92213LEDW/SN	**92213LEDWW/SN**	F	GL213E*	2X9	2x750	E27	satin nickel	266	65	-	1/12	A+ A++>A
92213LEDW/W	**92213LEDWW/W**	F	GL213E*	2X9	2x750	E27	white	266	65	-	1/12	A+ A++>A
92214LEDW/SN	**92214LEDWW/SN**	F	GL214E*	2X9	2x750	E27	satin nickel	240	60	-	1/12	A+ A++>A
92214LEDW/W	**92214LEDWW/W**	F	GL214E*	2X9	2x750	E27	white	240	60	-	1/12	A+ A++>A
92120LED6W/TCH	**92120LED6WW/TCH**	F	GL120E	1X9	750	E27	satin nickel	190	200	170	1/12	A+ A++>A
92120LED6W/W	**92120LED6WW/W**	F	GL120E	1X9	750	E27	white	190	200	170	1/12	A+ A++>A
92120LED4W/TCH	**92120LED4WW/TCH**	F	GL120E	1X9	750	E27	satin nickel	140	160	120	1/12	A+ A++>A
92120LED4W/W	**92120LED4WW/W**	F	GL120E	1X9	750	E27	white	140	160	120	1/12	A+ A++>A



Downlight



LED STICKS LAMP



LED STICKS LAMP



White Satin nickel

*surface mounting

~230V 50/60 Hz Ra≥80 >20000 INSTANT 100% 30000h Hg IP 44 RoHS EMC F CE 3+0 standard +extended 3 YEAR TOTAL WARRANTY



QUAD612
92Q61240WH
92Q61227WH
92Q61240DGR
92Q61227DGR



QUAD312
92Q31240WH
92Q31227WH



QUAD412
92Q41240WH
92Q41227WH
92Q41240DGR
92Q41227DGR

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | **IP20**

UNTIL SUPPLY LAST

QUAD

Catalogue number	Product category	Watt	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
92Q31240WH	F	3X15W	3825	4000K	white	490	192	143		A+ A++→A
92Q31227WH	F	3X15W	3825	2700K	white	490	192	143		A+ A++→A
92Q41240WH	F	4X15W	5100	4000K	white	342	342	160		A+ A++→A
92Q41227WH	F	4X15W	5100	2700K	white	342	342	160		A+ A++→A
92Q41240DGR	F	4X15W	5100	4000K	dark grey	342	342	160		A+ A++→A
92Q41227DGR	F	4X15W	5100	2700K	dark grey	342	342	160		A+ A++→A
92Q61240WH	F	6X15W	7650	4000K	white	490	340	140		A+ A++→A
92Q61227WH	F	6X15W	7650	2700K	white	490	340	140		A+ A++→A
92Q61240DGR	F	6X15W	7650	4000K	dark grey	490	340	140		A+ A++→A
92Q61227DGR	F	6X15W	7650	2700K	dark grey	490	340	140		A+ A++→A





white



dark grey

Body: aluminium | **Light source:** LED lamp PAR30 LED recessed downlight. Easy installation due to handy clips.

~230V | 50/60 Hz | LED PAR30 | E27 | 38° | Ra>80 | 30000h | >20000 | INSTANT 100% | Hg | IP 20 | RoHS COMPLIANT | EMC | F | CE | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY



SKY TLOM

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | IP40

UNTIL SUPPLY LAST

SKY TLR / SKY TLOM

Catalogue number WHITE	Catalogue number BLACK	Catalogue number GREY	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Body material	Diameter (mm)	Height (mm)	Beam angle	Packing/Box (pcs)	Energy class
	93TLOM180W/BL	**93TLOM180W/GR**	F	20	1800	4000	aluminium	130	98	24°	1/24	A++→A
93TLOM180WW/WH		**93TLOM180WW/GR**	F	20	1800	2700	aluminium	130	98	24°	1/24	A++→A
93TLOM180CW/WH	**93TLOM180CW/BL**	**93TLOM180CW/GR**	F	20	1800	6400	aluminium	130	98	24°	1/24	A++→A
93TLOM190W/WH	**93TLOM190W/BL**	**93TLOM190W/GR**	F	30	2700	4000	aluminium	163	145	24°	1/12	A++→A
93TLOM190WW/WH		**93TLOM190WW/GR**	F	30	2700	2700	aluminium	163	145	24°	1/12	A++→A
93TLOM190CW/WH	**93TLOM190CW/BL**	**93TLOM190CW/GR**	F	30	2700	6400	aluminium	163	145	24°	1/12	A++→A



SKY TLOM | SKY TLOM | white colour | black colour | grey colour

~230V | 50/60 Hz | COB | Ra>80 | 30000h | >20000 | INSTANT 100% | Hg | IP 40 | RoHS COMPLIANT | EMC | CE | 3+2 standard +extended 5 YEAR TOTAL WARRANTY



DL-044 SQUARE
92DL044S1/BL



DL-044 SQUARE
92DL044S1/BLWH



DL-044 SQUARE
92DL044S1/GDWH



DL-044 SQUARE
92DL044S1/GDBL

IP20

DL-044 SQUARE

Catalogue number	Product category	Description	Colour	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
92DL044S1/BL	C	Downlight	black	108	108	100	1/30	A++→E
92DL044S1/BLWH	C	Downlight	black & white	108	108	100	1/30	A++→E
92DL044S1/GDWH	C	Downlight	gold & white	108	108	100	1/30	A++→E
92DL044S1/GDBL	C	Downlight	gold & black	108	108	100	1/30	A++→E

Body: Aluminium | **Lamps Not Included** | **Lamp holder:** GU10

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



DL-044 SQUARE
92DL044S2/BL



DL-044 SQUARE
92DL044S2/BLWH



DL-044 SQUARE
92DL044S2/GDWH



DL-044 SQUARE
92DL044S2/GDBL

IP20

DL-044 SQUARE

Catalogue number	Product category	Description	Colour	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
92DL044S2/BL	C	Downlight	black	205	205	100	1/10	A++→E
92DL044S2/BLWH	C	Downlight	black & white	205	205	100	1/10	A++→E
92DL044S2/GDWH	C	Downlight	gold & white	205	205	100	1/10	A++→E
92DL044S2/GDBL	C	Downlight	gold & black	205	205	100	1/10	A++→E

Body: Aluminium | **Lamps Not Included** | **Lamp holder:** GU10

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



SKY TLR

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | **IP40**

UNTIL SUPPLY **LAST**

SKY TLR / SKY TLOM

Catalogue number WHITE	Catalogue number BLACK	Catalogue number GREY	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Body material	Diameter (mm)	Height (mm)	Beam angle	Packing/Box (pcs)	Energy class
93TLR503W/WH	**93TLR503W/BL**		F	10	900	4000	aluminium	142	105	24°	1/12	A++→A
	93TLR503WW/BL	**93TLR503WW/GR**	F	10	900	2700	aluminium	142	105	24°	1/12	A++→A
93TLR503CW/WH	**93TLR503CW/BL**	**93TLR503CW/GR**	F	10	900	6400	aluminium	142	105	24°	1/12	A++→A
93TLR504W/WH	**93TLR504W/BL**	**93TLR504W/GR**	F	15	1350	4000	aluminium	142	105	24°	1/12	A++→A
93TLR504WW/WH		**93TLR504WW/GR**	F	15	1350	2700	aluminium	142	105	24°	1/12	A++→A
93TLR504CW/WH	**93TLR504CW/BL**	**93TLR504CW/GR**	F	15	1350	6400	aluminium	142	105	24°	1/12	A++→A


SKY TLR


SKY TLR


white colour


black colour


grey colour

~230V | 50/60 Hz | COB | Ra>80 | 30000h | >20000 | 100% | Hg | IP 40 | RoHS COMPLIANT | EMC | F | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



DL-044 ROUND
92DL044R1/WH



DL-044 ROUND
92DL044R1/BL

IP20

DL-044 ROUND

Catalogue number	Product category	Description	Colour	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
92DL044R1/WH	C	Downlight	white	100	125	1/20	A++→E
92DL044R1/BL	C	Downlight	black	100	125	1/20	A++→E

Body: Aluminium | **Lamps Not Included** | **Lamp holder:** GU10

RoHS COMPLIANT CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



FLCOM COB
White



FLCOM COB
Black

LED NEUTRAL WHITE 4000K **IP44**

FLCOM COB

Catalogue number WHITE	Catalogue number BLACK	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
92FLCOM1040/WH	**92FLCOM1040/BL**	C	10	800	4000	90	90	1/8	A++→A
92FLCOM2040/WH	**92FLCOM2040/BL**	C	20	1600	4000	110	125	1/8	A++→A
92FLCOM3040/WH	**92FLCOM3040/BL**	C	30	2400	4000	130	155	1/8	A++→A
92FLCOM4040/WH	**92FLCOM4040/BL**	C	40	3200	4000	170	185	1/8	A++→A

Voltage: 85-265V AC| **Body:** Aluminium | **Beam angle:** 60°| **Mounting:** surface

~230V 50/60 Hz COB 60° Ra>80 30000h >20000 INSTANT 100% Hg RoHS COMPLIANT EMC F CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



RDLOMCOB
92DLOM1040/S
92DLOM1027/S




RDLOMCOB
92DLOM2040/S
92DLOM2027/S


LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | **IP40**

UNTIL SUPPLY **LAST**

RDLOMCOB

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Length (mm)	Packing/Box (pcs)	Energy class
92DLOM1040/S	F	10	800	4000-4300	silver	95	70	1/24	A++→A
92DLOM1027/S	F	10	800	2700-3000	silver	95	70	1/24	A++→A
92DLOM2040/S	F	20	1600	4000-4300	silver	95	110	1/12	A++→A
92DLOM2027/S	F	20	1600	2700-3000	silver	95	110	1/12	A++→A





Body: aluminium | **Light source:** Epistar | **Power factor:** λ>0.9 | **Starting time:** <0.5s
LED surface round downlight COB.

~230V | 50/60 Hz | COB | 60° | Ra>80 | 30000h | >20000 | INSTANT 100% | Hg | IP 40 | RoHS | EMC | F | CE | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY



FRANCA 90
96FRANCA90/GR



FRANCA 90
96FRANCA90/BL

LED **IP55** **Resin**

FRANCA

Catalogue number BLACK body	Product category	Description	Colour	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
96FRANCA90/BL	C	Ceiling fixtures	black	3.5	400	4000	95	115	1xGU10	1/30	A+ A++→A
96FRANCA90/GR	C	Ceiling fixtures	gray	3.5	400	4000	95	115	1xGU10	1/30	A+ A++→A

Body material: Resin| UV resistant | Lamp included







The product is accomplished with a LED bulb which parameters are noted in the chart. If you need any other color temperature or power, we suggest you to purchase the variants compatible to this fixtures separately as follows:

99XLED727 GU10 LED SMD 3.5W 4000K | **99XLED728** GU10 LED SMD 3.5W 2700K | **99XLED731** GU10 LED SMD 3.5W 6400K

99LED729 GU10 LED SMD 6.5W 4000K | **99LED730** GU10 LED SMD 6.5W 2700K | **99LED796** GU10 LED SMD 6.5W 6400K

~230V 50/60 Hz 1,5mm² RoHS CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 60 days.



RECESED FIXTURES GLOM 222

92GLOM222WH
92GLOM222WW



RECESED FIXTURES GLOM 223

92GLOM223WW

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | IP40

UNTIL SUPPLY LAST

RECESED FIXTURES GLOM

Catalogue number	Product category	Watt (W)	Whole fixtures lumens (lm)	Colour temp. (K)	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
92GLOM222WH	F	18X1	1260	4000-4300K	165	115	1/1	A++→A
92GLOM222WW	F	18X1	1260	2700-3000K	165	115	1/1	A++→A

Body: Aluminium | **Light source:** Epistar | **Mounting:** surface

~230V | 50/60 Hz | COB | 60° | Ra>80 | 30000h | >20000 | INSTANT 100% | Hg | IP 40 | RoHS COMPLIANT | EMC | F | CE | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY



TRACK LIGHTING



NOT FOLDING LED FLOODLIGHT, MINI SERIES

93MFL2230/BL
93MFL2240/BL

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | IP20 | Ra≥85 | 48V DC

FOUR POLES MAGNETIC LED FLOODLIGHT, MINI SERIES

Catalogue number WHITE	Product category	Type	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Beam angle	Length (mm)	Height (mm)	Packing/Box (pcs)	Energy class
93MFL2230/BL	C	Not folding	22	1672	3000	120°	585	118	1	A++→A
93MFL2240/BL	C	Not folding	22	1672	4000	120°	585	118	1	A++→A

Input Voltage: 48V | PF≥ 0.9 | **LED Source:** OSRAM | **Body material:** Aluminium | **Diffuser material:** PC | **Body colour:** Black

COB | 30000h | >20000 | INSTANT 100% | Hg | RoHS COMPLIANT | EMC | CE | 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



FOLDING LED FLOODLIGHT, MINI SERIES

93MFFL1230/BL
93MFFL1240/BL
93MFFL1830/BL
93MFFL1840/BL

WARM WHITE 2700K | NEUTRAL WHITE 4000K | **IP20** | **Ra≥85** | **48V DC**

FOUR POLES MAGNETIC LED FLOODLIGHT, MINI SERIES

Catalogue number WHITE	Product category	Type	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Beam angle	Length (mm)	Height (mm)	Packing/Box (pcs)	Energy class
93MFFL1230/BL	C	Folding	12	856	3000	120°	200	118	1	A++→A
93MFFL1240/BL	C	Folding	12	856	4000	120°	200	118	1	A++→A
93MFFL1830/BL	C	Folding	18	1317	3000	120°	305	118	1	A++→A
93MFFL1840/BL	C	Folding	18	1317	4000	120°	305	118	1	A++→A

Input Voltage: 48V | PF≥ 0.9 | **LED Source:** OSRAM | **Body material:** Aluminium | **Diffuser material:** PC | **Body colour:** Black

COB | 30000h | >20000 | INSTANT 100% | Hg | RoHS COMPLIANT | EMC | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



FOUR POLES MAGNETIC LED GRILL LIGHT, MINI SERIES

93MFGL1230/BL
93MFGL1240/BL



FOUR POLES MAGNETIC LED GRILL LIGHT, MINI SERIES

93MFGL1830/BL
93MFGL1840/BL

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | IP20 | Ra≥85 | 48V DC

FOUR POLES MAGNETIC LED GRILL LIGHT, MINI SERIES

Catalogue number WHITE	Product category	Type	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Beam angle	Length (mm)	Height (mm)	Packing/Box (pcs)	Energy class
93MFGL1230/BL	C	Folding	12	835	3000	30°	200	118	1	A++→A
93MFGL1240/BL	C	Folding	12	835	4000	30°	200	118	1	A++→A
93MFGL1830/BL	C	Folding	18	1507	3000	30°	305	118	1	A++→A
93MFGL1840/BL	C	Folding	18	1507	4000	30°	305	118	1	A++→A

Input Voltage: 48V | **LED Source:** OSRAM | **Body material:** Aluminium | **Body colour:** Black

COB | 30000h | >20000 | INSTANT 100% | Hg | RoHS COMPLIANT | EMC | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



FOUR POLES MAGNETIC LED LIGHT, MINI SERIES
93MTL0530/BL
93MTL0540/BL



FOUR POLES MAGNETIC LED LIGHT, MINI SERIES
93MTL1030/BL
93MTL1040/BL



FOUR POLES MAGNETIC LED LIGHT, MINI SERIES
93MTL1530/BL
93MTL1540/BL

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | IP20 | Ra≥85 | 48V DC

FOUR POLES MAGNETIC LED LIGHT, MINI SERIES

Catalogue number WHITE	Product category Type		Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Beam angle	Length (mm)	Diameter (mm)	Packing/Box (pcs)	Energy class
93MTL0530/BL	C	Folding	5	286	3000	38°	125	26	1	A++→A
93MTL0540/BL	C	Folding	5	286	4000	38°	125	26	1	A++→A
93MTL1030/BL	C	Folding	10	1230	3000	38°	160	55	1	A++→A
93MTL1040/BL	C	Folding	10	1230	4000	38°	160	55	1	A++→A
93MTL1530/BL	C	Folding	15	1692	3000	38°	200	45	1	A++→A
93MTL1540/BL	C	Folding	15	1692	4000	38°	200	45	1	A++→A

Input Voltage: 48V | PF≥ 0.9 | **LED Source:** CREE | **Body material:** Aluminium | **Body colour:** Black

COB | 30000h | >20000 | INSTANT 100% | Hg | RoHS COMPLIANT | EMC | CE | 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



FOUR POLES MAGNETIC LED HANGING LIGHT, MINI SERIES

93MPL1530/BL
93MPL1540/BL

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | **IP20** | **Ra≥85** | **48V DC**

FOUR POLES MAGNETIC LED HANGING LIGHT, MINI SERIES

Catalogue number WHITE	Product category	Type	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Beam angle	Length (mm)	Diameter (mm)	Packing/Box (pcs)	Energy class
93MPL1530/BL	C	Hanging	15	1894	3000	38°	200	45	1	A++→A
93MPL1540/BL	C	Hanging	15	1894	4000	38°	200	45	1	A++→A

Input Voltage: 48V | PF≥ 0.9 | **LED Source:** CREE | **Body material:** Aluminium | **Body colour:** Black

COB | 30000h | >20000 | INSTANT 100% | Hg | RoHS COMPLIANT | EMC | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.


93MRBM1/BL


93MROM1/BL


93MA015
93MA011


93MA001


93MA002


93MA003

FOUR POLES 48V TRACK RAILS AND ACCESSORIES FOR MAGNETIC LIGHTS MINI SERIES

Catalogue number WHITE	Product category	Type	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)
93MROM1/BL	C	track rail OM	1000	30	53	1
93MRBM1/BL	C	track rail BM	1000	30	53	1
93MA015	C	end cap for MRBM				1
93MA011	C	end cap for MROM				1
93MA001	C	L ceiling corner BM				1
93MA002	C	L wall ceiling corner BM				1
93MA003	C	L ceiling corner OM				1
93MA004	C	L wall ceiling corner OM				1
93MA013	C	T ceiling connector BM				1
93MA014	C	T ceiling connector OM				1

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



93MA006



93MA007



93MA008



93MA005



93MA010



93MA012



93MA009

FOUR POLES ACCESSORIES FOR MAGNETIC LIGHTS MINI SERIES

Catalogue number WHITE	Product category	Type	Packing/Box (pcs)
93MA005	C	I-flexible connector	1
93MA007	C	I-connector	1
93MA006	C	Input adapter	1
93MA008	C	fixture adaptor	1
93MA009	C	Inside connector	1
93MA010	C	mouting plate	1
93MA012	C	hanging wire	1

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



TWO & FOUR LINES TRACK LIGHTS SKY TLS

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | **IP40**

UNTIL SUPPLY **LAST**

TWO & FOUR LINES TRACK LIGHTS SKY TLS

Catalogue number WHITE	Catalogue number BLACK	Catalogue number GREY	Product category	Type	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Body material	Diameter (mm)	Height (mm)	Beam angle	Packing/ Box (pcs)	Energy class
93TLS503W/WH	**93TLS503W/BL**		F	2 LINES	10	900	4000	aluminium	142	105	24°	1/12	A++→A
	93TLS503WW/BL	**93TLS503WW/GR**	F	2 LINES	10	900	2700	aluminium	142	105	24°	1/12	A++→A
93TLS503CW/WH	**93TLS503CW/BL**	**93TLS503CW/GR**	F	2 LINES	10	900	6400	aluminium	142	105	24°	1/12	A++→A
93TLS504W/WH	**93TLS504W/BL**	**93TLS504W/GR**	F	2 LINES	15	1350	4000	aluminium	142	105	24°	1/12	A++→A
93TLS504WW/WH		**93TLS504WW/GR**	F	2 LINES	15	1350	2700	aluminium	142	105	24°	1/12	A++→A
93TLS504CW/WH	**93TLS504CW/BL**	**93TLS504CW/GR**	F	2 LINES	15	1350	6400	aluminium	142	105	24°	1/12	A++→A
934TLS503W/WH	**934TLS503W/BL**		F	4 LINES	10	900	4000	aluminium	142	105	24°	1/12	A++→A
	934TLS503WW/BL		F	4 LINES	10	900	2700	aluminium	142	105	24°	1/12	A++→A
934TLS503CW/WH	**934TLS503CW/BL**		F	4 LINES	10	900	6400	aluminium	142	105	24°	1/12	A++→A
934TLS504W/WH	**934TLS504W/BL**		F	4 LINES	15	1350	4000	aluminium	142	105	24°	1/12	A++→A
934TLS504WW/WH			F	4 LINES	15	1350	2700	aluminium	142	105	24°	1/12	A++→A
934TLS504CW/WH	**934TLS504CW/BL**		F	4 LINES	15	1350	6400	aluminium	142	105	24°	1/12	A++→A



SKY TLR SKY TLR

~230V | 50/60 Hz | COB | Ra>80 | 30000h | >20000 | 100% | IP40 | RoHS | EMC | 3+2 standard +extended 5 YEAR TOTAL WARRANTY



TWO & FOUR LINES SKY TL5

White / Black

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | **IP40**

TWO & FOUR LINES SKY TL5

Catalogue number WHITE	Catalogue number BLACK	Product category	Watt (W)	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Diameter (mm)	Height (mm)	Beam angle	Packing/Box (pcs)	Energy class
93TL5LEDW/WH	**93TL5LEDW/BL**	C	2 LINES	6,5	500	4000	57	147	40°	1/100	A+ A++→E
93TL5LEDWW/WH	**93TL5LEDWW/BL**	C	2 LINES	6,5	500	2700	57	147	40°	1/100	A+ A++→E
93TL5	**93TL5LEDBL**	C	Empty				57	147		1/100	A++→E
94TL5LEDW/WH	**94TL5LEDW/BL**	C	4 LINES	6,5	500	4000	57	147	40°	1/100	A+ A++→E
94TL5LEDWW/WH	**94TL5LEDWW/BL**	C	4 LINES	6,5	500	2700	57	147	40°	1/100	A+ A++→E
94TL5	**94TL5LEDBL**	C	Empty				57	147		1/100	A++→E

Body: aluminium

~230V | 50/60 Hz | COB | Ra>80 | 30000h | >20000 | IP 40 | RoHS COMPLIANT | EMC | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



TWO LINES SKY TL5016

White / Black / Grey

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | IP40

UNTIL SUPPLY LAST

TWO LINES SKY TL5016

Catalogue number WHITE	Catalogue number BLACK	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Diameter (mm)	Height (mm)	Beam angle	Packing/Box (pcs)	Energy class
93TL5016CW/WH	**93TL5016CW/BL**	F	30	2400	6400	120	140	36°	1/34	A++→A

Body: aluminium

~230V | 50/60 Hz | COB | Ra>80 | 30000h | >20000 | IP 40 | RoHS | EMC | CE | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY



TWO & FOUR LINES SKY FTL
black



TWO & FOUR LINES SKY FTL
white

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | IP40

TWO AND FOUR LINES SKY FTL

Catalogue number WHITE	Catalogue number BLACK	Product category	Type	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Diameter (mm)	Length (mm)	Height (mm)	Beam angle	Packing/Box (pcs)	Energy class
93FTL25WW/WH	**93FTL25WW/BL**	C	2 LINES	25	2250	3000K	100	140	235	38°	1/20	A++→A
93FTL25W/WH	**93FTL25W/BL**	C	2 LINES	25	2250	4000K	100	140	235	38°	1/20	A++→A
93FTL25CW/WH	**93FTL25CW/BL**	C	2 LINES	25	2250	6000K	100	140	235	38°	1/20	A++→A
93FTL35WW/WH	**93FTL35WW/BL**	C	2 LINES	35	3150	3000K	100	140	235	38°	1/20	A++→A
93FTL35W/WH	**93FTL35W/BL**	C	2 LINES	35	3150	4000K	100	140	235	38°	1/20	A++→A
93FTL35CW/WH	**93FTL35CW/BL**	C	2 LINES	35	3150	6000K	100	140	235	38°	1/20	A++→A
934FTL25WW/WH	**934FTL25WW/BL**	C	4 LINES	25	2250	3000K	100	140	235	38°	1/20	A++→A
934FTL25W/WH	**934FTL25W/BL**	C	4 LINES	25	2250	4000K	100	140	235	38°	1/20	A++→A
934FTL25CW/WH	**934FTL25CW/BL**	C	4 LINES	25	2250	6000K	100	140	235	38°	1/20	A++→A
934FTL35WW/WH	**934FTL35WW/BL**	C	4 LINES	35	3150	3000K	100	140	235	38°	1/20	A++→A
934FTL35W/WH	**934FTL35W/BL**	C	4 LINES	35	3150	4000K	100	140	235	38°	1/20	A++→A
934FTL35CW/WH	**934FTL35CW/BL**	C	4 LINES	35	3150	6000K	100	140	235	38°	1/20	A++→A

Body: aluminium



side view black



back view black



side view white



back view white



93SKY01/W

CONNECTOR
TWO LINES RAILS
White: 93SKY01/W
Black: 93SKY01/BL
Grey: 93SKY01/G



93SKY03/W

CONNECTOR
FOUR LINES RAILS
White: 93SKY03/W
Black: 93SKY03/BL

~230V | 50/60 Hz | COB | Ra>80 | 30000h | >20000 | INSTANT 100% | IP 40 | RoHS COMPLIANT | EMC | F | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



TWO LINES SKY TL5030
White / Black / Grey



TWO LINES SKY TL5020
White / Black / Grey

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | **IP40**

TWO LINES SKY TL 20W

Catalogue number WHITE	Catalogue number BLACK	Catalogue number GREY*	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Diameter (mm)	Height (mm)	Beam angle	Packing/ Box (pcs)	Energy class
93TL5020W/WH	**93TL5020W/BL**		C	20	1800	4000	93	125	36°	1/20	A++→A
93TL5020WW/WH	**93TL5020WW/BL**	**93TL5020WW/GR**	C	20	1800	2700	93	125	36°	1/20	A++→A
93TL5020CW/WH	**93TL5020CW/BL**	**93TL5020CW/GR**	C	20	1800	6400	93	125	36°	1/20	A++→A

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | **IP40**

UNTIL SUPPLY **LAST**

TWO LINES SKY TL 30W

Catalogue number WHITE	Catalogue number BLACK	Catalogue number GREY	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Diameter (mm)	Height (mm)	Beam angle	Packing/ Box (pcs)	Energy class
93TL5030W/WH	**93TL5030W/BL**	**93TL5030W/GR**	F	30	2700	4000	93	125	36°	1/20	A++→A
93TL5030WW/WH	**93TL5030WW/BL**	**93TL5030WW/GR**	F	30	2700	2700	93	125	36°	1/20	A++→A
93TL5030CW/WH	**93TL5030CW/BL**	**93TL5030CW/GR**	F	30	2700	6400	93	125	36°	1/20	A++→A

Body: aluminium | * Until Supply Last- Product Category F

~230V | 50/60 Hz | COB | Ra>80 | 30000h | >20000 | INSTANT 100% | IP40 | RoHS COMPLIANT | EMC | F | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



SKY TL809
White / Black / Grey



SKY TL808
White / Black / Grey

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | IP40

TWO AND FOUR LINES SKY TL

Catalogue number WHITE	Catalogue number BLACK	Product category	Type	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Length (mm)	Diameter (mm)	Height (mm)	Beam angle	Packing/Box (pcs)	Energy class
93SKY164*	**93SKY264***	F	2L TL809	12	1080	6400	130	95	180	38°	1/1	A+ A++→E
93TL809/WH	**93TL809/BL**	C	2L TL809			empty fixture	130	95	180		1/1	A++→E
93SKY364*	**93SKY464***	F	2L TL808	12	1080	6400	150	100	210	38°	1/1	A+ A++→E
93SKY1540		C	2L TL809	15	1275	4000	130	95	180	90°	1/1	A+ A++→E
93SKY1527		C	2L TL809	15	1275	2700	130	95	180	90°	1/1	A+ A++→E
93SKY1564		C	2L TL809	15	1275	6400	130	95	180	90°	1/1	A+ A++→E
93SKY3540	**93SKY4540**	C	2L TL808	15	1275	4000	150	100	210	90°	1/1	A+ A++→E
93SKY3527	**93SKY4527**	C	2L TL808	15	1275	2700	150	100	210	90°	1/1	A+ A++→E
93SKY3564	**93SKY4564**	C	2L TL808	15	1275	6400	150	100	210	90°	1/1	A+ A++→E
94SKY1540		C	4L TL809	15	1275	4000	130	95	180	90°	1/1	A+ A++→E
94SKY1527		C	4L TL809	15	1275	2700	130	95	180	90°	1/1	A+ A++→E
94SKY1564		C	4L TL809	15	1275	6400	130	95	180	90°	1/1	A+ A++→E
94SKY3540	**94SKY4540**	C	4L TL808	15	1275	4000	150	100	210	90°	1/1	A+ A++→E
94SKY3527	**94SKY4527**	C	4L TL808	15	1275	2700	150	100	210	90°	1/1	A+ A++→E
94SKY3564	**94SKY4564**	C	4L TL808	15	1275	6400	150	100	210	90°	1/1	A+ A++→E



15 W Lamp



white colour



12 W Lamp



black colour



12 W Lamp

Body: aluminium | **Light source:** LED lamp PAR30 | **Power factor:** λ>0.9 | **Starting time:** <1s

* Until Supply Last

~230V | 50/60 Hz | COB | Ra>80 | 30000h | >20000 | 100% | IP 40 | RoHS COMPLIANT | EMC | F | CE | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



TWO & FOUR LINES CINEMA SKY
White / Black / Grey



TWO & FOUR LINES CINEMA SKY
White / Black / Grey

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | **IP40**

TWO AND FOUR LINES CINEMA SKY

Catalogue number WHITE	Catalogue number BLACK	Catalogue number GREY	Product category	Type	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Diameter (mm)	Height (mm)	Beam angle	Packing/ Box	Energy class
955CINEMACW/WH	**955CINEMACW/BL**	**955CINEMACW/GR**	F	2L extendible*	12	1080	6400	145	220	38°	1/6	A+ A++→E
955CINEMA1CW/WH	**955CINEMA1CW/BL**	**955CINEMA1CW/GR**	F	2L fixed*	12	1080	6400	145	220	38°	1/6	A+ A++→E
955CINEMA15W/WH	**955CINEMA15W/BL**	**955CINEMA15W/GR**	C	2L extendible	15	1275	4000	145	220	90°	1/6	A+ A++→E
955CINEMA15WW/WH	**955CINEMA15WW/BL**	**955CINEMA15WW/GR**	C	2L extendible	15	1275	2700	145	220	90°	1/6	A+ A++→E
955CINEMA15CW/WH	**955CINEMA15CW/BL**	**955CINEMA15CW/GR**	C	2L extendible	15	1275	6400	145	220	90°	1/6	A+ A++→E
955CINEMA115W/WH	**955CINEMA115W/BL**	**955CINEMA115W/GR**	C	2L fixed	15	1275	4000	145	220	90°	1/6	A+ A++→E
955CINEMA115WW/WH	**955CINEMA115WW/BL**	**955CINEMA115WW/GR**	C	2L fixed	15	1275	2700	145	220	90°	1/6	A+ A++→E
955CINEMA115CW/WH	**955CINEMA115CW/BL**	**955CINEMA115CW/GR**	C	2L fixed	15	1275	6400	145	220	90°	1/6	A+ A++→E
94CINEMA15W/WH	**94CINEMA15W/BL**		C	4L extendible	15	1275	4000	145	220	90°	1/6	A+ A++→E
94CINEMA15WW/WH	**94CINEMA15WW/BL**		C	4L extendible	15	1275	2700	145	220	90°	1/6	A+ A++→E
94CINEMA15CW/WH	**94CINEMA15CW/BL**		C	4L extendible	15	1275	6400	145	220	90°	1/6	A+ A++→E
94CINEMA115W/WH	**94CINEMA115W/BL**		C	4L fixed	15	1275	4000	145	220	90°	1/6	A+ A++→E
94CINEMA115WW/WH	**94CINEMA115WW/BL**		C	4L fixed	15	1275	2700	145	220	90°	1/6	A+ A++→E
94CINEMA115CW/WH	**94CINEMA115CW/BL**		C	4L fixed	15	1275	6400	145	220	90°	1/6	A+ A++→E



15 W Lamp



white colour



12 W Lamp



grey colour



12 W Lamp



black colour



12 W Lamp

Body: aluminium | **Light source:** LED lamp PAR30 | **Power factor:** λ>0.9 | **Starting time:** <1s | * Until Supply Last

~230V | 50/60 Hz | COB | Ra>80 | 30000h | >20000 | IP 40 | RoHS | EMC | F | CE | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



TWO & FOUR LINES SKY
TL 2211
White / Black



TWO & FOUR LINES SKY
TL 2211
White / Black

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | COOL WHITE 6400K | **IP40**

TWO AND FOUR LINES SKY TL 2211

Catalogue number WHITE	Catalogue number BLACK	Product category	Type	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Length (mm)	Diameter (mm)	Height (mm)	Beam angle	Packing/ Box	Energy class
93SKY2211CW/WH	**93SKY2211CW/BL**	F	2 LINES*	12	1080	6400	235	100	160	38°	1/6	A+ A++→E
93SKY2215WW/WH	**93SKY2215WW/BL**	C	2 LINES	15	1275	2700	235	100	160	90°	1/6	A+ A++→E
93SKY2215W/WH	**93SKY2215W/BL**	C	2 LINES	15	1275	4000	235	100	160	90°	1/6	A+ A++→E
93SKY2215CW/WH	**93SKY2215CW/BL**	C	2 LINES	15	1275	6400	235	100	160	90°	1/6	A+ A++→E
94SKY2215WW/WH	**94SKY2215WW/BL**	C	4 LINES	15	1275	2700	230	100	160	90°	1/1	A+ A++→E
94SKY2215W/WH	**94SKY2215W/BL**	C	4 LINES	15	1275	4000	230	100	160	90°	1/1	A+ A++→E
94SKY2215CW/WH	**94SKY2215CW/BL**	C	4 LINES	15	1275	6400	230	100	160	90°	1/1	A+ A++→E



15 W Lamp



12 W Lamp



12 W Lamp



93SKY01/W

CONNECTOR
TWO LINES RAILS
White: 93SKY01/W
Black: 93SKY01/BL
Grey: 93SKY01/G



93SKY03/W

CONNECTOR
FOUR LINES RAILS
White: 93SKY03/W
Black: 93SKY03/BL

Body: aluminium | **Light source:** LED lamp PAR30 | **Power factor:** λ>0.9 | **Starting time:** <1s | *Until Supply Last

~230V | 50/60 Hz | SMD 2835 | Ra>80 | 30000h | >20000 | IP 40 | RoHS | EMC | F | CE | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



SKY FIXTURES TLOM
White / Black



SKY FIXTURES TLBM
White / Black

LED NEUTRAL WHITE 4000K **IP40**

SKY FIXTURES TLOM / TLBM

Catalogue number WHITE	Catalogue number BLACK	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Body material	Diameter (mm)	Height (mm)	Beam angle	Packing/Box (pcs)	Energy class
93TLOM1540/WH	**93TLOM1540/BL**	C	15	1350	4000K	Aluminum	55	145	24°	1/24	A++→A
93TLOM3040/WH	**93TLOM3040/BL**	C	30	2700	4000K	Aluminum	90	240	24°	1/15	A++→A
93TLBM1540/WH	**93TLBM1540/BL**	C	15	1350	4000K	Aluminum	73	118	30°	1/50	A++→A



TLBM



TLBM

~230V 50/60 Hz COB Ra>80 30000h >20000 INSTANT 100% Hg IP 40 RoHS COMPLIANT EMC F CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



MH 2000
982000150



MH 2001
98200170
98200170FSCH

IP21

UNTIL SUPPLY LAST


MH 2000/2001

Catalogue number	Product category	Model	Watt (W)	Lamp	Colour body	Length (mm)	Width (mm)	Diameter/Height (mm)	Energy class
982000150	F	MH 2000	-	-	white	370	185	190	A++→C
98200170	F	MH 2001	-	-	white	190	215	240	A++→C
98200170FSCH	F	MH 2001	70	MHL	white	190	215	240	A++→C

Body: aluminium casting | **Ambient Temperature:** -30°C÷ +65°C | **Diffuser:** Tempered glass | Lamp not included

~230V | 50/60 Hz | Rx7s | IP 21 | RoHS | F | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY






SINGLE-PHASE RAILS

ADAPTER POWER SUPPLY





I - TYPE



L - TYPE



T - TYPE



X - TYPE



IP20

TWO LINES TRACK RAILS AND ADAPTERS

Catalogue number WHITE	Catalogue number BLACK	Catalogue number GREY*	Product category	Type	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)
93101	**93301**	**93501**	C	SKYWAY 101 track rails	1000	40	20	1/20
93102	**93302**		C	SKYWAY 102 track rails	2000	40	20	1/20
93110	**93310**	**93510**	C	SKYWAY 110 I-type adapter	80	40	20	1/100
93120	**93320**	**93520**	C	SKYWAY 120 L-type adapter	70	40	20	1/100
93130	**93330**	**93530**	C	SKYWAY 130 T-type adapter	106	40	20	1/100
93140	**93340**	**93540**	C	SKYWAY 140 X-type adapter	106	40	20	1/100

Body material: aluminium
* Until Supply Last: Product category F

~230V | 50/60 Hz | max. 10A | IP 20 | RoHS COMPLIANT | F | CE

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



POWER SUPPLY



I - TYPE



L - TYPE



SOFT L - TYPE



FOUR LINES TRACK RAILS



T - TYPE



X - TYPE

IP20

FOUR LINES TRACK RAILS AND ADAPTERS

Catalogue number WHITE	Catalogue number BLACK	Product category	Type	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)
94101	**94301**	C	four lines track rails*	1000	33.5	42	1/10
94102	**94302**	C	four lines track rails*	2000	33.5	42	1/10
94110	**94310**	C	four line I-type connector	160	30	42	1/50
94120	**94320**	C	four line L-type connector	100	30	100	1/70
94120M	**94320M**	C	four line soft L-type connector	100	30	100	1/70
94130	**94330**	C	four line T-type connector	160	30	100	1/50
94140	**94340**	C	four line X-type connector	160	30	160	1/25
94150	**94350**	C	four line power supply	160	30	42	1/100
94160	**94360**	C	end cap				1/100

Material: track rails- aluminium | **Accessories:** ABS antiflaming + cooper sheet

*four lines track rails come without power supply

~230V | 50/60 Hz | max. 10A | IP 20 | RoHS COMPLIANT | F | CE

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.





NEUTRAL WHITE 4000K **IP44**

COMERCIAL LED FIXTURES TRITON


Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Beam angle	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
99TR602640/GR	C	26	3120	4000	90°	grey	600	90	57,6	1/1	A++→A
99TR903840/GR	C	38	4560	4000	90°	grey	900	90	57,6	1/1	A++→A
99TR1205040/GR	C	50	6000	4000	90°	grey	1200	90	57,6	1/1	A++→A
99TR1506440/GR	C	64	7680	4000	90°	grey	1500	90	57,6	1/1	A++→A






INSTALATION ACCESSORIES FOR LED PROFILES
Suspension wire
Catalogue number: **99ACC54**


As per personal request, COMERCIAL LED FIXTURES TRITON can be produced with beam angle of 30°, 60° , 25°/25°.




Sharp distribution apply to focusing on objects with tight gap.
Mount up to 20 meters




Narrow distribution apply to narrow passageway.
Mount up to 10 meters



Wide distribution apply to wider passageway.
Mount up to 6 meters



Double asymmetric distribution apply to large gap between shelves.
Mount up to 3 meters



Body: aluminium | **Reflector:** polycarbonate (PC)

~230V | 50/60 Hz | SMD | 90° | Ra≥80 | >15000 | INSTANT 100% | 50000h | Hg | IP 44 | RoHS COMPLIANT | EMC | F | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 30 days.



COMMERCIAL LED FIXTURES
95204518



COMMERCIAL LED FIXTURES
95204609
95204550

LED NEUTRAL WHITE 4000K **IP40**

COMMERCIAL LED FIXTURES

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Beam angle	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
95204609	F	9*	820	4000	aluminium	90°	610	65	40	1/10	A++→A
95204518	F	18*	1640	4000	aluminium	120°	605	100	43	1/10	A++→A
95204550	C	50	4800	4000	aluminium	120°	1200	75	35	1/10	A++→A


Body: Alu+PC | **Light source:** SMD2835| **Input voltage:** 220-240V | **Mounting:** Surface

* Until Supply Last - 3 year standard + extended warranty









Wire and fittings for hanging mounting 2,5m
2 pcs/ pack
92ACC03

Body: Alu+PC | **Light source:** SMD2835| **Input voltage:** 220-240V | **Mounting:** Surface

~230V | 50/60 Hz | SMD | Ra≥80 | >20000 | INSTANT 100% | 20000h | Hg | IP 40 | RoHS COMPLIANT | EMC | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



LED MOD FIXTURE
9MOD18W
9MOD36W



CONNECTOR 90° L-TYPE
9MODL



COUPLING 180° I-TYPE
9MODI



T-JOINT
9MODT

LED NEUTRAL WHITE 4000K **IP40**

MOD FIXTURE

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
9MOD18W	C	18	1100	4000	white	615	54	34	1/20	A++→A
9MOD36W	C	36	2200	4000	white	1215	54	34	1/20	A++→A



Connector 90° L-type

Catalogue number
9MODL
135x135x45mm



Coupling 180° I-type

Catalogue number
9MODI
210x58x45mm



T-joint

Catalogue number
9MODT
210x135x45mm

Body: PC+Iron | **Clips:** inox | **Light source:** Sanan 2835 SMD| **Starting time:** <1s

~230V | 50/60 Hz | SMD | 120° | Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | IP 40 | RoHS COMPLIANT | EMC | CE | 3+0 standard +extended 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



LED | NEUTRAL WHITE 4000K | COOL WHITE 6400K | **IP21**

UNTIL SUPPLY LAST

NEDA / NINA Luminaire with LED Tubes T8 STELLAR

Catalogue number	Product category	Model	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
95LED109CW	F	Neda	1X9	585	6400	white	740	118	48	1/12	A+ A++→A
95LED109W	F	Neda	1X9	585	4000	white	740	118	48	1/12	A+ A++→A
95LED209CW	F	Neda	2X9	1170	6400	white	740	160	55	1/6	A+ A++→A
95LED209W	F	Neda	2X9	1170	4000	white	740	160	55	1/6	A+ A++→A
920118LED	F	Nina	1X9	585	4000	white	740	118	48	1/12	A+ A++→A
920118LEDCW	F	Nina	1X9	585	6400	white	740	118	48	1/12	A+ A++→A



Body: white powder painted steel | **Reflector:** plastic cover (Neda); ABS plastic grid (Nina) | **Light source:** LED tubes

~230V | 50/60 Hz | LED T8 | G13 | Ra≥80 | >20000 | INSTANT 100% | 15000h | Hg | IP 21 | RoHS COMPLIANT | EMC | F | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY



REMY STELLAR
9XREMY18LED
9XREMY36LED

LED NEUTRAL WHITE 4000K **IP40**


REMY LUMINAIRE STELLAR

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
9XREMY18LED	C	18	1300	4000K	white	600	75	46	1/20	A++→A
9XREMY36LED	C	36	2600	4000K	white	1200	75	46	1/20	A++→A

Body: PP+PC | **LED driver:** mounted in the body | **Light source:** SMD2835 | **Input voltage:** 220-240V | **Beam angle:** 115°

~230V | 50/60 Hz | SMD | Ra≥80 | >20000 | INSTANT 100% | 15000h | Hg | IP 40 | RoHS COMPLIANT | EMC | F | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



ACOUSTIC BAFFLES

Catalogue number	Product category	Colour	Material	Acoustic rating	Length (mm)	Height (mm)	Depth (mm)
99ACOUSTIC1200/BL	C	Black	Polyester	0.85 NRC	1200	200	9
99ACOUSTIC1200/WH	C	White	Polyester	0.85 NRC	1200	200	9
99ACOUSTIC1200/GR	C	Grey	Polyester	0.85 NRC	1200	200	9
99ACOUSTIC2400/BL	C	Black	Polyester	0.85 NRC	2400	200	9
99ACOUSTIC2400/WH	C	White	Polyester	0.85 NRC	2400	200	9
99ACOUSTIC2400/GR	C	Grey	Polyester	0.85 NRC	2400	200	9



Acoustic sound baffle find application in many work and office spaces, conference and presentation halls, meeting rooms, retails, institutional and more. They significantly reduce noise pollution, minimizing reverberation and echo in the room, absorbing any reflect sounds from other surfaces, thereby increasing speech intelligibility and communication. They are mounted on the ceiling in rows or columns.

Features: High quality and easy mounting | Lightweight | Safe and non-toxic | Available in three colours | Possibilty to create custom design

Mounting: Hanging. Attach one piece of wire/cord onto each of the 2 eye hooks on the baffle.Then attach the other end of the wire to two equally-spaced hooks in the ceiling

RoHS COMPLIANT CE


The products are not held on stock and are supplied only by a customer`s request.



NEUTRAL WHITE 4000K **IP40** **HIGH POWER**

ACOUSTIC HIGH POWER LED PROFILES S36 SERIES FOR HANGING MOUNTING

Catalogue number BLACK	Catalogue number WHITE	Catalogue number GREY	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Length (mm)	Height (mm)	Width (mm)	Packing/Box (pcs)	Energy class
99SM36S4020A/BL	**99SM36S4020A/WH**	**99SM36S4020A/GR**	C	20	1600	4000	600	200	55	1/1	A++→A
99SM36S4040A/BL	**99SM36S4040A/WH**	**99SM36S4040A/GR**	C	40	3200	4000	1200	200	55	1/1	A++→A
99SM36S4050A/BL	**99SM36S4050A/WH**	**99SM36S4050A/GR**	C	50	4000	4000	1500	200	55	1/1	A++→A





INSTALATION ACCESSORIES FOR LED PROFILES
Suspension wire
Catalogue number: **99ACC51**
Suspension wire with console
Catalogue number: **99ACC52**

Body: aluminium | **Reflector:** polycarbonate (PC) | **Driver:** 42V SELV driver | **Light Source:** SAMSUNG

~230V | 50/60 Hz | SMD | 90° | Ra≥80 | >15000 | 100% | 20000h | Hg | IP 40 | RoHS COMPLIANT | EMC | F | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

The products are not held on stock and are supplied only by a customer`s request.



LED NEUTRAL WHITE 4000K **IP40**

ACOUSTIC LED RINGS

Catalogue number BLACK	Catalogue number WHITE	Catalogue number GREY	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
99RING6004035A/BL	**99RING6004035A/WH**	**99RING6004035A/GR**	C	35	3500	4000	600	25	1/1	A++→A
99RING8004060A/BL	**99RING8004060A/WH**	**99RING8004060A/GR**	C	60	6000	4000	800	25	1/1	A++→A
99RING10004075A/BL	**99RING10004075A/WH**	**99RING10004075A/GR**	C	75	7500	4000	1000	25	1/1	A++→A
99RING11504096A/BL	**99RING11504096A/WH**	**99RING11504096A/GR**	C	96	9600	4000	1150	25	1/1	A++→A



99ACC52



99ACC51



Body: aluminium | **Reflector:** polycarbonate (PC) | **Driver:** 42V SELV driver

~230V | 50/60 Hz | SMD | 90° | Ra≥80 | >15000 | INSTANT 100% | 20000h | Hg | IP 40 | RoHS COMPLIANT | EMC | F | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

The products are not held on stock and are supplied only by a customer`s request.



LED RINGS
99RING8004060/GR



LED RINGS
99RING6004035/BL

LED NEUTRAL WHITE 4000K **IP40**

LED RINGS

Catalogue number BLACK	Catalogue number WHITE	Catalogue number GREY	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
99RING6004035/BL	**99RING6004035/WH**	**99RING6004035/GR**	C	35	3500	4000	600	25	1/1	A++→A
99RING8004060/BL	**99RING8004060/WH**	**99RING8004060/GR**	C	60	6000	4000	800	25	1/1	A++→A
99RING10004075/BL	**99RING10004075/WH**	**99RING10004075/GR**	C	75	7500	4000	1000	25	1/1	A++→A
99RING11504096/BL	**99RING11504096/WH**	**99RING11504096/GR**	C	96	9600	4000	1150	25	1/1	A++→A

Body: aluminium | **Reflector:** polycarbonate (PC) | **Driver:** 42V SELV driver







99ACC52




99ACC51



~230V | 50/60 Hz | SMD | 90° | Ra≥80 | >15000 | 100% | 20000h | Hg | IP 40 | RoHS COMPLIANT | EMC | F | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY


In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 30 days.



LED NEUTRAL WHITE 4000K **IP40** **ULTRA THIN**

ULTRA THIN LED PROFILES S36 SERIES, RECESSED MOUNTING


Catalogue number BLACK	Catalogue number WHITE	Catalogue number GREY	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Length (mm)	Width 1 (mm)	Width 2 (mm)	Height (mm)	Packing/Box (pcs)	Energy class
99FM36S4009/BL	**99FM36S4009/WH**	**99FM36S4009/GR**	C	9	630	4000	600	47.74	35.33	13.5	1/1	A++→A
99FM36S4018/BL	**99FM36S4018/WH**	**99FM36S4018/GR**	C	18	1260	4000	1200	47.74	35.33	13.5	1/1	A++→A
99FM36S40225/BL	**99FM36S40225/WH**	**99FM36S40225/GR**	C	22.5	1575	4000	1500	47.74	35.33	13.5	1/1	A++→A



Body: aluminium | **Reflector:** polycarbonate (PC) | **Clamps:** inox | **Driver:** 24V | **Light Source:** SAMSUNG

~230V 50/60 Hz SMD 90° Ra≥80 >15000 INSTANT 100% 20000h Hg IP 40 RoHS COMPLIANT EMC F CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 30 days.



LED NEUTRAL WHITE 4000K **IP40**


LED PROFILES S48 SERIES RECESSED MOUNTING WITH EMERGENCY KIT


Catalogue number BLACK	Catalogue number WHITE	Catalogue number GREY	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Length (mm)	Width 1 (mm)	Width 2 (mm)	Height (mm)	Packing/Box (pcs)	Energy class
99FM604012/BLE	**99FM604012/WHE**	**99FM604012/GRE**	C	12	1140	4000	600	70	47.8	22.4	1/1	A++→A
99FM1204024/BLE	**99FM1204024/WHE**	**99FM1204024/GRE**	C	24	2280	4000	1200	70	47.8	22.4	1/1	A++→A
99FM1504032/BLE	**99FM1504032/WHE**	**99FM1504032/GRE**	C	32	3040	4000	1500	70	47.8	22.4	1/1	A++→A

LED NEUTRAL WHITE 4000K **IP40**

LED PROFILES S48 SERIES RECESSED MOUNTING

Catalogue number BLACK	Catalogue number WHITE	Catalogue number GREY	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Length (mm)	Width 1 (mm)	Width 2 (mm)	Height (mm)	Packing/Box (pcs)	Energy class
99FM604012/BL	**99FM604012/WH**	**99FM604012/GR**	C	12	1140	4000	600	70	47.8	22.4	1/1	A++→A
99FM1204024/BL	**99FM1204024/WH**	**99FM1204024/GR**	C	24	2280	4000	1200	70	47.8	22.4	1/1	A++→A
99FM1504032/BL	**99FM1504032/WH**	**99FM1504032/GR**	C	32	3040	4000	1500	70	47.8	22.4	1/1	A++→A





L-corner for LED profiles S48series recessed
White: **99FML/WH**
Black: **99FML/BL**
Grey: **99FML/GR**
size: 420x420mm




Inside corner for LED profiles S48 series recessed
White: **99FMI/WH**
Black: **99FMI/BL**
Grey: **99FMI/GR**
size: 420x420mm

Body: aluminium | **Reflector:** polycarbonate (PC) | **Clamps:** inox | **Driver:** 42V SELV driver | **Light Source:** SAMSUNG

L- corner and Inside corners are ordered within 30 days term, after a preliminary specification of power and colour temperature of LED profiles.

~230V | 50/60 Hz | SMD | 90° | Ra≥80 | >15000 | INSTANT 100% | 20000h | Hg | IP 40 | RoHS COMPLIANT | EMC | F | CE | 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 30 days.



LED NEUTRAL WHITE 4000K **IP40** **HIGH POWER**


HIGH POWER LED PROFILES S48 SERIES FOR RECESSED MOUNTING WITH EMERGENCY KIT

Catalogue number BLACK	Catalogue number WHITE	Catalogue number GREY	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Length (mm)	Width 1 (mm)	Width 2 (mm)	Height (mm)	Packing/Box (pcs)	Energy class
99FM604020/BLE	**99FM604020/WHE**	**99FM604020/GRE**	C	20	1600	4000	600	70	47.8	22.4	1/1	A++→A
99FM1204040/BLE	**99FM1204040/WHE**	**99FM1204040/GRE**	C	40	3200	4000	1200	70	47.8	22.4	1/1	A++→A

LED NEUTRAL WHITE 4000K **IP40** **HIGH POWER**

HIGH POWER LED PROFILES S48 SERIES FOR RECESSED MOUNTING WITH EMERGENCY KIT


Catalogue number BLACK	Catalogue number WHITE	Catalogue number GREY	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Length (mm)	Width 1 (mm)	Width 2 (mm)	Height (mm)	Packing/Box (pcs)	Energy class
99FM604020/BL	**99FM604020/WH**	**99FM604020/GR**	C	20	1600	4000	600	70	47.8	22.4	1/1	A++→A
99FM1204040/BL	**99FM1204040/WH**	**99FM1204040/GR**	C	40	3200	4000	1200	70	47.8	22.4	1/1	A++→A
99FM1504050/BL	**99FM1504050/WH**	**99FM1504050/GR**	C	50	4000	4000	1500	70	47.8	22.4	1/1	A++→A



Body: aluminium | **Reflector:** polycarbonate (PC) | **Clamps:** inox | **Driver:** 42V SELV driver | **Light Source:** SAMSUNG

~230V | 50/60 Hz | SMD | 90° | Ra≥80 | >15000 | INSTANT 100% | 20000h | Hg | IP 40 | RoHS COMPLIANT | EMC | F | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 30 days.



LED NEUTRAL WHITE 4000K **IP40**


LED PROFILES S77 SERIES RECESSED MOUNTING WITH EMERGENCY KIT


Catalogue number BLACK	Catalogue number WHITE	Catalogue number GREY	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Length (mm)	Width 1 (mm)	Width 2 (mm)	Height (mm)	Packing/Box (pcs)	Energy class
99BM604024/BLE	**99BM604024/WHE**	**99BM604024/GRE**	C	24	2280	4000	600	98.5	77.5	27	1/1	A++→A
99BM1204048/BLE	**99BM1204048/WHE**	**99BM1204048/GRE**	C	48	4560	4000	1200	98.5	77.5	27	1/1	A++→A

LED NEUTRAL WHITE 4000K **IP40**

LED PROFILES S77 SERIES RECESSED MOUNTING

Catalogue number BLACK	Catalogue number WHITE	Catalogue number GREY	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Length (mm)	Width 1 (mm)	Width 2 (mm)	Height (mm)	Packing/Box (pcs)	Energy class
99BM604024/BL	**99BM604024/WH**	**99BM604024/GR**	C	24	2280	4000	600	98.5	77.5	27	1/1	A++→A
99BM1204048/BL	**99BM1204048/WH**	**99BM1204048/GR**	C	48	4560	4000	1200	98.5	77.5	27	1/1	A++→A
99BM1504064/BL	**99BM1504064/WH**	**99BM1504064/GR**	C	64	6080	4000	1500	98.5	77.5	27	1/1	A++→A





L-corner for LED profiles S77series recessed
White: **99BML/WH**
Black: **99BML/BL**
Grey: **99BML/GR**
size: 450x450mm




Inside corner for LED profiles S77 series recessed
White: **99BMI/WH**
Black: **99BMI/BL**
Grey: **99BMI/GR**
size: 450x450mm

Body: aluminium | **Reflector:** polycarbonate (PC) | **Clamps:** inox | **Driver:** 42V SELV driver

L- corner and Inside corners are ordered within 30 days term, after a preliminary specification of power and colour temperature of LED profiles.

~230V | 50/60 Hz | SMD | 90° | Ra≥80 | >15000 | INSTANT 100% | 20000h | Hg | IP 40 | RoHS COMPLIANT | EMC | F | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY


In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 30 days.



LED | NEUTRAL WHITE 4000K | **IP40** | **HIGH POWER**

HIGH POWER LED PROFILES S36 SERIES FOR SURFACE MOUNTING

Catalogue number BLACK	Catalogue number WHITE	Catalogue number GREY	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Length (mm)	Height (mm)	Width (mm)	Packing/Box (pcs)	Energy class
99SM36S4020/BL	**99SM36S4020/WH**	**99SM36S4020/GR**	C	20	1600	4000	600	65.64	35.6	1/1	A++→A
99SM36S4040/BL	**99SM36S4040/WH**	**99SM36S4040/GR**	C	40	3200	4000	1200	65.64	35.6	1/1	A++→A
99SM36S4050/BL	**99SM36S4050/WH**	**99SM36S4050/GR**	C	50	4000	4000	1500	65.64	35.6	1/1	A++→A






INSTALATION ACCESSORIES FOR LED PROFILES
Connector
Catalogue number: **99ACC50**
Suspension wire
Catalogue number: **99ACC51**
Suspension wire with console
Catalogue number: **99ACC52**

Body: aluminium | **Reflector:** polycarbonate (PC) | **Driver:** 42V SELV driver | **Light Source:** SAMSUNG

~230V | 50/60 Hz | SMD | 90° | Ra≥80 | >15000 | INSTANT 100% | 20000h | Hg | IP 40 | RoHS COMPLIANT | EMC | F | CE | 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 30 days.



LED NEUTRAL WHITE 4000K **IP40** **HIGH POWER**


HIGH POWER LED PROFILES S48 SERIES FOR SURFACE MOUNTING

Catalogue number BLACK	Catalogue number WHITE	Catalogue number GREY	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Length (mm)	Height (mm)	Width (mm)	Packing/Box (pcs)	Energy class
99SM604020/BL	**99SM604020/WH**	**99SM604020/GR**	C	20	1600	4000	600	70	47.8	1/1	A++→A
99SM1204040/BL	**99SM1204040/WH**	**99SM1204040/GR**	C	40	3200	4000	1200	70	47.8	1/1	A++→A
99SM1504050/BL	**99SM1504050/WH**	**99SM1504050/GR**	C	50	4000	4000	1500	70	47.8	1/1	A++→A

LED NEUTRAL WHITE 4000K **IP40**

LED PROFILES S48 SERIES FOR SURFACE MOUNTING

Catalogue number BLACK	Catalogue number WHITE	Catalogue number GREY	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Length (mm)	Height (mm)	Width (mm)	Packing/Box (pcs)	Energy class
99SM604012/BL	**99SM604012/WH**	**99SM604012/GR**	C	12	1140	4000	600	70	47.8	1/1	A++→A
99SM1204024/BL	**99SM1204024/WH**	**99SM1204024/GR**	C	24	2280	4000	1200	70	47.8	1/1	A++→A
99SM1504032/BL	**99SM1504032/WH**	**99SM1504032/GR**	C	32	3040	4000	1500	70	47.8	1/1	A++→A



L-corner for LED profiles S48series surface
White: **99SML/WH**
Black: **99SML/BL**
Grey: **99SML/GR**
size: 420x420mm



99ACC50



99ACC52



99ACC51




INSTALATION ACCESSORIES FOR LED PROFILES
Connector
Catalogue number: **99ACC50**
Suspension wire
Catalogue number: **99ACC51**
Suspension wire with console
Catalogue number: **99ACC52**

Body: aluminium | **Reflector:** polycarbonate (PC) | **Driver:** 42V SELV driver | **Light Source:** SAMSUNG

L- corner and Inside corners are ordered within 30 days term, after a preliminary specification of power and colour temperature of LED profiles.

~230V | 50/60 Hz | SMD | 90° | Ra≥80 | >15000 | INSTANT 100% | 20000h | Hg | IP 40 | RoHS COMPLIANT | EMC | F | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 30 days.



LED NEUTRAL WHITE 4000K **IP40**


LED PROFILES S77 SERIES FOR SURFACE MOUNTING WITH EMERGENCY KIT

Catalogue number BLACK	Catalogue number WHITE	Catalogue number GREY	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Length (mm)	Height (mm)	Width (mm)	Packing/Box (pcs)	Energy class
99OM604024/BLE	**99OM604024/WHE**	**99OM604024/GRE**	C	24	2280	4000	600	100	77	1/1	A++→A
99OM1204048/BLE	**99OM1204048/WHE**	**99OM1204048/GRE**	C	48	4560	4000	1200	100	77	1/1	A++→A

LED NEUTRAL WHITE 4000K **IP40**

LED PROFILES S77 SERIES FOR SURFACE MOUNTING

Catalogue number BLACK	Catalogue number WHITE	Catalogue number GREY	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Length (mm)	Height (mm)	Width (mm)	Packing/Box (pcs)	Energy class
99OM604024/BL	**99OM604024/WH**	**99OM604024/GR**	C	24	2280	4000	600	100	77	1/1	A++→A
99OM1204048/BL	**99OM1204048/WH**	**99OM1204048/GR**	C	48	4560	4000	1200	100	77	1/1	A++→A
99OM1504064/BL	**99OM1504064/WH**	**99OM1504064/GR**	C	64	6080	4000	1500	100	77	1/1	A++→A



L-corner for LED profiles S77series surface
White: **99OML/WH**
Black: **99OML/BL**
Grey: **99OML/GR**
size: 450x450mm



99ACC55



99ACC52



99ACC51



INSTALATION ACCESSORIES FOR LED PROFILES
Connector
Catalogue number: **99ACC55**
Suspension wire
Catalogue number: **99ACC51**
Suspension wire with console
Catalogue number: **99ACC52**

Body: aluminium | **Reflector:** polycarbonate (PC) | **Driver:** 42V SELV driver | **Light Source:** SAMSUNG

L- corner and Inside corners are ordered within 30 days term, after a preliminary specification of power and colour temperature of LED profiles.

~230V | 50/60 Hz | SMD | 90° | Ra≥80 | >15000 | INSTANT 100% | 20000h | Hg | IP 40 | RoHS COMPLIANT | EMC | F | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 30 days.



LED **IP20**

RAINBOW LED SMD

Catalogue number	Product category	Watt (W)	Colou	LED lamp lumens (lm)	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
9RT5300/WH	C	5	White	400	320	22	35	1/25	A++→A
9RT5300/WW	C	5	Warm white	400	320	22	35	1/25	A++→A
9RT5300/R	F	5	Red*	-	320	22	35	1/25	A++→A
9RT5300/G	F	5	Green*	-	320	22	35	1/25	A++→A
9RT5300/B	F	5	Blue*	-	320	22	35	1/25	A++→A
9RT5600/WH	C	9	White	720	555	22	35	1/25	A++→A
9RT5600/WW	C	9	Warm white	720	555	22	35	1/25	A++→A
9RT5600/R	F	9	Red*	-	555	22	35	1/25	A++→A
9RT5600/G	F	9	Green*	-	555	22	35	1/25	A++→A
9RT5900/WH	C	14	White	1120	860	22	35	1/25	A++→A
9RT5900/WW	C	14	Warm white	1120	860	22	35	1/25	A++→A
9RT5900/R	F	14	Red*	-	860	22	35	1/25	A++→A
9RT5900/G	F	14	Green*	-	860	22	35	1/25	A++→A
9RT51200/WH	C	18	White	1440	1165	22	35	1/25	A++→A
9RT51200/WW	C	18	Warm white	1440	1165	22	35	1/25	A++→A
9RT51200/R	F	18	Red*	-	1165	22	35	1/25	A++→A
9RT51200/G	F	18	Green*	-	1165	22	35	1/25	A++→A







9RT505


Body: PVC | **Diffuser:** Glass | **Light source:** SMD 2835 | ***Until Supply Last**

~230V | 50/60 Hz | SMD 2835 | 270° | Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | IP 20 | RoHS COMPLIANT | EMC | F | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

Light is one of the most important space-shaping elements. Therefore it is worth to consider the quality of the selected lighting fittings.

The SMD LED series of modern fittings is an innovative solution of lighting that is functional and decorative at the same time. The fittings emit high quality light and their compact form, matching contemporary furniture, enables a multitude of arrangements. The fittings can be connected in order to achieve the lighting line of the desired length, and the energy-efficient LED light makes it possible to achieve a spectacular effect in any interior.

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



IP20

UNTIL SUPPLY **LAST**

FLUORESCENT LIGHT FIXTURES RAINBOW

Catalogue number	Product category	Type	Watt (W)	Colour body	Ballast	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
9RT513/W	F	RAINBOW	13	white	electronic	545	24	35	1/30	B
9RT521/W	F	RAINBOW	21	white	electronic	875	24	35	1/30	B
9RT508/B	F	RAINBOW	8	blue	electronic	315	24	35	1/30	B
9RT513/B	F	RAINBOW	13	blue	electronic	545	24	35	1/30	B
9RT521/B	F	RAINBOW	21	blue	electronic	875	24	35	1/30	B
9RT528/B	F	RAINBOW	28	blue	electronic	1174	24	35	1/30	B
9RT508/G	F	RAINBOW	8	green	electronic	315	24	35	1/30	B
9RT513/G	F	RAINBOW	13	green	electronic	545	24	35	1/30	B
9RT521/G	F	RAINBOW	21	green	electronic	875	24	35	1/30	B
9RT528/G	F	RAINBOW	28	green	electronic	1174	24	35	1/30	B
9RT508/Y	F	RAINBOW	8	yellow	electronic	315	24	35	1/30	B
9RT513/Y	F	RAINBOW	13	yellow	electronic	545	24	35	1/30	B
9RT521/Y	F	RAINBOW	21	yellow	electronic	875	24	35	1/30	B
9RT528/Y	F	RAINBOW	28	yellow	electronic	1174	24	35	1/30	B
9RT508/R	F	RAINBOW	8	red	electronic	315	24	35	1/30	B
9RT513/R	F	RAINBOW	13	red	electronic	545	24	35	1/30	B
9RT521/R	F	RAINBOW	21	red	electronic	875	24	35	1/30	B
9RT528/R	F	RAINBOW	28	red	electronic	1174	24	35	1/30	B






This lighting fixture is compatible with lamps from energy classes: B A A+ A++.

This lighting fixture comes with lamp from energy class: B

~230V | 50/60 Hz | G5 | 270° | >20000 | INSTANT 100% | 30000h | Hg | IP 20 | RoHS COMPLIANT | EMC | F | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY



IP20

UNTIL SUPPLY LAST

COLOUR LIGHTING TUBES T5

Catalogue number	Product category	Type	Watt (W)	Colour	Length (mm)	Packing/Box (pcs)	Energy class
99217177	F	FLUORESCENT TUBE	8	blue	303	1/100	B
99217181	F	FLUORESCENT TUBE	8	green	303	1/100	B
99217182	F	FLUORESCENT TUBE	13	green	531	1/100	B
99217183	F	FLUORESCENT TUBE	21	green	863	1/100	B
99217184	F	FLUORESCENT TUBE	28	green	1160	1/100	B
99217185	F	FLUORESCENT TUBE	8	yellow	303	1/100	B
99217187	F	FLUORESCENT TUBE	21	yellow	863	1/100	B
99217188	F	FLUORESCENT TUBE	28	yellow	1160	1/100	B
99217190	F	FLUORESCENT TUBE	13	red	531	1/100	B
99217191	F	FLUORESCENT TUBE	21	red	863	1/100	B
99217192	F	FLUORESCENT TUBE	28	red	1160	1/100	B

~230V · 50/60 Hz · G5 · 270° · >20000 · INSTANT 100% · 30000h · Hg · IP 20 · RoHS COMPLIANT · EMC · F · CE · 2+0 standard +extended 2 YEAR TOTAL WARRANTY



SHINA WITH LED TUBE

LED | NEUTRAL WHITE 4000K | COOL WHITE 6400K | **IP21**

Shina with LED tubes T8 STELLAR

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
910109LCW	C	9	630	6400	white	612	33	44	1/12	A A++>A
910109LW	C	9	630	4000	white	612	33	44	1/12	A A++>A
910118LCW	C	18	1260	6400	white	1218	33	44	1/8	A A++>A
910118LW	C	18	1260	4000	white	1218	33	44	1/8	A A++>A



with LED tubes STELLAR

~230V | 50/60 Hz | LED T8 | G13 | Ra≥80 | Hg | IP 21 | RoHS COMPLIANT | EMC | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



SHINA
910218



SHINA EB
910218EB

IP20

UNTIL SUPPLY LAST

SHINA

Catalogue number	Product category	Watt (W)	Colour body	Length (mm)	Width (mm)	Height (mm)	Ballast	Packing/Box (pcs)	Energy class
910218	F	2X18	white	618	89	70	magnetic	1/8	A++→B
910218EB	F	2X18	white	690	100	50	electronic	1/8	A++→B

~230V · 50/60 Hz · G13 · IP 20 · F · CE · 2+0 standard +extended 2 YEAR TOTAL WARRANTY



LENA-V OM
9LOM260LEDCW
9LOM260LED
9LOM460LEDCW
9LOM460LED
9LOM2120LEDCW
9LOM2120LED



LENA-V BM
9LBM260LEDCW
9LBM260LED
9LBM460LEDCW
9LBM460LED
9LBM2120LEDCW
9LBM2120LED

LED NEUTRAL WHITE 4000K COOL WHITE 6400K **IP21**

LENA-V BM/OM with LED Tubes T8 STELLAR

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
9LBM260LEDCW	C	2X9	1170	6400	white	595	295	70	1/1	A+ A++→A
9LBM260LED	C	2X9	1170	4000	white	595	295	70	1/1	A+ A++→A
9LBM460LEDCW	C	4X9	2340	6400	white	595	595	70	1/1	A+ A++→A
9LBM460LED	C	4X9	2340	4000	white	595	595	70	1/1	A+ A++→A
9LBM2120LEDCW	C	2X18	2340	6400	white	1195	295	70	1/1	A+ A++→A
9LBM2120LED	C	2X18	2340	4000	white	1195	295	70	1/1	A+ A++→A
9LOM260LEDCW	C	2X9	1170	6400	white	630	330	70	1/1	A+ A++→A
9LOM260LED	C	2X9	1170	4000	white	630	330	70	1/1	A+ A++→A
9LOM460LEDCW	C	4X9	2340	6400	white	630	630	70	1/1	A+ A++→A
9LOM460LED	C	4X9	2340	4000	white	630	630	70	1/1	A+ A++→A
9LOM2120LEDCW	C	2X18	2340	6400	white	1230	330	70	1/1	A+ A++→A
9LOM2120LED	C	2X18	2340	4000	white	1230	330	70	1/1	A+ A++→A



with LED tubes STELLAR

Body: white powder painted steel | **Reflector:** aluminium mirror double parabolic grid - type V | **BM** - recessed mounted luminaire | **OM** - surface mounted luminaire | **Light source:** LED tubes

~230V | 50/60 Hz | LED T8 | G13 | Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | IP 21 | RoHS COMPLIANT | EMC | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 30 days.



LENA-V OM
9LOM260LEDCWE
9LOM260LEDWE
9LOM460LEDCWE
9LOM460LEDWE
9LOM2120LEDCWE
9LOM2120LEDWE



LENA-V BM
9LBM260LEDCWE
9LBM260LEDWE
9LBM460LEDCWE
9LBM460LEDWE
9LBM2120LEDCWE
9LBM2120LEDWE

LED | NEUTRAL WHITE 4000K | COOL WHITE 6400K | IP21

LENA-V BM/OM with LED Tubes T8 and emergency kit

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
9LBM260LEDCWE	C	2X9	1170	6400K	white	595	295	70	1/1	A+ A++⇨A
9LBM260LEDWE	C	2X9	1170	4000K	white	595	295	70	1/1	A+ A++⇨A
9LBM460LEDCWE	C	4X9	2340	6400K	white	595	595	70	1/1	A+ A++⇨A
9LBM460LEDWE	C	4X9	2340	4000K	white	595	595	70	1/1	A+ A++⇨A
9LBM2120LEDCWE	C	2X18	2340	6400K	white	1195	295	70	1/1	A+ A++⇨A
9LBM2120LEDWE	C	2X18	2340	4000K	white	1195	295	70	1/1	A+ A++⇨A
9LOM260LEDCWE	C	2X9	1170	6400K	white	630	330	70	1/1	A+ A++⇨A
9LOM260LEDWE	C	2X9	1170	4000K	white	630	330	70	1/1	A+ A++⇨A
9LOM460LEDCWE	C	4X9	2340	6400K	white	630	630	70	1/1	A+ A++⇨A
9LOM460LEDWE	C	4X9	2340	4000K	white	630	630	70	1/1	A+ A++⇨A
9LOM2120LEDCWE	C	2X18	2340	6400K	white	1230	330	70	1/1	A+ A++⇨A
9LOM2120LEDWE	C	2X18	2340	4000K	white	1230	330	70	1/1	A+ A++⇨A

with LED tubes STELLAR





We offer the fixtures as per personal request with a fixed block and battery with a possibility for work in an emergency regime 60-180min

Body: white powder painted steel | **Reflector:** aluminium mirror double parabolic grid - type V | **BM** - recessed mounted luminaire | **OM** - surface mounted luminaire | **Light source:** LED tubes

~230V | 50/60 Hz | LED T8 | G13 | Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | IP 21 | RoHS COMPLIANT | EMC | F | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



VIKI
9VBM214LEDW
9VOM214LEDW

LED | NEUTRAL WHITE 4000K | **IP21**

UNTIL SUPPLY LAST

VIKI luminaire with LED tubes T5 ELMARK

Catalogue number	Product category	Watt (W)	Mounting type	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
9VBM214LEDW	F	2X10	recessed	1800	4000	white	595	295	55	1/1	A++→A
9VOM214LEDW	F	2X10	surface	1800	4000	white	600	300	55	1/1	A++→A

Body: white powder painted steel | **Reflector:** prismatic lens | **Ballast:** fixed inside the body | **BM** - recessed fixture for mounting in suspended ceiling Armstrong type | **OM** - surface mounted fixture

with LED tubes ELMARK



~230V | 50/60 Hz | LED T5 | G5 | Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | IP 21 | RoHS COMPLIANT | EMC | CE | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY



POLA
9PBME255LEDCW



POLA
9PMBME255LEDCW

LED COOL WHITE 6400K **IP21**

UNTIL SUPPLY LAST

POLA luminaire with LED PLL ELMARK

Catalogue number	Product category	Watt (W)	Mounting type	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
9PMBME255LEDCW	F	recessed	2x20	3600	5500	white	595	595	80	1/1	A++→A
9PBME255LEDCW	F	recessed	2x20	3700	5500	white	595	595	80	1/1	A++→A

with LED PLL ELMARK



~230V · 50/60 Hz · PLL · 2G11 · Ra≥80 · >20000 · INSTANT 100% · 30000h · Hg · IP 21 · RoHS COMPLIANT · EMC · 3+0 standard +extended 3 YEAR TOTAL WARRANTY



PRISMATIC T5

IP21

UNTIL SUPPLY **LAST**

PRISMATIC T5

Catalogue number	Product category	Watt (W)	Colour body	Ballast	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
9PROM235	F	2X35	white	electronic	1500	300	70	1/1	A++→B
9PROM249	F	2X49	white	electronic	1500	300	70	1/1	A++→B

Body: white powder painted steel | **Reflector:** prismatic lens | **Ballast:** fixed inside the body | **BM** - recessed fixture for mounting in suspended ceiling Armstrong type | **OM** - surface mounted fixture

~230V | 50/60 Hz | T5 | IP 21 | RoHS | EMC | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY



PRISMATIC
9PROM214LEDW
9PROM414LEDW



PRISMATIC
9PRBME214LEDW

LED

UNTIL SUPPLY LAST

PRISMATIC luminaire with LED tubes T5 ELMARK

Catalogue number	Product category	Watt (W)	Mounting type	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
9PRBME214LEDW	F	2X10	recessed	1700	4000	white	595	295	70	1/1	A++→A
9PROM214LEDW	F	2X10	surface	1700	4000	white	608	308	70	1/1	A++→A
9PROM414LEDW	F	4X10	surface	3400	4000	white	595	595	70	1/1	A++→A

with LED tubes ELMARK



~230V | 50/60 Hz | LED T5 | G5 | Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | IP 21 | RoHS COMPLIANT | EMC | F | CE | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY



PRISMATIC
9PROME209LEDW
9PROME209LEDCW



PRISMATIC
9PRBME209LEDW
9PRBME209LEDCW
9PRBME218LEDW
9PRBME218LEDCW

UNTIL SUPPLY LAST

PRISMATIC luminaire with LED tubes T8 STELLAR

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
9PRBME209LEDW	F	2X9	1080	4000K	white	595	295	70	1/1	A+ A++→A
9PRBME209LEDCW	F	2X9	1080	6400K	white	595	295	70	1/1	A+ A++→A
9PRBME218LEDW	F	2X18	2160	4000K	white	1195	295	70	1/1	A+ A++→A
9PRBME218LEDCW	F	2X18	2160	6400K	white	1195	295	70	1/1	A+ A++→A
9PROME209LEDW	F	2X9	1080	4000K	white	608	308	70	1/1	A+ A++→A
9PROME209LEDCW	F	2X9	1080	6400K	white	608	308	70	1/1	A+ A++→A



with LED tubes STELLAR

~230V | 50/60 Hz | LED T8 | G13 | Ra≥80 | >20000 | INSTANT 100% | 15000h | Hg | IP 21 | RoHS COMPLIANT | EMC | F | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY



CAB-20
920LED011
920LED111



CAB-19
919LED010
919LED110

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | IP20

UNTIL SUPPLY LAST

CAB

Catalogue number	Product category	Watt (W)	Lumen (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
920LED011	F	12	1050	4000	grey	500	42	15	1/60	A++→A
920LED111	F	12	1050	2700	grey	500	42	15	1/60	A++→A
919LED010	F	2,8	185	4000	grey	160	50	9	1/10	A++→A
919LED110	F	2,8	185	2700	grey	160	50	9	1/10	A++→A


Body: Aluminium | **Diffuser:** PMMA | **Sensor:** NO | w/o driver | **Light source:** Epistar | **Assemble:** Surface Mounted

Starting time: <0.01s | **With integrated door sensor(CAB-19)** - The lamp will switch on when the door is open and switch off when the door is closed. Reaction distance is 50mm - 100mm. | w/o driver

12V DC | SMD 5050 | 120° | Ra≥80 | >10000 | INSTANT 100% | 30000h | Hg | IP 20 | RoHS COMPLIANT | EMC | F | CE | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY



CAB-11
911LED04
911LED14



CAB-12
912LED06
912LED16

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | **IP20**

UNTIL SUPPLY **LAST**

CAB

Catalogue number	Product category	Watt (W)	Lumen (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
911LED04	F	3,5	270	4000	grey	450	23	7	1/10	A++→A
911LED14	F	3,5	270	2700	grey	450	23	7	1/10	A++→A
912LED06	F	7	480	4000	grey	450	50	9	1/10	A++→A
912LED16	F	7	480	2700	grey	450	50	9	1/10	A++→A

Body: Aluminium | **Diffuser:** PMMA | **With integrated motion sensor** - The lamp will switch on when you move your hand in front of the sensor, and switch off when you move your hands again. | w/o driver | **Light source:** Epistar | **Assemble:** Surface Mounted | **Starting time:** <0.01s

12V DC | SMD 5050 | 120° | Ra≥80 | >10000 | INSTANT 100% | 30000h | Hg | IP 20 | RoHS COMPLIANT | EMC | F | CE | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY



CAB-13
913LED11



CAB-14
914LED02
914LED12



CAB-15
915LED03
915LED13



CAB-16
916LED05
916LED15

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | IP20

UNTIL SUPPLY LAST

CAB

Catalogue number	Product category	Watt (W)	Voltage (V)	Lumen (lm)	Colour temp. (K)	Colour body	Beam angle	Length (mm)	Width (mm)	Height (mm)	Diameter (mm)	Packing/Box (pcs)	Energy class
914LED12	F	2,4	12 DC	210	2700	silver	120°	57	57	10	-	1/100	A++→A
915LED03	F	1,8	12 DC	160	4000	silver	120°	57	57	10	-	1/100	A++→A
915LED13	F	1,8	12 DC	160	2700	silver	120°	57	57	10	-	1/100	A++→A
916LED05	F	1	12 DC	90	4000	chrome	120°	52	52	10	-	1/100	A++→A
916LED15	F	1	12 DC	90	2700	chrome	120°	52	52	10	-	1/100	A++→A



JUNCTION BOX FOR CAB-18
3 mouths with 10 cm wire - **99LED456**
6 mouths with 10 cm wire - **99LED457**
12 mouths with 10 cm wire - **99LED458**

Body: ABS | **Diffuser:** PC | **Sensor:** NO | w/o driver | **Light source:** Epistar | **Assemble:** Surface Mounted | **Starting time:** <0.01s

12V DC | Ra≥80 | >10000 | INSTANT 100% | 30000h | Hg | IP 20 | RoHS COMPLIANT | EMC | F | CE | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY



CAB-08
908508
908521



CAB-01A
902521
902506

IP21

UNTIL SUPPLY LAST

CAB

Catalogue number	Product category	Model	Watt (W)	Colour body	Body	Length (mm)	Width (mm)	Height (mm)	Ballast	Packing/Box (pcs)	Energy class
9A01506	F	CAB-01A	6	white	PVC	268	23	44	electronic	1/40	B A++→B
9A01508	F	CAB-01A	8	white	PVC	345	23	44	electronic	1/40	B A++→B
908508	F	CAB-08	8	grey	Aluminium	365	58	70	electronic	1/16	B A++→B
908521	F	CAB-08	21	grey	Aluminium	935	58	70	electronic	1/12	B A++→B

~230V | 50/60 Hz | T5 | G5 | 6500K | Ra≥80 | IP 21 | RoHS | F | CE | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY



CAB-07
907521



CAB-03
903508
903513
903521

IP21

UNTIL SUPPLY LAST

CAB

Catalogue number	Product category	Model	Watt (W)	Colour body	Body	Length (mm)	Width (mm)	Height (mm)	Ballast	Packing/Box (pcs)	Energy class
903508	F	CAB-03	8	grey	Aluminium	363	88	45	electronic	1/20	B A++→B
903513	F	CAB-03	13	grey	Aluminium	592	88	45	electronic	1/20	B A++→B
903521	F	CAB-03	21	grey	Aluminium	925	88	45	electronic	1/20	B A++→B
903528	F	CAB-03	28	grey	Aluminium	1225	88	45	electronic	1/20	B A++→B
907521	F	CAB-07	21	grey	Aluminium	895	70	135	electronic	1/12	B A++→B

~230V · 50/60 Hz · T5 · G5 · 6500K · Ra≥80 · IP 21 · RoHS · F · CE · 2+0 standard +extended · 2 YEAR TOTAL WARRANTY


EXIT



EL3LED
92EL3LED



XL102
9XL102LED

LED COOL WHITE 6400K **IP21**

EMERGENCY FIXTURE XL102 / EL3LED

Catalogue number	Product category	Model	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Discharge time (h)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
92EL3LED	C	EL3LED	5 W	150	6000	3	white	140	140	20	1/1	A++→A
9XL102LED	C	XL102LED	30X0,067W	100	6000	5	white	200	54	32	1/60	A++→A

XL102LED - **Voltage:** 127-220V/50HZ | **Battery:** Lithium 3.7V/1000mAh | **Charging:** 220V- 12h; 120V- 24h | **Light source:** SMD 2835 | Two files dimming | Over charge protection | **Body:** PVC

~230V | 50/60 Hz | 20000h | IP 21 | RoHS COMPLIANT | EMC | 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock for EL3LED, the delivery time after order confirmation will be 45 days, and for XL102 will be 90 days.



XL101

9XL101BLED
9XL101CLED

LED COOL WHITE 6400K **IP21**

XL101

Catalogue number	Product category	Model	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
9XL101BLED	C	XL101BLED	18X0,1W	60	6200-6500	white	246	76	41	1/10	A++→A
9XL101CLED	C	XL101CLED	24X0,1W	75	6200-6500	white	327	76	43	1/10	A++→A



Body: PVC | **Diffuser:** PVC | Duration time approx 4 hours | **Battery:** 3,6V / 800mAh Ni-Cd

Note: with stickers

~230V | 50/60 Hz | Ra>70 | 20000h | Hg | IP 21 | RoHS | EMC | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



XL88
9XL88 LED



XL88
9XL88A LED

LED IP21

XL88

Catalogue number	Product category	Model	Watt (W)	Whole fixture lumens (lm)	Lamp	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
9XL88LED	C	XL88 LED / DOUBLE FACE	3	35	LED	360	150	25	1/10	A++→A
9XL88A LED	C	XL88A LED / ONE FACE ONLY	3	35	LED	360	150	25	1/10	A++→A

Frame: aluminium | **Diffuser:** glass | Duration time approx 3 hours | **battery:** 2,4V / 800mAh Ni-Cd

~230V | 50/60 Hz | IP 21 | RoHS COMPLIANT | EMC | 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



9XL3114



9XL5113



9XL3115



9XL5114



9AL3116
Plasterboard Mounting



9AL3117
Plasterboard Mounting

LED **IP21**

XL/AL EMERGENCY LIGHT

Catalogue number	Product category	Model	LED Type	Discharge time (h)	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
9XL5113	C	XL5113	6 super bright SMD LED	3	220	260	22	1/20	A++→A
9XL5114	C	XL5114	6 super bright SMD LED	3	220	260	22	1/20	A++→A
9XL3114	C	XL3114	6 super bright SMD LED	3	220	260	22	1/20	A++→A
9XL3115	C	XL3115	6 super bright SMD LED	3	220	260	22	1/20	A++→A
9AL3116	C	AL3116 Plasterboard	6 pieces D5 LED	3	380	210	50	1/20	A++→A
9AL3117	C	AL3117 Plasterboard	6 pieces D5 LED	3	380	210	50	1/20	A++→A

XL Models
Frame: PVC | **Diffuser:** PVC | **Battery:** 3,6V/300mAh | **Charge time:** 8-12h | **Conversion time:** <0.2sek | **Ambient temperature:** -10+40°C | With test button

AL Model

Frame: Aluminium alloy | **Power:** 1,5W | **Battery:** 1,2V/800mAh | **Conversion time:** <0.2sek | **Ambient temperature:** -10+40°C | **Mounting:** Plasterboard

~230V | 50/60 Hz | 20000h | Hg | IP 21 | RoHS | EMC | 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



BATHROOM



POSEIDON
955POSEIDON12
955POSEIDON18
955POSEIDON24



TRITON
955TRITON7

LED NEUTRAL WHITE 4000K **IP44**

POSEIDON / TRITON

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Width/Diameter (mm)	Length (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955TRITON7	C	7	576	4000	Chrome	60	480	125	1/20	A++→A
955POSEIDON12	C	12	960	4000	Chrome	60	420	40	1/10	A++→A
955POSEIDON18	C	18	1440	4000	Chrome	60	655	40	1/10	A++→A
955POSEIDON24	C	24	1920	4000	Chrome	60	965	40	1/10	A++→A

Body: aluminium alloy | LED Bath Light.

~230V | 50/60 Hz | SMD | 30° | Ra>80 | >50000 | INSTANT 100% | 30000h | Hg | IP 44 | RoHS COMPLIANT | EMC | CE | 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



MIRROR LIGHT
95IP4411/2
over cabinet



MIRROR LIGHT
95IP4411
95IP4414



MIRROR LIGHT
95IP4413



MIRROR LIGHT
95IP4412

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | IP44

LED MIRROR LIGHT

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Beam angle	Length (mm)	Height (mm)	Width (mm)	Packing/Box (pcs)	Energy class
95IP4411	C	8	504	4000	120°	400	121	42	1/20	A++→A
95IP4414	C	8	504	2700	120°	400	121	42	1/20	A++→A
95IP4411/2	C	8	504	4000	120°	400	121	42	1/20	A++→A
95IP4412	C	15	1200	4000	133°	600	65	53	1/12	A++→A
95IP4413	C	20	1600	4000	133°	900	65	53	1/12	A++→A

Body: Aluminium + PC | **Light source:** SMD 2835

~230V | 50/60 Hz | SMD | 120° | Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | IP 44 | RoHS COMPLIANT | EMC | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



ALEXA
955ALEXA10/AB



ALEXA
955ALEXA10/CH

LED NEUTRAL WHITE 4000K **IP44**

ALEXA

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour	Length (mm)	Height (mm)	Packing/Box (pcs)	Energy class
955ALEXA10/AB	C	10	600	4000	Antique brass	400	50	1/1	A++→A
955ALEXA10/CH	C	10	600	4000	Chrome	400	50	1/1	A++→A

Body: Metal

~230V 50/60 Hz SMD Ra≥80 >20000 INSTANT 100% 30000h Hg IP 44 RoHS COMPLIANT EMC F CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



RODA
95IP4403



NILOS
95IP4405



OCEAN
95IP4409



OCEAN
95IP4410

IP44

UNTIL SUPPLY LAST

MIRROR LIGHT

Catalogue number	Product category	Description	Body	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
95IP4403	F	Wall lamp	Metal and glass	Satin nickel	275	70	120	1 x E14	1/1	A++→A
95IP4405	F	Wall lamp	Metal and glass	Chrome	310	80	80	1 x E14	1/1	A++→A
95IP4409	F	Wall lamp	Metal and glass	Chrome	55	421	67	1 x T5 / 8W	1/1	A++→A
95IP4410	F	Wall lamp	Metal and glass	Chrome	55	650	67	1 x T5 / 14W	1/1	A++→A

~230V 50/60 Hz IP 44 RoHS F CE 2+0 standard +extended 2 YEAR TOTAL WARRANTY



LED PANEL ROUND IP44
99LED609IP44
99LED609IP44CW



LED PANEL ROUND IP44
99LED611IP44
99LED611IP44CW



LED PANEL ROUND IP44
99LED617IP44
99LED617IP44CW

LED | NEUTRAL WHITE 4000K | COOL WHITE 6400K | **IP44**

LED PANEL ROUND IP44

Catalogue number	Catalogue number with Emergency kit	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
99LED609IP44	**99LED609IP44E**	C	5	400	4000	white	90	21	40	A++→A
99LED609IP44CW	**99LED609IP44CWE**	C	5	400	6500	white	90	21	40	A++→A
99LED611IP44	**99LED611IP44E**	C	12	960	4000	white	175	21	20	A++→A
99LED611IP44CW	**99LED611IP44CWE**	C	12	960	6500	white	175	21	20	A++→A
99LED617IP44	**99LED617IP44E**	C	18	1440	4000	white	225	21	20	A++→A
99LED617IP44CW	**99LED617IP44CWE**	C	18	1440	6500	white	225	21	20	A++→A



Emergency kit with a possibility for work in an emergency regime more than two hours.

Body: aluminium | **Light source:** SMD 2835 | **Recessed mounted luminaire** | **Beam angle:** 120°| **Driver:** Isolated

Easy installation due to handy clips | Recessed mounted luminaire.

~230V | 50/60 Hz | SMD | 120° | Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | RoHS COMPLIANT | EMC | F | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



WATERPROOF LED PANEL ROUND
99LED609IP65
99LED609IP65CW



WATERPROOF LED PANEL ROUND
99LED611IP65
99LED611IP65CW



WATERPROOF LED PANEL ROUND
99LED617IP65
99LED617IP65CW

LED | NEUTRAL WHITE 4000K | COOL WHITE 6400K | **IP65**

WATERPROOF LED PANEL ROUND

Catalogue number	Catalogue number with Emergency kit	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
99LED609IP65	**99LED609IP65E**	C	5	400	4000	white	90	27	1/40	A++→A
99LED609IP65CW	**99LED609IP65CWE**	C	5	400	6500	white	90	27	1/40	A++→A
99LED611IP65	**99LED611IP65E**	C	10	800	4000	white	150	27	1/40	A++→A
99LED611IP65CW	**99LED611IP65CWE**	C	10	800	6500	white	150	27	1/40	A++→A
99LED617IP65	**99LED617IP65E**	C	18	1440	4000	white	225	27	1/20	A++→A
99LED617IP65CW	**99LED617IP65CWE**	C	18	1440	6500	white	225	27	1/20	A++→A



Emergency kit with a possibility for work in an emergency regime more than two hours.

Body: policarbonate (pc) | **Reflector:** policarbonate (pc) | **Light source:** Epistar | **Starting time:** <0.5s | **Power factor:** λ>0.8

Easy installation due to handy clips | Recessed mounted luminaire.

~230V | 50/60 Hz | SMD | 120° | Ra≥80 | >20000 | INSTANT 100% | 30000h | Hg | IP 65 | RoHS COMPLIANT | EMC | F | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



ELR627
92627/W



ELR627
92627/SN



ELR627
92627/CH



ELR627
92627/AB

IP44

ELR627 - BATHROOM, IP44

Catalogue number	Product category	Model	Diameter (mm)	Height (mm)	Diameter1 (mm)	Colour body	Packing/Box (pcs)	Energy class
92627/W	C	ELR627	90	33	60	white	1/100	A++→E
92627/SN	C	ELR627	90	33	60	satin nickel	1/100	A++→E
92627/CH	C	ELR627	90	33	60	chrome	1/100	A++→E
92627/AB	C	ELR627	90	33	60	antique brass	1/100	A++→E

Body: steel | **Diffuser:** glass

~230V | 12V | 50/60 Hz | max. 50W | IP 44 | RoHS | 3+0 standard +extended | 3 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



SA-044
92044/G



SA-144
92144/CH



SA-144
92144/RAB

IP44

UNTIL SUPPLY LAST

SA

Catalogue number	Product category	Model	Diameter (mm)	Length (mm)	Height (mm)	Diameter1 (mm)	Colour body	Packing/Box (pcs)	Energy class
92144/CH	F	SA-144	-	85	48	72	chrome	1/50	A++→E
92144/RAB	F	SA-144	-	85	48	72	red antique brass	1/50	A++→E
92044/G	F	SA-044	80	-	37	71	gold	1/50	A++→E

Body: steel | **Diffuser:** glass | **Ring:** aluminium alloy

With the purchase of additional lampholder GU10, spotlights can be used with 230V GU10 lamps.

12V | 50/60 Hz | MR-16 | GU5.3 | max. 50W | IP 20 IP 44 | RoHS COMPLIANT | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY



OUTDOOR



BELT LIGHT

961527

IP44

BELT LIGHT

Catalogue number	Product category	Cable length (m)	Cable specification	Lamp holder	QTY of lamp holder	IP	Packing/Box (pcs)	Energy class
961527	C	5	H05RN-F 2x1.0mm²	E27	15	44	1/5	A++→E



Length 5m / 15 lamps holders



Voltage: 220-240V AC | **Conectors type:** 3 pcs male/female | **Lamps not included**

IP 44 RoHS CE 2+0 standard +extended 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



JOSH
96402WD/BK



JOSH
96403P/BK



JOSH
96404MF/BK



JOSH
96405MF/BK

IP44

JOSH

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
96402WD/BK	C	Wall lantern	Matt black	185	240	450	1 x E27	1/6	A++→E
96403P/BK	C	Hanging lantern	Matt black	185	-	290	1 x E27	1/6	A++→E
96404MF/BK	C	Lantern floor post	Matt black	185	-	460	1 x E27	1/6	A++→E
96405MF/BK	C	Lantern floor post	Matt black	185	-	2000	1 x E27	1/20	A++→E



SP60 METAL POLE
Colour: black
Size (mm):
Diameter 60 x Base Ø 145
Height: 600 - **93SP60BL**
Height: 800 - **93SP80BL**
Height: 1000 - **93SP100BL**
Height: 1200 - **93SP120BL**

Body: Aluminium with glass

~230V | 50/60 Hz | E27 | 1,5mm² | IP 44 | RoHS COMPLIANT | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



JOSH
96402WD/AB



JOSH
96403P/AB



JOSH
96404MF/AB



JOSH
96405MF/AB

IP44

JOSH

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
96402WD/AB	C	Wall lantern	Antique brass	185	240	450	1 x E27	1/6	A++→E
96403P/AB	C	Hanging lantern	Antique brass	185	-	290	1 x E27	1/6	A++→E
96404MF/AB	C	Lantern floor post	Antique brass	185	-	460	1 x E27	1/6	A++→E
96405MF/AB	C	Lantern floor post	Antique brass	185	-	2000	1 x E27	1/20	A++→E



SP60 METAL POLE
Colour: black
Size (mm):
Diameter 60 x Base Ø 145
Height: 600 - **93SP60BL**
Height: 800 - **93SP80BL**
Height: 1000 - **93SP100BL**
Height: 1200 - **93SP120BL**

Body: Aluminium with glass

~230V | 50/60 Hz | E27 | 1,5mm² | IP 44 | RoHS COMPLIANT | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



ALEK
96301WD/BK



ALEK
96301WU/BK



ALEK
96305F/BK



ALEK
96303P/BK



ALEK
96304MF/BK

IP44

ALEK

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
96301WD/BK	C	Wall lantern	Matt black	150	175	295	1 x E27	1/6	A++→E
96301WU/BK	C	Wall lantern	Matt black	150	175	365	1 x E27	1/6	A++→E
96303P/BK	C	Hanging lantern	Matt black	150	150	230	1 x E27	1/6	A++→E
96304MF/BK	C	Lantern floor post	Matt black	150	150	370	1 x E27	1/6	A++→E
96305F/BK	C	Lantern floor post	Matt black	150	150	830	1 x E27	1/6	A++→E

Body: Aluminium with glass

~230V | 50/60 Hz | E27 | 1,5mm² | IP 44 | RoHS COMPLIANT | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



ALEK
96301WD/BRB



ALEK
96301WU/BRB



ALEK
96305F/BRB



ALEK
96303P/BRB



ALEK
96304MF/BR

IP44

ALEK

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
96301WD/BRB	C	Wall lantern	Antique copper	150	175	295	1 x E27	1/6	A++→E
96301WU/BRB	C	Wall lantern	Antique copper	150	175	365	1 x E27	1/6	A++→E
96303P/BRB	C	Hanging lantern	Antique copper	150	150	230	1 x E27	1/6	A++→E
96304MF/BRB	C	Lantern floor post	Antique copper	150	150	370	1 x E27	1/6	A++→E
96305F/BRB	C	Lantern floor post	Antique copper	150	150	830	1 x E27	1/6	A++→E

Body: Aluminium with glass

~230V | 50/60 Hz | E27 | 1,5mm² | IP 44 | RoHS COMPLIANT | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



ERIK
96101WU/BK



ERIK
96102WD/BK



ERIK
96105F/BK



ERIK
96103P/BK



ERIK
96104MF/BK

IP44

ERIK

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
96101WU/BK	C	Wall lantern	Matt black	155	170	325	1 x E27	1/6	A++→E
96102WD/BK	C	Wall lantern	Matt black	155	170	285	1 x E27	1/6	A++→E
96103P/BK	C	Hanging lantern	Matt black	155	-	300	1 x E27	1/6	A++→E
96104MF/BK	C	Lantern floor post	Matt black	155	-	370	1 x E27	1/6	A++→E
96105F/BK	C	Lantern floor post	Matt black	155	-	775	1 x E27	1/6	A++→E

Body: Aluminium with glass

~230V | 50/60 Hz | E27 | 1,5mm² | IP 44 | RoHS | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



ERIK
96101WU/AB



ERIK
96102WD/AB



ERIK
96105F/AB



ERIK
96103P/AB



ERIK
96104MF/AB

IP44

ERIK

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
96101WU/AB	C	Wall lantern	Antique brass	155	170	325	1 x E27	1/6	A++→E
96102WD/AB	C	Wall lantern	Antique brass	155	170	285	1 x E27	1/6	A++→E
96103P/AB	C	Hanging lantern	Antique brass	155	-	300	1 x E27	1/6	A++→E
96104MF/AB	C	Lantern floor post	Antique brass	155	-	370	1 x E27	1/6	A++→E
96105F/AB	C	Lantern floor post	Antique brass	155	-	775	1 x E27	1/6	A++→E

Body: Aluminium with glass

~230V | 50/60 Hz | E27 | 1,5mm² | IP 44 | RoHS COMPLIANT | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



NICK
96501WU/BK



NICK
96504MF/BK



NICK
96503P/BK



NICK
96505F/BK

IP44

NICK

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
96501WU/BK	C	Wall lantern	Matt black	210	175	230	1 x E27	1/12	A++→E
96503P/BK	C	Hanging lantern	Matt black	175	175	220	1 x E27	1/12	A++→E
96504MF/BK	C	Lantern floor post	Matt black	175	175	240	1 x E27	1/12	A++→E
96505F/BK	C	Lantern floor post	Matt black	175	175	720	1 x E27	1/6	A++→E

Body: Aluminium with PVC

~230V | 50/60 Hz | E27 | 1,5mm² | IP 44 | RoHS | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



NICK
96501WU/AB



NICK
96504MF/AB



NICK
96503P/AB



NICK
96505F/AB

IP44

NICK

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
96501WU/AB	C	Wall lantern	Antique brass	210	175	230	1 x E27	1/12	A++→E
96503P/AB	C	Hanging lantern	Antique brass	175	175	220	1 x E27	1/12	A++→E
96504MF/AB	C	Lantern floor post	Antique brass	175	175	240	1 x E27	1/12	A++→E
96505F/AB	C	Lantern floor post	Antique brass	175	175	720	1 x E27	1/6	A++→E

Body: Aluminium with PVC

~230V | 50/60 Hz | E27 | 1,5mm² | IP 44 | RoHS COMPLIANT | 2+0 standard +extended 2 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



MARK
96202WD/BRB



MARK
96204MF/BRB



MARK
96201WU/BRB



MARK
96202WD/BK



MARK
96201WU/BK

IP44

UNTIL SUPPLY **LAST**

MARK

Catalogue number	Product category	Description	Colour	Width/Diameter (mm)	Length (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
96202WD/BRB	F	Wall lantern	Antique copper	200	230	420	1 x E27	1/6	A++→E
96201WU/BRB	F	Wall lantern	Antique copper	200	230	420	1 x E27	1/6	A++→E
96204MF/BRB	F	Lantern floor post	Antique copper	200	-	490	1 x E27	1/6	A++→E
96202WD/BK	F	Wall lantern	Matt black	200	230	420	1 x E27	1/6	A++→E
96201WU/BK	F	Wall lantern	Matt black	200	230	420	1 x E27	1/6	A++→E

Body: Aluminium with glass | **Lamps not included**

~230V | 50/60 Hz | E27 | 1,5mm² | IP 44 | RoHS COMPLIANT | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY



IESSE
96IESSEWLBL



GOLIA
96GOLIAP/BL



GOLIA
96GOLIAWL/BL

IP55 **Resin**

GOLIA/ IESSE

Catalogue number	Product category	Description	Colour	Width (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
96GOLIAWL/BL	C	Wall lantern	Black	300	450	1xE27	1/12	A++→E
96GOLIAP/BL	C	Hanging lantern	Black	230	800	1xE27	1/12	A++→E
96IESSEWL/BL	C	Wall half lantern	Black	220	350	1xE27	1/16	A++→E

Lantern body: Resin with clear glass| UV resistant | Lamp not included






Recommended bulbs:

99LED588 LED PEAR A60 12W 4000K | **99LED587** LED PEAR A60 12W 2700K | **99LED821** LED PEAR A60 12W 6400K

99LED773D LED Vintage 8W 2700K

~230V | 50/60 Hz | E27 | RoHS COMPLIANT | F | CE | 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.




ANNA
96120WU/BL



ANNA
96120MF/BL



ANNA
96120P/BL



ANNA 6W
96120F/BL

IP55 **Resin**

SMALL SIZES GARDEN LANTERN ANNA

Catalogue number	Product category	Model	Lamp included	Colour	Width (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
96120WU/BL	C	Wall lantern- UP	no	black	275	450	E27	1/18	A++→E
96120P/BL	C	Wall lantern- Hanging	no	black	220	800	E27	1/18	A++→E
96120MF/BL	C	Lantern floor post	no	black	130	385	E27	1/18	A++→E
96120F/BL	C	Lantern floor post	yes	black	150/50/220	1100	E27	1	A++→E

Lantern body: Resin with glass| UV resistant | Lamp not included
96120F/BL: 6W bulb included; 800 lm ; 4000K
Post lantern body: steel+resin | Anticorrosion | UV-rays stabilized| Not affected by chenical fertilizes





Recommended bulbs:
99LED588 LED PEAR A60 12W 4000K | **99LED587** LED PEAR A60 12W 2700K | **99LED821** LED PEAR A60 12W 6400K
99LED773D LED Vintage 8W 2700K

~230V | 50/60 Hz | E27 | RoHS COMPLIANT | 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.



50193
9350193AC



50023
9350023AC



50313
9350313AC
9350313WH



50073
9350073WH



50183
9350183WH
9350183AC

LANTERN
889
GARDEN

IP44

UNTIL SUPPLY LAST

LANTERN

Catalogue number	Product category	Model	Colour	Width (mm)	Length (mm)	Height (mm)	Packing/Box (pcs)	Energy class
9350023AC	F	50023 HANGING	oxidated copper	255	340	255	1/12	A++→E
9350183WH	F	50183 HANGING	white	165	340	165	1/12	A++→E
9350183AC	F	50183 HANGING	oxidated copper	165	340	165	1/12	A++→E
9350073WH	F	50073 HANGING	white	165	340	200	1/12	A++→E
9350193AC	F	50193 HANGING	oxidated copper	150	330	150	1/12	A++→E
9350313AC	F	50313 HANGING	oxidated copper	195	330	195	1/12	A++→E
9350313WH	F	50313 HANGING	white	195	330	195	1/12	A++→E

Body: aluminium | **Diffuser:** glass | **Colour:** white - 93SO63WH | **Colour:** oxidized copper - 93SO63AC | **Lamps not included**

~230V | 50/60 Hz | E27 | 1,5mm² | IP 44 | RoHS COMPLIANT | 2+0 standard +extended | 2 YEAR TOTAL WARRANTY



GLOBE 250
96G250WL/BL



GLOBE 250
96G250P/BL



GLOBE 250
96G250MF/BL

IP55 **Resin**

GLOBE 250

Catalogue number	Product category	Description	Colour	Width/ Diameter (mm)	Height (mm)	Lampholder	Packing/Box (pcs)	Energy class
96G250WL/BL	C	Wall lamp	Black	300	360	1xE27	1/36	A++→E
96G250MF/BL	C	Floor lamp	Black	250	350	1xE27	1/36	A++→E
96G250P/BL	C	Hanging lamp	Black	250	700	1xE27	1/36	A++→E

Lantern body: Resin with clear glass| UV resistant | Lamp not included






Recommended bulbs:

99LED588 LED PEAR A60 12W 4000K | **99LED587** LED PEAR A60 12W 2700K | **99LED821** LED PEAR A60 12W 6400K

99LED773D LED Vintage 8W 2700K

~230V | 50/60 Hz | E27 | RoHS COMPLIANT | F | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.



GRF157 LED
96LEDW157



GRF157 LED
96LEDP15780



GRF968 LED
968LEDP500

LED NEUTRAL WHITE 4000K **IP54**

UNTIL SUPPLY LAST

GRF157 LED / GRF968 LED

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
96LEDW157	F	10	800	4000	dark gray	250	90	80	1/9	A++→A
96LEDP15780	F	10	800	4000	dark gray	800		100	1/9	A++→A
968LEDP500	F	6	480	4000-4300	dark grey	500	186	183	1/4	A++→A

Material: Alu+PC | **Chip:** 8 pcs Osram SMD3030

~230V | 50/60 Hz | SMD 2835 | 30000h | >20000 | IP 54 | Ra>80 | Hg | RoHS | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY



GRF206 LED
96LEDW206
96LEDW206W



GRF206 LED
96LEDP20678
96LEDP20678W

LED | WARM WHITE 2700K | NEUTRAL WHITE 4000K | IP54

GRF206 LED

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
96LEDW206	C	10	800	4000	graphite black	164	80	263	1/16	A++→A
96LEDP20678	C	10	800	4000	graphite black	154	110	780	1/6	A++→A
96LEDW206WW	C	10	800	3000	graphite black	164	80	263	1/16	A++→A
96LEDP20678WW	C	10	800	3000	graphite black	154	110	780	1/6	A++→A

Material: Alu+PC | **Chip:** Epistar 2835 SMD | 45PCS 2835 SMD, 10W, 800lm

~230V | 50/60 Hz | SMD 2835 | 30000h | >20000 | IP 54 | Ra>80 | Hg | RoHS COMPLIANT | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



GRF302 LED
96LEDW302



GRF302 LED
96LEDP30278

LED NEUTRAL WHITE 4000K **IP54**

GRF302 LED

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
96LEDW302	C	10	800	4000	graphite black	82	284	126	1/12	A++→A
96LEDP30278	C	10	800	4000	graphite black	82	284	780	1/6	A++→A

Material: Alu+PC | **Chip:** Epistar 2835 SMD | 45PCS 2835 SMD, 10W, 800lm

~230V | 50/60 Hz | SMD 2835 | 30000h | >20000 | IP 54 | Ra>80 | Hg | RoHS COMPLIANT | CE | 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



GRF506 LED
96LEDW506



GRF506 LED
96LEDP50678

LED NEUTRAL WHITE 4000K **IP54**

GRF506 LED

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
96LEDW506	C	10	800	4000	graphite black	157	92	83	1/16	A++→A
96LEDP50678	C	10	800	4000	graphite black	157	92	787	1/6	A++→A

Material: Alu+PC | **Chip:** Epistar 2835 SMD | 45PCS 2835 SMD, 10W, 800lm

~230V | 50/60 Hz | SMD 2835 | 30000h | >20000 | IP 54 | Ra>80 | Hg | RoHS COMPLIANT | CE | 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 90 days.



GRF507 LED
96LEDW507



GRF507 LED
96LEDP50778

LED NEUTRAL WHITE 4000K **IP54**

UNTIL SUPPLY **LAST**

GRF507 LED

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
96LEDW507	F	10	800	4000	graphite black	160	112	170	1/12	A++→A
96LEDP50778	F	10	800	4000	graphite black	160	82	780	1/6	A++→A

Material: Alu+PC | **Chip:** Epistar 2835 SMD | 45PCS 2835 SMD, 10W, 800lm

~230V | 50/60 Hz | SMD 2835 | 30000h | >20000 | IP 54 | Ra>80 | RoHS COMPLIANT | 3+2 standard +extended 5 YEAR TOTAL WARRANTY



LUCIA
95LUCIA/BL



GABRI
96GABRI/BL



BEPPE 50W
96BEPPE40/BL

IP66 **IP65** **Resin**

GABRI / LUCIA / BEPPE 50W

Catalogue number	Product category	Model	Lamp included	Colour body	Body material	IP Rating	Length (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
96GABRI/BL	C	Bollard	no	black	Resin	IP 66	750		750	1/24	A++→C
95LUCIA/BL	C	Bulkhead	no	black	Resin	IP 66	300	175	255	1/16	A++→C
96BEPPE40/BL	C	Post	yes	black	Resin	IP 65	3065		3065	1/1	A++→C

96GABRI/BL: UV resistant | Lamp not included

96BEPPE40/BL: UV resistant | Lamp included 50 W / 5000 lm / 4000K






Recommended bulbs for **96GABRI/BL** and **95LUCIA/BL**:

99LED583 LED PEAR A60 8W 2700K | **99LED584** LED PEAR A60 8W 6400K | **99LED794** LED PEAR A60 8W 6400K

99LED588 LED PEAR A60 12W 4000K | **99LED587** LED PEAR A60 12W 2700K | **99LED821** LED PEAR A60 12W 6400K

~230V | 50/60 Hz | E27 | 1,5mm² | RoHS COMPLIANT | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.



CARLO DECO
95CARLOWLD/BL



CARLO DECO
95CARLO800D/BL



CARLO DECO
95CARLO400D/BL

LED NEUTRAL WHITE 4000K **IP55** **Resin**

CARLO DECO

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
95CARLO800D/BL	C	3.5	400	4000	Black	100	800	1/6	A+ A++→A
95CARLO400D/BL	C	3.5	400	4000	Black	100	400	1/12	A+ A++→A
95CARLOWLD/BL	C	3.5	400	4000	Black	110	260	1/20	A+ A++→A

Body: Resin with clear glass | UV resistant | **Lamp holder:** G10 | **Lamp included**





The product CARLO is accomplished with a LED bulb which parameters are noted in the chart. If you need any other color temperature or power, we suggest you to purchase the variants compatible to this fixtures separately as follows:

99XLED729 GU10 LED SMD 7W 4000K | **99XLED730** GU10 LED SMD 7W 2700K | **99XLED796** GU10 LED SMD 7W 6400K

~230V | 50/60 Hz | 1,5mm² | RoHS COMPLIANT | F | CE | 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.



CARLO
95CARLOWL/BL



CARLO
95CARLO800/BL



CARLO
95CARLO400/BL

LED | NEUTRAL WHITE 4000K | IP55 | Resin

CARLO

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
95CARLO800/BL	C	3.5	400	4000	Black	100	800	1/6	A+ A++→A
95CARLO400/BL	C	3.5	400	4000	Black	100	400	1/12	A+ A++→A
95CARLOWL/BL	C	3.5	400	4000	Black	110	260	1/20	A+ A++→A

Body: Resin with clear glass | UV resistant | **Lamp holder:** G10 | **Lamp included**







The product CARLO is accomplished with a LED bulb which parameters are noted in the chart. If you need any other color temperature or power, we suggest you to purchase the variants compatible to this fixtures separately as follows:

99XLED729 GU10 LED SMD 7W 4000K | **99XLED730** GU10 LED SMD 7W 2700K | **99XLED796** GU10 LED SMD 7W 6400K

~230V | 50/60 Hz | 1,5mm² | RoHS COMPLIANT | CE | 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.



CARLO
95CARLOWL/GR



CARLO
95CARLO800/GR



CARLO
95CARLO400/GR

LED | NEUTRAL WHITE 4000K | IP55 | Resin

CARLO

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Diameter (mm)	Height (mm)	Packing/Box (pcs)	Energy class
95CARLO800/GR	C	3.5	400	4000	Grey	100	800	1/6	A+ A++→A
95CARLO400/GR	C	3.5	400	4000	Grey	100	400	1/12	A+ A++→A
95CARLOWL/GR	C	3.5	400	4000	Grey	110	260	1/20	A+ A++→A

Body: Resin with clear glass | UV resistant | **Lamp holder:** G10 | **Lamp included**





The product CARLO is accomplished with a LED bulb which parameters are noted in the chart. If you need any other color temperature or power, we suggest you to purchase the variants compatible to this fixtures separately as follows:

99XLED729 GU10 LED SMD 7W 4000K | **99XLED730** GU10 LED SMD 7W 2700K | **99XLED796** GU10 LED SMD 7W 6400K

~230V | 50/60 Hz | 1,5mm² | RoHS COMPLIANT | F | CE | 3+2 standard +extended | 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.



ESTER
95ESTER800/BL



ESTER
95ESTER500/BL



ESTER
95ESTERWL/BL




SAURO
95SAURO800/BL

LED 3000 K 4000 K 6000 K **IP55** **Resin**

ESTER/ SAURO

Catalogue number	Product category	Watt (W)	Whole fixture lumens (lm)	Colour temp. (K)	Colour body	Length/ Diameter (mm)	Width (mm)	Height (mm)	Packing/Box (pcs)	Energy class
95ESTER800/BL	C	10	1200	3000/4000/6500- adjustable	Black	126	126	800	1/6	A+ A++→A
95ESTER500/BL	C	10	1200	3000/4000/6500- adjustable	Black	126	126	480	1/12	A+ A++→A
95ESTERWL/BL	C	10	1200	3000/4000/6500- adjustable	Black	126	165	126	1/18	A+ A++→A
95SAURO800/BL	C	10	1200	3000/4000/6500- adjustable	Black	150		800	1/6	A+ A++→A

Body: Resin with clear glass | UV resistant | **Lamp holder:** GX53 | **Lamp included**


~230V 50/60 Hz 1,5mm² RoHS F CE 3+2 standard +extended 5 YEAR TOTAL WARRANTY

In case of insufficient quantity in stock of any item listed on this page, the delivery time after order confirmation will be 45 days.